


RENTAL CATALOGUE III

nucleon


ROBE

iBOLT™

DOMINATE
THE SKY



This catalogue and therefore this advertisement are printed
CO2-compensated. For more information, please contact NicLen.





Arolla

EIN VOLLAUSGESTATTETER IP66
HOCHLEISTUNGSSCHEINWERFER MIT
BLENDENSCHIEBERMODUL.



Der Arolla Aqua ist ein wahres
Arbeitstier und trotz IP66 und
hervorragender Lichtleistung
(900W | 7000K | 40.000lm)
vergleichsweise leicht und kompakt.

In großer Stückzahl bei **NICLEN** verfügbar.

VISION²

www.claypak.com
www.visiontwo.de



L I G H T I N G | V I D E O | A U D I O | R I G G I N G

Hi there,

Thank you for taking time to have a look into our latest rental catalogue. Before you start skimming: Should you have any questions regarding the products, please don't hesitate to contact us directly. We are happy to help you out!

Now some facts about us: NicLen and publitec, based in Dortmund (Germany), combined forces in 2019 and since then offer you the full portfolio of event technology – at high quality and in large quantities. We as dry-hire specialists have gathered years of experience in the areas of professional lighting, video and audio technology as well as rigging. With locations in the UK, the Netherlands, Switzerland and France our mission is to solve all your problems at once.

Do you have issues with transportation? We have our own logistics system - built for your needs.
Do you need more manpower or expertise on site? Our video technicians are there for you.
Are you rather looking for used equipment at a small price? You can find it at our market place.
Do you have a rental park of your own and seek assistance in maintaining it? Our repair service will gladly do it for you.
If you are looking to buy event technology, publitec is your partner.

You can find out more about the individual members of the NicLen Family at www.niclenfamily.com.

Cheers,

The NicLen Family

Hallo,

schön, dass Du Dir die Zeit nimmst, durch unseren aktuellen Mietkatalog zu stöbern. Solltest Du Fragen zu den einzelnen Produkten oder unseren Dienstleistungen haben, ruf uns gerne direkt an.

Vorab ein paar Infos über uns: NicLen und publitec haben ihren Sitz in Dortmund und bieten Dir seit 2019 zusammen das komplette Line-up der professionellen Veranstaltungstechnik - also Licht-, Video-, Audio- und Rigging-Equipment an. In bester Qualität und zu großen Stückzahlen. Wir sind Dry-Hire Spezialisten mit ganz viel Herzblut und möchten, dass Du in jeder Hinsicht von unserer jahrelangen Erfahrung profitierst. Mit weiteren Standorten in der UK, den Niederlanden, der Schweiz und Frankreich ist es daher unsere Mission, Dein Problemlöser in allen Belangen rund ums Event zu sein.

Gibt es Probleme beim Transport Deiner Technik? Wir haben unser eigenes Logistiksystem und Du eine Sorge weniger.
Brauchst Du technischen Support auf der Baustelle? Unsere Videoexperten mischen sich unsichtbar unter Dein Team und unterstützen Dich zuverlässig.
Suchst Du nach gebrauchter Eventtechnik zu kleinen Preisen? Schau doch mal bei Rudi Deluxe vorbei.
Hast Du einen eigenen Mietpark und möchtest sichergehen, dass Deine Technik immer im perfekten Zustand ist? Unser Reparatur- und Wartungsservice kümmert sich.
Falls Du Veranstaltungstechnik kaufen möchtest, ist publitec Dein Partner.


Mehr über die einzelnen Mitglieder der NicLen Family erfährst du auf www.niclenfamily.de.

Wir freuen uns, von Dir zu hören!

Deine NicLen Family

This catalogue was printed climate neutrally. The certificate can be provided on request.

*The General Terms and Conditions of NicLen Gesellschaft für Elektronik, Handel und Vermietung mbH apply. You can find the GTC here: www.niclen.de/en/gtc
As of 03/2025 V2 | Subject to errors and technical changes.*



| Manufacturer | Fixture | Category | Power Connection | DMX | Gobo Size | Channel |
|--------------|-------------------|-------------|-------------------------|--------------|-----------|---------|
| Arri | L7 C | Staticlight | Schuko | 5 Pin | | 1-16 |
| Astera | FP3 Hyperion Tube | Staticlight | Power Supply Unit | 5 Pin | | |
| Astera | FP2 Helios Tube | Staticlight | Power Supply Unit | 5 Pin | | 3-112 |
| Astera | FP1 Titan Tube | Staticlight | Power Supply Unit | 5 Pin | | 3-112 |
| Astera | AX5 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-21 |
| Astera | AX9 | Staticlight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | | 3-21 |
| Astera | AX 2-50 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 3-72 |
| Astera | AX 2-100 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 3-72 |
| Astera | NYX Bulb | Staticlight | | | | 2-8 |
| Ayrton | Rivale Profile | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 25,5 18,0 | 65 |
| Cameo | Azor S2 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 16,5 10,5 | 21-28 |
| Cameo | Azor SP2 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 16,5 10,5 | 32-43 |
| Cameo | MOVO BEAM 200 | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | | 15- 89 |
| Cameo | OPUS H5 | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 17,0 12,0 | 27-36 |
| Cameo | OTOS H5 | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | | |
| Cameo | OTOS B5 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 17-23 |
| Cameo | OPUS X Profile | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 30,0 25,0 | 37-55 |
| Cameo | OPUS SP5 Profile | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 22,9 19,0 | 34-50 |
| Cameo | ORON H2 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 7,5 4 | 24-33 |
| Cameo | OPUS X4 Profile | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | 30 25 | 34-56 |
| Cameo | Azor B1 | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 30,6 22,0 | 13-16 |
| Cameo | OPUS S5 Spot | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | 22,9 19,0 | 27-33 |
| Cameo | EVOS W7 | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | 42,1 48,2 | 16-87 |
| Cameo | EVOS W3 | Movinglight | Schuko > PowerCON TRUE1 | Artnet 5 Pin | 29,0 35,0 | 18-43 |
| Cameo | ZENIT® W300 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 2-15 |
| Cameo | ZENIT® B200 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 2-15 |
| Cameo | F4T | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-5 |
| Cameo | F4FC | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-11 |
| Cameo | F4D | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-5 |

| Manufacturer | Fixture | Lamp | Power Connection | DMX | Gobo Size | Channel |
|--------------|-----------------------|-------------|-------------------------|-------------|------------|---------|
| Cameo | F2T | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-5 |
| Cameo | F2FC | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 10 |
| Cameo | F2D | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-5 |
| Cameo | F1D | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-5 |
| Cameo | F1T | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-5 |
| Cameo | ZENIT® W600 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 2-15 |
| Cameo | ZENIT® W600 SMD | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 2-15 |
| Cameo | ZENIT® P130 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 2-15 |
| Cameo | ZENIT® B60 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 2-15 |
| Cameo | ZENIT® Z180 G2 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 3-17 |
| Cameo | FLAT PRO 7 G2 | Staticlight | Schuko > PowerCON TRUE1 | 3 Pin | | 2-14 |
| Cameo | FLAT PRO 12 G2 | Staticlight | Schuko > PowerCON TRUE1 | 3 Pin | | 2-14 |
| Cameo | DROP® B1 | Staticlight | | | | 9 |
| Cameo | PIXBAR® 400 IP G2 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-68 |
| Cameo | PIXBAR® SMD IP G2 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 6-116 |
| Chauvet | COLORado PXL Curve 12 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 20-179 |
| Chauvet | STRIKE Array 2 | Staticlight | Schuko > PowerCON | 5 Pin | | 1-8 |
| Chauvet | Ovation | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | 100 86 | 1-18 |
| Chauvet | STRIKE Array 4 | Staticlight | Schuko > PowerCON | 5 Pin | | 1-10 |
| Clay Paky | Arolla Aqua | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 26,95 20,5 | 38 |
| Clay Paky | Panify | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 5 |
| Clay Paky | Sharpy Wash 330 | Movinglight | Schuko | 3 Pin 5 Pin | | 22 |
| Clay Paky | Sharpy | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | | 20 |
| Clay Paky | Scenius Unico | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 32,8 23,0 | 40-44 |
| Clay Paky | Scenius Profile | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 32,8 23,0 | 37-41 |
| Clay Paky | Tambora Batten | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 10,5 28,8 | 48-64 |
| Clay Paky | Xtylos Mini HPE | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 27 |
| Clay Paky | Xtylos Aqua | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 11,0 25,0 | 31 |
| Clay Paky | Midi-B | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 17-37 |

| Manufacturer | Fixture | Lamp | Power Connection | DMX | Gobo Size | Channel |
|--------------|--------------------------|-------------|-------------------------|-------------|-----------|---------|
| Clay Paky | HY B-Eye K25 | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | | 21-35 |
| Clay Paky | Stormy | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 3-6 |
| Clay Paky | ReflectXion | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 6 |
| Coemar | LEDco Fullspectrum HD6 | Staticlight | Schuko > PowerCON | 5 Pin | 28,0 40,0 | 1-16 |
| DVT Light | PJ-5 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 44902 |
| Elation | Smarty Hybrid™ | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 7,0 14,0 | 20-34 |
| Elation | Proteus Smarty Hybrid IP | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 7,0 14,0 | 20-34 |
| Elation | Proteus Maximus IP™ | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 25,0 29,8 | 37-61 |
| Elation | Artiste Monet™ | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 25,0 29,8 | 40-67 |
| Elation | CUEPIX Panel | Staticlight | Schuko > PowerCON | 3 Pin 5 Pin | | 3-80 |
| Elation | SIXBAR 1000 | Staticlight | Schuko > PowerCON | 3 Pin 5 Pin | | 6-79 |
| Elation | CUEPIX Blinder WW4 | Staticlight | Schuko > PowerCON | 3 Pin 5 Pin | | 1-9 |
| Elation | CUEPIX Blinder WW2 | Staticlight | Schuko > PowerCON | 3 Pin 5 Pin | | 1-4 |
| Elation | SIXBAR 1000 IP | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 6-79 |
| Elation | KL Panel | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 9 |
| ExpoLite | TourLED Pro 28 Zoom | Staticlight | Schuko > PowerCON | 3 Pin 5 Pin | | 3-12 |
| ExpoLite | TourStick P4 | Staticlight | Schuko > PowerCON | 3 Pin | | 3-16 |
| GLP | X4 Bar 20 | Movinglight | Schuko > PowerCON | 5 Pin | | 20-89 |
| GLP | HIGHLANDER Wash | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-26 |
| GLP | impression FR1 | Movinglight | Schuko > PowerCON | 5 Pin | | 1-16 |
| GLP | impression X4 L | Movinglight | Schuko > PowerCON | 5 Pin | | 21-169 |
| GLP | X5 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 24-89 |
| GLP | KNV Dot | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 10-86 |
| GLP | KNV Line | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 10-86 |
| GLP | JDC1 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 14-68 |
| GLP | JDC2 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | |
| GLP | Fusion 2 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 4-92 |
| GLP | JDC Line 500 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 16-158 |
| GLP | FUSION MBL 40 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-5 |
| GLP | FUSION MBL 20 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-5 |

| Manufacturer | Fixture | Lamp | Power Connection | DMX | Gobo Size | Channel |
|--------------------|---------------------------|-------------|--------------------------|-------------|-----------|-----------|
| GLP | Creative Light 1+ | Staticlight | USB-C | | | 1-75 |
| Laser Imagineering | Sunbeam 100 FC | Staticlight | Schuko > PowerCON TRUE1 | | | 3-30/60 |
| Martin | MAC Viper Profile | Movinglight | Schuko > PowerCON | 5 Pin | 37,5 27,0 | 26-34 |
| Martin | MAC Viper Air FX | Movinglight | Schuko > PowerCON | 5 Pin | 37,5 27,0 | 20-28 |
| Martin | MAC Viper Wash DX | Movinglight | Schuko > PowerCON | 5 Pin | | 18-24 |
| Martin | MAC Viper Performance | Movinglight | Schuko > PowerCON | 5 Pin | 37,5 27,0 | 32-40 |
| Martin | MAC Axiom Hybrid | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 13,9 9,0 | 23 |
| Martin | Atomic 3000 | Movinglight | Schuko | 3 Pin 5 Pin | | 1-4 |
| Martin | MAC Quantum Wash | Movinglight | Schuko > PowerCON | 5 Pin | | 17-33 |
| Martin | MAC Aura | Movinglight | Schuko > PowerCON | 5 Pin | | 14-25 |
| Martin | MAC One | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 20-108&20 |
| Martin | MAC Aura XB | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 14-25 |
| Martin | MAC Aura PXL | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-512 |
| Martin | MAC Encore Performace CLD | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 37,5 27,0 | 38 |
| Martin | MAC Ultra Performance | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 37,5 30,0 | 58 |
| Martin | Atomic 3000 LED | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 3-14 |
| Martin | VDO Atomic Dot WRM | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-64 |
| Martin | VDO Atomic Dot CLD | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-64 |
| Martin | VDO Atomic Bold | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-243 |
| Portman | S-TRIBETM | Staticlight | Schuko / PowerCON True 1 | 5 Pin | | 12-97 |
| Portman | P3 PIX3L | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 3 |
| Portman | P2 Hexaline | Staticlight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | | 6 |
| Portman | P1 Retro Lamp | Staticlight | Schuko > PowerCON | 3 Pin 5 Pin | | 7 |
| Portman | P1 Mini LED | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 19-50 |
| Portman | Mantis | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 21-43 |
| Prolights | Astra Hybrid330 | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 20 16 | 29 |
| Robe | Tetra2TM | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 34-128 |
| Robe | iFORTE® | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 25,5 18,0 | 54-56 |
| Robe | BMFLTM FollowSpot LT | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 25,0 30,8 | 27-33 |
| Robe | LEDBeam 350TM | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 16-24 |

| Manufacturer | Fixture | Lamp | Power Connection | DMX | Gobo Size | Channel |
|--------------|-----------------------|-------------|-------------------------|-------------|-----------|---------|
| Robe | BMFL™ Spot | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 25,0 30,8 | 33-41 |
| Robe | Pointe® | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 15,9 12,5 | 16-30 |
| Robe | BMFL™ WashBeam | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 25,0 30,8 | 41-48 |
| Robe | BMFL™ Wash XF | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 25,0 30,8 | 30-34 |
| Robe | BMFL™ Blade | Movinglight | Schuko > PowerCON | 3 Pin 5 Pin | 25,0 30,8 | 42-49 |
| Robe | MegaPointe® | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | 15,9 12,5 | 34-39 |
| Robe | iPointe IP® | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | 15,8 12,9 | 34-39 |
| Robe | picklePATT™ | Staticlight | Schuko | | | |
| Robe | PATT 2013™ | Staticlight | Schuko | | | |
| Robe | LEDWash 800™ | Movinglight | Schuko | 3 Pin 5 Pin | | 11-38 |
| Robe | LEDBeam 150™ | Movinglight | Schuko > PowerCON | 5 Pin | | 16-22 |
| Robe | ESPRITE® | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | 23,5 26,8 | 42-50 |
| Robe | Spikie® | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 21-27 |
| Robe | Spiider® | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | | 27-123 |
| Robe | Tarrantula™ | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | | 28-195 |
| Robe | FORTE® | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | 30,8 25,0 | 54 |
| Robe | iFORTE® LTX FS | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | 30,8 25,0 | 54 |
| Robe | iSpiider IP® | Movinglight | Schuko > PowerCON TRUE1 | 3 Pin 5 Pin | | 27-123 |
| ROXX® | E.SHOW TW+ | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 3-20 |
| ROXX® | E.SHOW FC | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 3-16 |
| ROXX® | E.SHOW D | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-4 |
| ROXX® | CLUSTER B2 W | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-13 |
| ROXX® | CLUSTER B2 FC | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-41 |
| ROXX® | CLUSTER B4 W | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-17 |
| ROXX® | CLUSTER B4 FC | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 1-73 |
| ROXX® | B.FLEX & B.FLEX HAT W | Staticlight | Power Supply Unit | 5 Pin | | 3-80 |
| SGM | G-Profile Turbo IP | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 37,5 30,0 | 32-47 |
| SGM | P-10 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 4-52 |
| SGM | Q-10 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 6-30 |
| SGM | P-6 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 4-40 |

| Manufacturer | Fixture | Lamp | Power Connection | DMX | Gobo Size | Channel |
|--------------|-------------------|-------------|-------------------------|-------|-----------|---------|
| SGM | SP-6 | Staticlight | Schuko > PowerCON TRUE1 | 5 Pin | | 6-48 |
| SGM | Q-7 W | Staticlight | Schuko > PowerCON | 5 Pin | | 1-8 |
| SGM | Q-7 | Staticlight | Schuko > PowerCON | 5 Pin | | 4-8 |
| SGM | Q-2 W | Staticlight | Schuko > PowerCON | 5 Pin | | 1-24 |
| SGM | Q-2 | Staticlight | Schuko > PowerCON | 5 Pin | | 3-22 |
| SGM | P-5 W | Staticlight | Schuko > PowerCON | 5 Pin | | 1-2 |
| SGM | P-5 | Staticlight | Schuko > PowerCON | 5 Pin | | 3-10 |
| Vari*Lite | VL2600 Wash | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 29-32 |
| Vari*Lite | VL2600 Profile | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 27,0 17,0 | 41-46 |
| Vari*Lite | VL6000 Beam | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 37,5 29,5 | 23 |
| Vari*Lite | VL5LED Wash | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | | 29-81 |
| Vari-Lite | VL3600 PROFILE IP | Movinglight | Schuko > PowerCON TRUE1 | 5 Pin | 29,8 24 | 49-54 |



LED



Package Unit



Schuko



powerCON



powerCON TRUE1



Touch Display



W-DMX



DMX 3 Pin



DMX 5 Pin



IP Class



Battery Powered



Shutter Blade



Konkurrenzlos gut.



AYRTON
Digital Lighting



Die neue
Ultimate Serie
von Ayrton

Auch hier im
Nielen Mietpark



Stradale
Profile

Rivale
Profile

Veloce
Profile

BT.innotec


Rothenberger Str. 52 | 48493 Wettringen | info@btinnotec.de | 02557/9999088



| | |
|-------------------|---------------------|
| Fixture | FORTE® |
| Manufacturer | Robe |
| Type | Profile |
| Lamp | 1.000W LED |
| Power Consumption | 1.250W |
| Weight | 39,8kg |
| Special/Zoom | 5°-55° / CRI: 70-90 |



| | |
|-------------------|------------------------------|
| Fixture | MAC Ultra Performance |
| Manufacturer | Martin |
| Type | Profile |
| Lamp | 1.150W LED |
| Power Consumption | 1.380W |
| Weight | 44kg |
| Special/Zoom | 8°-54° / CRI: 66-90 |




★ Also for Sale!



| | |
|--------------|-------------------------|
| Fixture | OPUS® X4 Profile |
| Manufacturer | Cameo |
| Type | Spot |
| Lamp | 1.400W |
| Weight | 43kg |
| Special/Zoom | 5,5°-56° |




| | |
|-------------------|-----------------------|
| Fixture | Artiste Monet™ |
| Manufacturer | Elation |
| Type | Profile |
| Lamp | 950W LED |
| Power Consumption | 1.400W |
| Weight | 42,6kg |
| Special/Zoom | 6,8°-55° / CRI: 72-84 |





Fixture **ESPRITE™**

| | |
|-------------------|----------|
| Manufacturer | Robe |
| Type | Profile |
| Lamp | 650W LED |
| Power Consumption | 950W |
| Weight | 27,8kg |
| Special/Zoom | 5,5°-50° |



Fixture **Scenius Profile**

| | |
|-------------------|-----------|
| Manufacturer | Clay Paky |
| Type | Profile |
| Lamp | 1.400W |
| Power Consumption | 1.800W |
| Weight | 41kg |
| Special/Zoom | 7°-48° |



★ Also for Sale!




Fixture **OPUS® X Profile**


| | |
|-------------------|----------|
| Manufacturer | Cameo |
| Type | Profile |
| Lamp | 750W LED |
| Power Consumption | 1.100W |
| Weight | 42kg |
| Special/Zoom | 6°-48° |



Fixture **BMFL™ Blade**

| | |
|-------------------|---------|
| Manufacturer | Robe |
| Type | Profile |
| Lamp | 1.700W |
| Power Consumption | 2.000W |
| Weight | 37,9kg |
| Special/Zoom | 5°-55° |





Fixture

**MAC Viper
Performance**

| | |
|-------------------|---------|
| Manufacturer | Martin |
| Type | Profile |
| Lamp | 1.000W |
| Power Consumption | 1.186W |
| Weight | 37,9kg |
| Special/Zoom | 10°-44° |



Fixture

**MAC Encore
Performance CLD**

| | |
|-------------------|---------|
| Manufacturer | Martin |
| Type | Profile |
| Lamp | 468W |
| Power Consumption | 580W |
| Weight | 31kg |
| Special/Zoom | 12°-48° |

★ Also for Sale!



Fixture

OPUS® SP5

| | |
|-------------------|---------|
| Manufacturer | Cameo |
| Type | Profile |
| Lamp | 500W |
| Power Consumption | 800W |
| Weight | 27,8kg |
| Special/Zoom | 6°-42° |



Fixture

VL2600 Profile

| | |
|-------------------|-----------|
| Manufacturer | Vari*Lite |
| Type | Profile |
| Lamp | 550W |
| Power Consumption | 820W |
| Weight | 32kg |
| Special/Zoom | 7°-48° |

★ Also for Sale!



Fixture **AZOR SP2**

Manufacturer Cameo

Type Spot

Lamp 300W

Power Consumption 550W

Weight 24kg

Special/Zoom 3°-50°



★ Also for Sale!



Fixture **Azor S2**

Manufacturer Cameo

Type Spot


Lamp 300W

Power Consumption 470W

Weight 19,7kg

Special/Zoom 5°-50°





Fixture **BMFL™ Spot**

| | |
|-------------------|--------|
| Manufacturer | Robe |
| Type | Spot |
| Lamp | 1.700W |
| Power Consumption | 2.000W |
| Weight | 36kg |
| Special/Zoom | 5°-55° |



Fixture **MAC Viper Profile**

| | |
|-------------------|-------------------|
| Manufacturer | Martin |
| Type | Spot |
| Lamp | 1.000W |
| Power Consumption | 1.186W |
| Weight | 37,2kg |
| Special/Zoom | 135° Animation FX |

★ Also for Sale!



Fixture **OPUS® S5**

| | |
|-------------------|--------|
| Manufacturer | Cameo |
| Type | Spot |
| Lamp | 380W |
| Power Consumption | 650W |
| Weight | 24kg |
| Special/Zoom | 6°-46° |



| | |
|-------------------|------------------------|
| Fixture | HIGHLANDER Wash |
| Manufacturer | GLP |
| Type | Wash |
| Lamp | 1.400W |
| Power Consumption | 1.750W |
| Weight | 29,5kg |
| Special/Zoom | 5°-60° |




| | |
|-------------------|---------------------|
| Fixture | BMFL™ WashXF |
| Manufacturer | Robe |
| Type | Wash |
| Lamp | 1.700W |
| Power Consumption | 2.000W |
| Weight | 35kg |
| Special/Zoom | 4,5°-55° |




| | |
|-------------------|--------------------|
| Fixture | VL2600 Wash |
| Manufacturer | Vari*Lite |
| Type | Wash |
| Lamp | 550W |
| Power Consumption | 820W |
| Weight | 30,2kg |
| Special/Zoom | 12°-63° |




| | |
|-------------------|-------------------------|
| Fixture | MAC Viper WashDX |
| Manufacturer | Martin |
| Type | Wash |
| Lamp | 1.000W |
| Power Consumption | 1.186W |
| Weight | 34,1kg |
| Special/Zoom | Barndoors, Linear CTO |





Fixture **VL5LED Wash**

| | |
|-------------------|--------------|
| Manufacturer | Vari*Lite |
| Type | Wash |
| Lamp | 1.080W |
| Power Consumption | 1.320W |
| Weight | 23,5kg |
| Special/Zoom | 2.700-7.000K |



Fixture **Sharpy Wash**

| | |
|-------------------|-----------|
| Manufacturer | Clay Paky |
| Type | Wash |
| Lamp | 330W |
| Power Consumption | 500W |
| Weight | 18,5kg |
| Special/Zoom | 6,5°- 48° |




Fixture **VL6000 Beam**

| | |
|-------------------|---------------------|
| Manufacturer | Vari*Lite |
| Type | Beam |
| Lamp | 1.500W |
| Power Consumption | 2.140W |
| Weight | 28kg |
| Special/Zoom | Ellipsoid Reflector |



Fixture **BMFL™ WashBeam**

| | |
|-------------------|-----------|
| Manufacturer | Robe |
| Type | Wash Beam |
| Lamp | 1.700W |
| Power Consumption | 2.000W |
| Weight | 38,4kg |
| Special/Zoom | 5°-45° |



Fixture **Scenius Unico**

| | |
|-------------------|-----------|
| Manufacturer | Clay Paky |
| Type | Wash Beam |
| Lamp | 1.400W |
| Power Consumption | 1.800W |
| Weight | 45,6kg |
| Special/Zoom | 5°-55° |



Fixture **MAC Viper AirFX**


| | |
|-------------------|-----------------|
| Manufacturer | Martin |
| Type | Hybrid |
| Lamp | 1.000W |
| Power Consumption | 1.168W |
| Weight | 35,7kg |
| Special/Zoom | Mid-Air Effects |






Fixture **MegaPointe®**

| | |
|-------------------|-----------------|
| Manufacturer | Robe |
| Type | Hybrid |
| Lamp | 470W |
| Power Consumption | 670W |
| Weight | 22kg |
| Special/Zoom | Multifunctional |



Fixture **Pointe®**

| | |
|-------------------|-----------------|
| Manufacturer | Robe |
| Type | Hybrid |
| Lamp | 280W |
| Power Consumption | 670W |
| Weight | 15kg |
| Special/Zoom | Multifunctional |



★ Also for Sale!



Fixture **OPUS® H5**

| | |
|-------------------|-----------------|
| Manufacturer | Cameo |
| Type | Hybrid |
| Lamp | 470W |
| Power Consumption | 700W |
| Weight | 27kg |
| Special/Zoom | Multifunctional |



Fixture **Smarty Hybrid™**

| | |
|-------------------|-----------------|
| Manufacturer | Elation |
| Type | Hybrid |
| Lamp | 280W |
| Power Consumption | 480W |
| Weight | 22,2kg |
| Special/Zoom | Multifunctional |





Fixture **Sharpy Beam**

| | |
|-------------------|-----------|
| Manufacturer | Clay Paky |
| Type | Beam |
| Lamp | 330W |
| Power Consumption | 350W |
| Weight | 19kg |
| Special/Zoom | 1°-3,8° |



Fixture **Astra Hybrid330**


| | |
|-------------------|------------|
| Manufacturer | Prolights |
| Type | Hybrid |
| Lamp | 330W LED |
| Power Consumption | 517W |
| Weight | 21,6kg |
| Special/Zoom | 3,5° - 52° |

21



Fixture **Mini Xtylos HPE**


| | |
|-------------------|------------------|
| Manufacturer | Clay Paky |
| Type | Beam |
| Lamp | 20W Laser Engine |
| Power Consumption | 90W |
| Weight | 9kg |
| Special/Zoom | 1°-4° |




| | |
|-------------------|----------------|
| Fixture | Azor B1 |
| Manufacturer | Cameo |
| Type | Beam |
| Lamp | 100W LED |
| Power Consumption | 180W |
| Weight | 13,9kg |
| Special/Zoom | 9.200K |



| | |
|-------------------|------------------------|
| Fixture | Spikie® |
| Manufacturer | Robe |
| Type | Beam |
| Lamp | 60W LED |
| Power Consumption | 100W |
| Weight | 7,3kg |
| Special/Zoom | 4°-28° / 3 facet Prism |



| | |
|-------------------|---------------------|
| Fixture | LEDBeam 150™ |
| Manufacturer | Robe |
| Type | Beam |
| Lamp | 280W LED |
| Power Consumption | 220W |
| Weight | 5,7kg |
| Special/Zoom | 3,8°-60° |




| | |
|-------------------|---------------------|
| Fixture | LEDBeam 350™ |
| Manufacturer | Robe |
| Type | Beam |
| Lamp | 12x40W LED |
| Power Consumption | 450W |
| Weight | 9,9kg |
| Special/Zoom | 3,8° -60° |

★ Also for Sale!



Fixture **EVOS W3**

| | |
|-------------------|------------|
| Manufacturer | Cameo |
| Type | Wash |
| Lamp | 7x 40W LED |
| Power Consumption | 325W |
| Weight | 7,8kg |
| Special/Zoom | 4,5°-55° |




Fixture **impression FR1**

| | |
|-------------------|----------|
| Manufacturer | GLP |
| Type | Beam |
| Lamp | 60W LED |
| Power Consumption | 85W |
| Weight | 4kg |
| Special/Zoom | 3,7°-34° |

23

★ Also for Sale!




Fixture **MOVO BEAM 200**

| | |
|-------------------|---------|
| Manufacturer | Cameo |
| Type | Beam |
| Lamp | 60W |
| Power Consumption | 120W |
| Weight | 8kg |
| Special/Zoom | 2°-120° |




Fixture **MAC One**


| | |
|-------------------|--------|
| Manufacturer | Martin |
| Type | Hybrid |
| Lamp | 160W |
| Power Consumption | 180W |
| Weight | 4,4kg |
| Special/Zoom | 4°-27° |




| | |
|-------------------|---------------------|
| Fixture | HY B-Eye K25 |
| Manufacturer | Clay Paky |
| Type | Wash, Beam |
| Lamp | 37x40W |
| Power Consumption | 1.250W |
| Weight | 27,5kg |
| Special/Zoom | 4°-60° |



| | |
|-------------------|-----------------------------|
| Fixture | MAC Quantum Wash |
| Manufacturer | Martin |
| Type | Wash |
| Lamp | 50x 15W LED |
| Power Consumption | 856W |
| Weight | 21kg |
| Special/Zoom | BEAM Twister / Variable CTO |



| | |
|-------------------|----------------------|
| Fixture | Tarrantula™ |
| Manufacturer | Robe |
| Type | Wash |
| Lamp | 1x 60W + 36x 40W LED |
| Power Consumption | 1.000W |
| Weight | 21,2kg |
| Special/Zoom | 4°-50° |



| | |
|-------------------|----------------------|
| Fixture | Impression X5 |
| Manufacturer | GLP |
| Type | Wash |
| Lamp | 19x 40W LED |
| Power Consumption | 710W |
| Weight | 13,3kg |
| Special/Zoom | 3,5°-60° |



MIDI **B**

KOMPAKTES, VIELSEITIGES UND
EXTREM LEISTUNGSSTARKES
WASH- BZW. BEAM-MOVINGLIGHT.




Midi-B überzeugt mit exzellenten
Farben, einem enormen Output, einer
homogenen Ausleuchtung, einem
Zoom-Bereich von 4°- 50° und mit
seiner enormen Schnelligkeit.

In großer Stückzahl bei **NICLEN** verfügbar.

VISION²




| | |
|-------------------|------------------------|
| Fixture | impression X4 L |
| Manufacturer | GLP |
| Type | Wash |
| Lamp | 37x 15W LED |
| Power Consumption | 900W |
| Weight | 17kg |
| Special/Zoom | 7°-50° / Pixelmapping |




| | |
|-------------------|---------------|
| Fixture | Midi-B |
| Manufacturer | Clay Paky |
| Type | Wash |
| Lamp | 19x40W |
| Power Consumption | 830W |
| Weight | 17kg |
| Special/Zoom | 4°-50° |



| | |
|-------------------|----------------------|
| Fixture | Spiider® |
| Manufacturer | Robe |
| Type | Wash |
| Lamp | 1x 60W + 18x 40W LED |
| Power Consumption | 600W |
| Weight | 13,3kg |
| Special/Zoom | 4°-50° |




| | |
|-------------------|---------------------|
| Fixture | MAC Aura PXL |
| Manufacturer | Martin |
| Type | Wash |
| Lamp | 19x 40W LED |
| Power Consumption | 560W |
| Weight | 15,6kg |
| Special/Zoom | 7°-59° |






Fixture **MAC Aura XB**

| | |
|-------------------|-------------|
| Manufacturer | Martin |
| Type | Wash |
| Lamp | 19x 15W LED |
| Power Consumption | 349W |
| Weight | 6,5kg |
| Special/Zoom | 10°-60° |




Fixture **LEDWash 800™**

| | |
|-------------------|-------------|
| Manufacturer | Robe |
| Type | Wash |
| Lamp | 37x 15W LED |
| Power Consumption | 430W |
| Weight | 11,5kg |
| Special/Zoom | 8°-63° |



Fixture **MAC Aura**

| | |
|-------------------|------------------|
| Manufacturer | Martin |
| Type | Wash |
| Lamp | 19x 10W LED |
| Power Consumption | 228W |
| Weight | 5,6kg |
| Special/Zoom | Eye Candy Effect |





★ Also for Sale!



Fixture **EVOS W7**


| | |
|-------------------|-------------|
| Manufacturer | Cameo |
| Type | Wash Beam |
| Lamp | 19x 40W LED |
| Power Consumption | 900W |
| Weight | 23,5kg |
| Special/Zoom | 4,5°-55° |






Impression X4 Bar 20

| | |
|-------------------|-------------|
| Fixture | |
| Manufacturer | GLP |
| Type | Bar |
| Lamp | 20x 15W LED |
| Power Consumption | 400W |
| Weight | 16kg |
| Special/Zoom | 7°-50° |



Tambora Batten

| | |
|-------------------|-------------|
| Fixture | |
| Manufacturer | Clay Paky |
| Type | Bar |
| Lamp | 16x 40W LED |
| Power Consumption | 660W |
| Weight | 15,5kg |
| Special/Zoom | 4°-53° |



Tetra2™

| | |
|-------------------|-------------|
| Fixture | |
| Manufacturer | Robe |
| Type | Bar |
| Lamp | 18x 40W LED |
| Power Consumption | 600W |
| Weight | 18,1kg |
| Special/Zoom | 4,5°-45° |




| | |
|-------------------|-------------------------------|
| Fixture | ReflectXion |
| Manufacturer | Clay Paky |
| Type | Moving Mirror |
| Power Consumption | 100W |
| Weight | 13,5kg |
| Special/Zoom | 99% Reflectance, Double Sided |



| | |
|-------------------|---------------|
| Fixture | Panify |
| Manufacturer | Clay Paky |
| Type | Moving Base |
| Power Consumption | 150W |
| Weight | 13,8kg |
| Special/Zoom | 22-50RPM |

29



| | |
|-------------------|---|
| Fixture | JDC1 |
| Manufacturer | GLP |
| Type | Strobe / Blinder |
| Lamp | 1.320x OSRAM LRTB RGB + 216x CREE XP L Cool White |
| Power Consumption | 1.200W |
| Weight | 11,5kg |
| Special/Zoom | Motorized Tilt (180°), 2 Separate Lightsources |



| | |
|-------------------|-------------------------|
| Fixture | Proteus Maximus™ |
| Manufacturer | Elation |
| Type | Profile |
| Lamp | 950W LED |
| Power Consumption | 1.400W |
| Weight | 53kg |
| Special/Zoom | 5,5°-55° |

★ Also for Sale!



| | |
|-------------------|------------------|
| Fixture | OTOS® SP6 |
| Manufacturer | Cameo |
| Type | Profile |
| Lamp | 600W LED |
| Power Consumption | 780W |
| Weight | 33,5kg |
| Special/Zoom | 4 Shutterblades |

★ Also for Sale!



| | |
|-------------------|-----------------|
| Fixture | OTOS HS |
| Manufacturer | Cameo |
| Type | Hybrid |
| Lamp | 480W |
| Power Consumption | 700W |
| Weight | 33kg |
| Special/Zoom | Multifunctional |

★ Also for Sale!



| | |
|-------------------|-------------------------|
| Fixture | OTOS® B5 |
| Manufacturer | Cameo |
| Type | Beam |
| Lamp | Signify MSD Silver 480W |
| Power Consumption | 700W |
| Weight | 33kg |
| Special/Zoom | 1° |



Fixture **iFORTE®**

| | |
|-------------------|---------|
| Manufacturer | Robe |
| Type | Profile |
| Lamp | 1000W |
| Power Consumption | 1250W |
| Weight | 42,5kg |
| Special/Zoom | 5°-55° |



Fixture **Rivale Profile**

| | |
|-------------------|---------|
| Manufacturer | Ayrton |
| Type | Profile |
| Lamp | 450W |
| Power Consumption | 700W |
| Weight | 30,8kg |
| Special/Zoom | 4°-52° |



Fixture **MAC Viper XIP**

| | |
|-------------------|-------------|
| Manufacturer | Martin |
| Type | Hybrid |
| Lamp | 55x 20W LED |
| Power Consumption | 1040W |
| Weight | 37kg |
| Special/Zoom | 5,7°-51° |



Fixture **VL3600 Profile IP**

| | |
|-------------------|------------|
| Manufacturer | Vari-Lite |
| Type | Profile |
| Lamp | 1.000W LED |
| Power Consumption | 1.475W |
| Weight | 47,7kg |
| Special/Zoom | 5,5° - 50° |





iSeries

IP MEANS MORE AT ROBE

Explore the boundless possibilities of ROBE iSeries on:

robe-iseries.com

RAINS

REAP™

Wireless Control

Polar+

AirLOC

Lightweight



Fixture **Arolla Aqua**

| | |
|-------------------|-----------|
| Manufacturer | Clay Paky |
| Type | Profile |
| Lamp | 900W |
| Power Consumption | 1100W |
| Weight | 38,7kg |
| Special/Zoom | 5,5°-50° |



Fixture **G-Profile Turbo**

| | |
|-------------------|----------|
| Manufacturer | SGM |
| Type | Profile |
| Lamp | 850W LED |
| Power Consumption | 1.150W |
| Weight | 52kg |
| Special/Zoom | 8°-43° |



33



Fixture **Proteus Smarty Hybrid™**

| | |
|-------------------|-----------------|
| Manufacturer | Elation |
| Type | Hybrid |
| Lamp | 280W |
| Power Consumption | 500W |
| Weight | 35,5kg |
| Special/Zoom | Multifunctional |



Fixture **iPointe®**

| | |
|-------------------|-----------------|
| Manufacturer | Robe |
| Type | Hybrid |
| Lamp | 310W |
| Power Consumption | 550W |
| Weight | 38kg |
| Special/Zoom | Multifunctional |



★ Also for Sale!



| | |
|-------------------|-----------------|
| Fixture | ORON® H2 |
| Manufacturer | Cameo |
| Type | Hybrid |
| Lamp | 260W |
| Power Consumption | 460W |
| Weight | 32kg |
| Special/Zoom | 0,6°-32° |



| | |
|-------------------|-------------------------------|
| Fixture | Xtylos Aqua |
| Manufacturer | Clay Paky |
| Type | Beam |
| Lamp | Laser Engine (Class 1/RG3) |
| Power Consumption | 400W |
| Weight | 30,4kg |
| Special/Zoom | 1°-7° |



for lumen beings



FUTURE UNLOCKED

ORON® H2

IP65 HYBRID PHOSPHOR-LASER MOVING HEAD

CAMEOLIGHT.COM/ORON



PRIME
LOGISTICS

EVENT TRUCKING

BECAUSE YOUR SUCCESS IS OUR MISSION.

- ✓ Customised transport solutions
- ✓ Across Europe
- ✓ 100% tailored to your needs

Phone: +49 231 999 61-85
eMail: prime@niclen.de

CHECK OUT OUR WEBSITE





| | |
|-------------------|----------------------------------|
| Fixture | Rogue Outcast 1L Beam |
| Manufacturer | Chauvet |
| Type | Beam |
| Lamp | 140W LED |
| Power Consumption | 233W |
| Weight | 16,1kg |
| Special/Zoom | 1,4° |



| | |
|-------------------|--------------------------------------|
| Fixture | Maverick Storm 2 BeamWash |
| Manufacturer | Chauvet |
| Type | WashBeam |
| Lamp | 19x 50W / 144x 0,2W LED |
| Power Consumption | 1.080W |
| Weight | 23,8kg |
| Special/Zoom | 3,6° - 53,4° |

37



| | |
|-------------------|----------------------|
| Fixture | iSpiider IP® |
| Manufacturer | Robe |
| Type | Wash |
| Lamp | 1x 60W + 18x 40W LED |
| Power Consumption | 660W |
| Weight | 24,9kg |
| Special/Zoom | 4°-50° |



| | |
|-------------------|---------------------|
| Fixture | MAC Aura XIP |
| Manufacturer | Martin |
| Type | Wash |
| Lamp | 7x 60W / 12x 4W |
| Power Consumption | 340W |
| Weight | 8,95kg |
| Special/Zoom | 6,3°-50,4° |



JDGI

IP



84 hocheffiziente White Strobe LEDs
1.728 RGB LEDs für beeindruckende Farben

Individuelle Ansteuerung der White Strobe Segmente
Single Pixel Control der RGB Plates

GLP DigiFX Engine: extrem breite Palette mit
über 80 voreingestellten Effekten



[/GLP.German.Light.Products](#)
[@/GermanLightProducts](#) [www.glp.de](#)



| | |
|-------------------|--|
| Fixture | JDC2 |
| Manufacturer | GLP |
| Type | Tilt Movinglight |
| Lamp | Beam: 84x10 W White Strobe LEDs Plate: 1,728x RGB LEDs |
| Power Consumption | 1500W |
| Weight | 23,5kg |
| Special/Zoom | Motorized Tilt (180°) 2 Separate Lightsources |



| | |
|-------------------|---|
| Fixture | Color STRIKE M |
| Manufacturer | Chauvet |
| Type | Strobe Blinder |
| Lamp | 896x Tri-Color SMD LEDs 432x CW LEDs |
| Power Consumption | 740W |
| Weight | 12,1kg |
| Special/Zoom | Motorized Tilt 180° |

39



| | |
|-------------------|----------------------------|
| Fixture | COLORado PXL Bar 16 |
| Manufacturer | Chauvet |
| Type | LED Pixelbar |
| Lamp | 16x 45W RGBW LEDs |
| Power Consumption | 790W |
| Weight | 20,7kg |
| Special/Zoom | 5,8° - 47,9° |



| | |
|-------------------|------------------------------|
| Fixture | COLORado PXL Curve 12 |
| Manufacturer | Chauvet |
| Type | Bar |
| Lamp | 12x45W |
| Power Consumption | 768W |
| Weight | 34,5kg |
| Special/Zoom | 5,7° - 36,3° |




| | |
|-------------------|-----------------------------------|
| Fixture | P-10 RGBW |
| Manufacturer | SGM |
| Type | Wash / Strobe / Flood |
| Lamp | 48x 24W LED |
| Power Consumption | 1.400W |
| Weight | 20,9kg |
| Special/Zoom | 10° + Diversity of Filter Options |



| | |
|-------------------|---------------------|
| Fixture | Q-7 RGBW |
| Manufacturer | SGM |
| Type | Flood |
| Lamp | 2.000 RGBW SMD LEDs |
| Power Consumption | 465W |
| Weight | 8,1kg |
| Special/Zoom | Flicker Free, 110° |



| | |
|-------------------|--------------------------------------|
| Fixture | Q-10 RGBW |
| Manufacturer | SGM |
| Type | Wash / Strobe / Flood |
| Lamp | 2.048 RGB SMD x 2.048 White SMD LEDs |
| Power Consumption | 1.250W |
| Weight | 19,8kg |
| Special/Zoom | High Power LED Fixture, 110° |



| | |
|-------------------|--------------------------------|
| Fixture | Q-7 W |
| Manufacturer | SGM |
| Type | Wash / Strobe / Flood |
| Lamp | 1.000 Cool White LEDs (5.700K) |
| Power Consumption | 485W |
| Weight | 8,1kg |
| Special/Zoom | Flicker Free, 110° |



| | |
|-------------------|---------------------------------------|
| Fixture | P-5 RGBW |
| Manufacturer | SGM |
| Type | Wash |
| Lamp | 44x 10W LED |
| Power Consumption | 630W |
| Weight | 14,5kg |
| Special/Zoom | IP66 High Power LED Fixture / 43h° |

★ Also for Sale!



| | |
|-------------------|--------------------|
| Fixture | ZENIT® W600 |
| Manufacturer | Cameo |
| Type | Wash |
| Lamp | 40x 15W RGBW LED |
| Power Consumption | 565W |
| Weight | 13kg |
| Special/Zoom | 45°, 100° |



| | |
|-------------------|--------------------------------------|
| Fixture | P-5 W |
| Manufacturer | SGM |
| Type | Wash |
| Lamp | 44x High-Power 10W Cool White LED |
| Power Consumption | 470W |
| Weight | 8,9kg |
| Special/Zoom | Flicker Free, 43° |

★ Also for Sale!



| | |
|-------------------|------------------------|
| Fixture | ZENIT® W600 SMD |
| Manufacturer | Cameo |
| Type | Wash |
| Lamp | 504x SMD 4-in-1 LED |
| Power Consumption | 580-1.100W |
| Weight | 13kg |
| Special/Zoom | 118° |



| | |
|-------------------|---------------------------------|
| Fixture | P-6 RGBW |
| Manufacturer | SGM |
| Type | Wash / Strobe / Flood |
| Lamp | 24x High-Power 24W RGBW LED |
| Power Consumption | 630W |
| Weight | 14,5kg |
| Special/Zoom | IP66, High Lux Performance, 10° |



| | |
|--------------|----------------------------|
| Extra | Barndoors |
| Manufacturer | SGM |
| Description | P5, P6, P10 Q2, Q7, Q10 |



| | |
|--------------|----------------|
| Extra | Filters |
| Manufacturer | SGM |
| Description | P6, P10 |



| | |
|-------------------|---------------|
| Fixture | PJ-5 |
| Manufacturer | DVT Light |
| Type | Wash / Strobe |
| Lamp | 30x25W |
| Power Consumption | 600W |
| Weight | 16,6kg |
| Special/Zoom | 10°-45° |

★ Also for Sale!



| | |
|--------------|------------------|
| Extra | Barndoors |
| Manufacturer | Cameo |
| Description | W600 |

★ Also for Sale!



| | |
|--------------|----------------------------|
| Extra | Filters |
| Manufacturer | Cameo |
| Description | W600 Filterframe 60° x 10° |



| | |
|-------------------|--|
| Fixture | Q-2 RGBW |
| Manufacturer | SGM |
| Type | Flood |
| Lamp | 864x RGBW SMD LED (5.700K) |
| Power Consumption | 265W |
| Weight | 6kg |
| Special/Zoom | 110°, 2.000-10.000K Colour Temperature Control |

★ Also for Sale!



| | |
|-------------------|--------------------------------|
| Fixture | ZENIT® W300 |
| Manufacturer | Cameo |
| Type | Wash / Strobe / Flood |
| Lamp | 21x 15W RGBW LED |
| Power Consumption | 300W |
| Weight | 8kg |
| Special/Zoom | SnapMag Filterframe 45° + 100° |

43



| | |
|-------------------|------------------------------|
| Fixture | Q-2 W |
| Manufacturer | SGM |
| Type | Flood |
| Lamp | 432x Cool White LED (5.700K) |
| Power Consumption | 265W |
| Weight | 6kg |
| Special/Zoom | Flicker Free, 110° |

★ Also for Sale!




| | |
|-------------------|--------------------------------|
| Fixture | ZENIT® B200 |
| Manufacturer | Cameo |
| Type | Wash |
| Lamp | 21x 15W RGBW LED |
| Power Consumption | 180W |
| Weight | 8kg |
| Special/Zoom | SnapMag Filterframe 45° + 100° |



| | |
|-------------------|-------------|
| Fixture | SP-6 |
| Manufacturer | SGM |
| Type | Stick |
| Lamp | 6x 40W RGBA |
| Power Consumption | 250W |
| Weight | 11kg |
| Special/Zoom | 13° |



| | |
|-------------------|-------------------------------|
| Fixture | SIXBAR 1000 IP |
| Manufacturer | Elation |
| Type | Stick |
| Lamp | 12x 12W 6-in-1 RGBAW + UV LED |
| Power Consumption | 145W |
| Weight | 8,6kg |
| Special/Zoom | 25° |




| | |
|-------------------|--|
| Fixture | Pixel Line IP |
| Manufacturer | ACME |
| Type | Bar |
| Lamp | 672x 0,5W RGB-LED + 112x 3W LED |
| Power Consumption | 420W |
| Weight | 8,3kg |
| Special/Zoom | Smart glass technology with frost effect |



| | |
|-------------------|-------------------|
| Fixture | Tornado IP |
| Manufacturer | ACME |
| Type | Bar |
| Lamp | 5x 120W LED RGBL |
| Power Consumption | 935W |
| Weight | 29,2kg |
| Special/Zoom | 3°-30° |



★ Also for Sale!



| | |
|-------------------|--|
| Fixture | PIXBAR® SMD IP G2 |
| Manufacturer | Cameo |
| Type | Bar |
| Lamp | 320xSMD-RGB-LED SMD-W 3W LED |
| Power Consumption | 180W |
| Weight | 12,5kg |
| Special/Zoom | 72° / 94° Fully On; 84° / 96° RGB; 70° / 76° White (Centre Line) |

★ Also for Sale!



| | |
|-------------------|--|
| Fixture | PIXBAR 400 IP G2 |
| Manufacturer | Cameo |
| Type | Bar |
| Lamp | 16x 8W |
| Power Consumption | 180W |
| Weight | 11,8kg |
| Special/Zoom | 25° Beam - 42° Field LED Bar incl. Stack Kit, Verti-Mount, Filter 55°, Frost Filter |

45

| | |
|-------------------|------------------|
| Fixture | Fusion2 |
| Manufacturer | GLP |
| Type | Stick |
| Lamp | 20x 15W RGBW LED |
| Power Consumption | 330W |
| Weight | 12,5kg |
| Special/Zoom | 6° |



// UNSERE HIGHLIGHTS

THE BRIGHTEST CHOICE!

**JETZT ERHÄLTlich
BEI FOCON
SHOWTECHNIC!**

WWW.FOCON-SHOWTECHNIC.COM

TORNADO IP

MANA PROFILE

THETA



PIXEL LINE IP


SUPER DOTLINE





Fixture **IntelliPix-R**

| | |
|-------------------|------------------|
| Manufacturer | Ayrton |
| Type | Grid |
| Lamp | 25x 15W RGBW LED |
| Power Consumption | 460W |
| Weight | 15,9kg |



Fixture **VDO Atomic™ Dot WRM**

| | |
|-------------------|---------------------------------------|
| Manufacturer | Martin |
| Type | Strobe / Blinder |
| Lamp | LED Dot |
| Power Consumption | 55W |
| Weight | 2,2kg |
| Special/Zoom | Outdoor, P3 Video Processing / 2.700K |



Fixture **VDO Atomic™ Dot CLD**

| | |
|-------------------|---------------------------------------|
| Manufacturer | Martin |
| Type | Strobe / Blinder |
| Lamp | LED Dot |
| Power Consumption | 55W |
| Weight | 2,2kg |
| Special/Zoom | Outdoor, P3 Video Processing / 5.700K |





Fixture **VDO Atomic™ Bold**

| | |
|-------------------|---|
| Manufacturer | Martin |
| Type | Hybrid |
| Lamp | 400W LED |
| Power Consumption | 400W |
| Weight | 9,32kg |
| Special/Zoom | 2.700-11.000K, PDE Hybrid Connectors |



Fixture **KNV Dot**

| | |
|-------------------|-----------------|
| Manufacturer | GLP |
| Type | Spot |
| Lamp | 1x 30W LED |
| Power Consumption | 34W |
| Weight | 0,7kg |
| Special/Zoom | Strobe, Blinder |



Fixture **KNV Line**

| | |
|-------------------|-----------------|
| Manufacturer | GLP |
| Type | Bar |
| Lamp | 5x 30W LED |
| Power Consumption | 170W |
| Weight | 1,8kg |
| Special/Zoom | Strobe, Blinder |



| | |
|-------------------|-----------------------|
| Fixture | FP1 Titan Tube |
| Manufacturer | Astera |
| Type | Creative Light |
| Lamp | 72W LED RGBW |
| Power Consumption | 78W |
| Weight | 1,4kg |
| Special/Zoom | Use with Astera ART 7 |



| | |
|-------------------|------------------------|
| Fixture | FP2 Helios Tube |
| Manufacturer | Astera |
| Type | Creative Light |
| Lamp | RGBMA LED |
| Power Consumption | 65W |
| Weight | 0,77kg |
| Special/Zoom | Use with Astera ART 7 |



| | |
|-------------------|---|
| Fixture | FP3 Hyperion Tube |
| Manufacturer | Astera |
| Type | Creative Light |
| Lamp | RGBMA LED |
| Power Consumption | 144W / 92W |
| Weight | 2,9kg |
| Special/Zoom | Single-Pixel Control, 20h Battery Runtime |



| | |
|-------------------|--------------------|
| Fixture | NYX Bulb |
| Manufacturer | Astera |
| Type | Creative Light |
| Lamp | 14 / 10W RGBMA LED |
| Power Consumption | 14W / 10W |
| Weight | 0,24kg |





Fixture **AX2-100**

| | |
|-------------------|--------|
| Manufacturer | Astera |
| Type | Bar |
| Lamp | 16x10W |
| Power Consumption | 80W |
| Weight | 7,4kg |
| Special/Zoom | 21° |



Fixture **AX2-50**

| | |
|-------------------|--------|
| Manufacturer | Astera |
| Type | Bar |
| Lamp | 8x10W |
| Power Consumption | 40W |
| Weight | 4,5kg |
| Special/Zoom | 21° |



Fixture **AX9**

| | |
|-------------------|-----------------------|
| Manufacturer | Astera |
| Type | PAR |
| Lamp | 105W RGBMA LED |
| Power Consumption | 70W |
| Weight | 5,4kg |
| Special/Zoom | Use with Astera ART 7 |




Fixture **AX5**

| | |
|-------------------|-----------------------|
| Manufacturer | Astera |
| Type | PAR |
| Lamp | 3x 15W RGBAW LED |
| Power Consumption | 55W |
| Weight | 3,4kg |
| Special/Zoom | Use with Astera ART 7 |






Fixture **ART 7**
Manufacturer Astera
Type W-DMX Box



★ Also for Sale!



Fixture **iDMX Core**
Manufacturer Cameo



★ Also for Sale!



| | |
|-------------------|--------------------------------|
| Fixture | ZENIT® P130 |
| Manufacturer | Cameo |
| Type | PAR |
| Lamp | 4x 32W RGBW Osram OSTAR LED |
| Power Consumption | 155W |
| Weight | 4,8kg |
| Special/Zoom | 8°, 20° |

★ Also for Sale!



| | |
|-------------------|------------------------------|
| Fixture | ZENIT® B60-B & -C |
| Manufacturer | Cameo |
| Type | PAR |
| Lamp | 4x 15W RGBW Cree LED |
| Power Consumption | 100W |
| Weight | 5,4kg |
| Special/Zoom | 11°, 25°, 40°, 60° x 10° |

53

★ Also for Sale!



| | |
|-------------------|-----------------------|
| Fixture | FLAT PRO® 7 G2 |
| Manufacturer | Cameo |
| Type | PAR |
| Lamp | 7x 10W RGBWA LED |
| Power Consumption | 60W |
| Weight | 4kg |
| Special/Zoom | 30° |

★ Also for Sale!



| | |
|-------------------|------------------------|
| Fixture | FLAT PRO® 12 G2 |
| Manufacturer | Cameo |
| Type | PAR |
| Lamp | 12x 10W RGBWA LED |
| Power Consumption | 110W |
| Weight | 6kg |
| Special/Zoom | 30° |

★ Also for Sale!



Fixture **ZENIT® Z180 G2**

Manufacturer Cameo

Type PAR

Lamp 180W RGBW COB LED

Power Consumption 220W

Weight 8,2kg

Special/Zoom 10°-40°
incl. Barndoors



54

★ Also for Sale!



Fixture **DROP® B1**

Manufacturer Cameo

Type Uplight

Lamp 1x 15W RGBWA + UV LED

Power Consumption 35W

Weight 1kg

Special/Zoom 9° / 11° / 27°





| | |
|-------------------|---|
| Fixture | E.SHOW FC |
| Manufacturer | ROXX® |
| Type | Headlight |
| Lamp | 1x 230W RGBL LED |
| Power Consumption | 230W |
| Weight | 5,7kg |
| Special/Zoom | 19° with included narrow lens / 2.000-10.000K (more lenses available) |



| | |
|-------------------|--|
| Fixture | E.SHOW D |
| Manufacturer | ROXX® |
| Type | Headlight |
| Lamp | 1x 200W Daylight LED |
| Power Consumption | 220W |
| Weight | 5,7kg |
| Special/Zoom | 24° with included narrow lens / 5.600K (more lenses available) |



| | |
|-------------------|--|
| Fixture | E.SHOW TW+ |
| Manufacturer | ROXX® |
| Type | Headlight |
| Lamp | 1x 200W RGBLAC LED |
| Power Consumption | 220W |
| Weight | 5,7kg |
| Special/Zoom | 19°19° with included narrow lens / 2.000-10.000K (more lenses available) |



| | |
|-------------------|--|
| Fixture | B.FLEX & B.FLEX HAT W |
| Manufacturer | ROXX® |
| Type | Spot |
| Lamp | 40W RGBL Single-Source-LED |
| Power Consumption | 62W |
| Weight | 2,5kg |
| Special/Zoom | Bi-Colour + Pixel Effects, Direct Controlling via ROXX.APP |





Fixture

CLUSTER B2 W

| | |
|-------------------|---|
| Manufacturer | ROXX® |
| Type | Blinder |
| Lamp | 2x 260W Warm White + Amber + Red |
| Power Consumption | 650W |
| Weight | 8,5kg (incl. Yoke) |
| Special/Zoom | Tool-Free Connection of CLUSTER Products for Scalable Designs, Redshift for Classic Tungsten Look |



Fixture

CLUSTER B2 FC

| | |
|-------------------|--|
| Manufacturer | ROXX® |
| Type | Blinder |
| Lamp | 2x 260W RGBA + Warm White |
| Power Consumption | 650W |
| Weight | 8,5kg (incl. Yoke) |
| Special/Zoom | Tool-Free Connection of CLUSTER Products for Scalable designs, Redshift for Classic Tungsten Look + Full Colour Spectrum |



Fixture

CLUSTER B4 W

| | |
|-------------------|---|
| Manufacturer | ROXX® |
| Type | Blinder |
| Lamp | 4x 260W Warm White + Amber + Red |
| Power Consumption | 1.400W |
| Weight | 13,8kg (incl. Yoke) |
| Special/Zoom | Tool-Free Connection of CLUSTER Products for Scalable Designs, Redshift for Classic Tungsten Look |



Fixture

CLUSTER B4 FC

| | |
|-------------------|--|
| Manufacturer | ROXX® |
| Type | Blinder |
| Lamp | 4x 260W RGBA + Warm White |
| Power Consumption | 1.400W |
| Weight | 13,8kg (incl. Yoke) |
| Special/Zoom | Tool-Free Connection of CLUSTER Products for Scalable Designs, Redshift for Classic Tungsten Look + Full Colour Spectrum |



| | |
|-------------------|---|
| Fixture | STRIKE Array 2 |
| Manufacturer | CHAUVET Professional |
| Type | Blinder |
| Lamp | 96x LED (WW) 1,33W 10x LED (Amber) 2,63W |
| Power Consumption | 129W |
| Weight | 8kg |
| Special/Zoom | Beam Angle: 60,3° Field Angle: 99° |



| | |
|-------------------|--|
| Fixture | STRIKE Array 4 |
| Manufacturer | CHAUVET Professional |
| Type | Blinder |
| Lamp | 192 LED (WW) 1,33 W 20 LED (Amber) 2,63 W |
| Power Consumption | 245W |
| Weight | 13kg |
| Special/Zoom | Beam Angle: 61.5° Field Angle: 100.5° |



57



| | |
|-------------------|---------------------------------|
| Fixture | ArenaCob 4FC |
| Manufacturer | Prolights |
| Type | Blinder |
| Lamp | 4 x 75W RGBW LED |
| Power Consumption | 230W |
| Weight | 8kg |
| Special/Zoom | "building block" Rigging System |




Fixture **FUSION MBL 20**

| | |
|-------------------|------------------------|
| Manufacturer | GLP |
| Type | Flood |
| Lamp | 270W Tunable White LED |
| Power Consumption | 200W |
| Weight | 5kg |
| Special/Zoom | 100° / 2.700-6.500K |


Fixture **FUSION MBL 40**

| | |
|-------------------|------------------------|
| Manufacturer | GLP |
| Type | Flood |
| Lamp | 550W Tunable White LED |
| Power Consumption | 400W |
| Weight | 10kg |
| Special/Zoom | 100° / 2.700-6.500K |


Fixture **Ovation Reve E3 IP 15-30°**

| | |
|-------------------|-------------------|
| Manufacturer | Chauvet |
| Type | Profiler |
| Lamp | 91x 3.5 - 10W LED |
| Power Consumption | 354W |
| Weight | 13,69kg |
| Special/Zoom | 15° - 30° |


Fixture **Ovation Reve E3 IP 25-50°**

| | |
|-------------------|-------------------|
| Manufacturer | Chauvet |
| Type | Profiler |
| Lamp | 91x 3.5 - 10W LED |
| Power Consumption | 354W |
| Weight | 12,15kg |
| Special/Zoom | 25° - 50° |



★ Also for Sale!




| | |
|-------------------|-------------|
| Fixture | F1 T |
| Manufacturer | Cameo |
| Type | Tungsten |
| Lamp | 78W |
| Power Consumption | 87W |
| Weight | 4,5kg |
| Special/Zoom | 24°-78° |



★ Also for Sale!




| | |
|-------------------|-------------------------------|
| Fixture | F2 T |
| Manufacturer | Cameo |
| Type | Tungsten Spot |
| Lamp | 240W LED |
| Power Consumption | 210W |
| Weight | 9kg |
| Special/Zoom | 3.200K, Fresnel, 15°-40° Zoom |



★ Also for Sale!



| | |
|-------------------|-------------|
| Fixture | F1 D |
| Manufacturer | Cameo |
| Type | Daylight |
| Lamp | 78W |
| Power Consumption | 87W |
| Weight | 4,5kg |
| Special/Zoom | 24°-78° |




★ Also for Sale!




| | |
|-------------------|-------------------------------|
| Fixture | F2 D |
| Manufacturer | Cameo |
| Type | Daylight Spot |
| Lamp | 240W LED |
| Power Consumption | 210W |
| Weight | 9kg |
| Special/Zoom | 5.400K, Fresnel, 15°-40° Zoom |



★ Also for Sale!




| | |
|-------------------|--------------|
| Fixture | F2 FC |
| Manufacturer | Cameo |
| Type | Fresnel Spot |
| Lamp | 240W |
| Power Consumption | 250W |
| Weight | 9kg |
| Special/Zoom | 18°-55° |




★ Also for Sale!




| | |
|-------------------|-------------------------------|
| Fixture | F4 T |
| Manufacturer | Cameo |
| Type | Tungsten Spot |
| Lamp | 520W LED |
| Power Consumption | 473W |
| Weight | 17,8kg |
| Special/Zoom | 3,200K, Fresnel, 12°-40° Zoom |



★ Also for Sale!



| | |
|-------------------|--------------------------------|
| Fixture | F4 FC |
| Manufacturer | Cameo |
| Type | Fresnel Spot |
| Lamp | LED 570W RGBW |
| Power Consumption | 355W |
| Weight | 17,8kg |
| Special/Zoom | 1.600-6.500K, Fresnel, 12°-40° |



★ Also for Sale!




| | |
|-------------------|-------------------------------|
| Fixture | F4 D |
| Manufacturer | Cameo |
| Type | Daylight Spot |
| Lamp | 520W LED |
| Power Consumption | 478W |
| Weight | 17,8kg |
| Special/Zoom | 5.600K, Fresnel, 12°-40° Zoom |





Fixture **L7 C**

| | |
|-------------------|---------|
| Manufacturer | Arri |
| Type | Fresnel |
| Lamp | LED |
| Power Consumption | 220W |
| Weight | 9,8kg |
| Special/Zoom | 15°-50° |



Fixture **KL PANEL**

| | |
|-------------------|--------------------------------|
| Manufacturer | Elation |
| Type | Surface Light |
| Lamp | 295W RGBWLC LED |
| Power Consumption | 299W |
| Weight | 13kg |
| Special/Zoom | 100° / 2.000-10.000K / CRI: 95 |



Extra **Barndoors**

| | |
|--------------|-------|
| Manufacturer | Cameo |
| Description | S4 IP |

★ Also for Sale!



Fixture **S4 IP**

| | |
|-------------------|----------------------------|
| Manufacturer | Cameo |
| Type | LED Softlight Panel |
| Lamp | 4x 544 RGBWW SMD-LEDs |
| Power Consumption | 460W |
| Weight | 16,4kg |
| Special/Zoom | 1.800K - 10.000K / CRI: 95 |







Fixture **Atomic 3000**

| | |
|-------------------|---------------|
| Manufacturer | Martin |
| Type | Strobe |
| Lamp | Xenon |
| Power Consumption | 3.000W |
| Weight | 7,5kg |
| Special/Zoom | 25x lightning |



Fixture **JDC Line 500**

| | |
|-------------------|-------------------------------|
| Manufacturer | GLP |
| Type | Hybrid Strobe |
| Lamp | 100x White LED + 200x RGB LED |
| Power Consumption | 800W |
| Weight | 6kg |
| Special/Zoom | PixelmapPing |



Fixture **Atomic 3000 LED**

| | |
|-------------------|-----------------------------------|
| Manufacturer | Martin |
| Type | Strobe |
| Lamp | 228x CreeXLamp XP-L 10W White LED |
| Power Consumption | 750W |
| Weight | 8kg |
| Special/Zoom | Aura Backlight 64x RGBW |







| | |
|-------------------|--|
| Fixture | S-TRIBE™ |
| Manufacturer | Portman |
| Type | Creative Light |
| Lamp | 5x 40W Halo LED, 10x 8W Glow |
| Power Consumption | 280W |
| Weight | 8kg |
| Special/Zoom | 94° Halo LED 1600-3200K, RGB + White 6000K |



| | |
|-------------------|--|
| Fixture | P1 Retro Lamp |
| Manufacturer | Portman |
| Type | Creative Light |
| Lamp | 7x OSRAM Haloline R7s PRO 230V 230W |
| Power Consumption | 1.610W |
| Weight | 12,5kg |
| Special/Zoom | 1.600K-2.900K / CRI: 100 |




| | |
|-------------------|------------------------------|
| Fixture | Mantis |
| Manufacturer | Portman |
| Type | Creative Light |
| Lamp | 3x 60W + 3x 12W + 1x 18W LED |
| Power Consumption | 250W |
| Weight | 8kg |
| Special/Zoom | 1.600-3.200K RGBW |



| | |
|-------------------|--|
| Fixture | P2 Hexaline |
| Manufacturer | Portman |
| Type | Creative Light |
| Lamp | 6x OSRAM Haloline R7s PRO 230V 230W |
| Power Consumption | 1.380W |
| Weight | 12,5kg |
| Special/Zoom | 1.600K-2900K / CRI: 100 |



| | |
|-------------------|-------------------------|
| Fixture | P1 Mini LED |
| Manufacturer | Portman |
| Type | Creative Light |
| Lamp | 7x 3W + 7x 10W RGBW LED |
| Power Consumption | 95W |
| Weight | 8kg |
| Special/Zoom | 1.800K RGBW / CRI: >90 |



| | |
|-------------------|-------------------------------------|
| Fixture | P3 PIX3L |
| Manufacturer | Portman |
| Type | Creative Light |
| Lamp | 3x OSRAM Haloline R7s PRO 230V 230W |
| Power Consumption | 690W |
| Weight | 4,5kg |
| Special/Zoom | 1.600-2.900K / CRI: 100 |



| | |
|-------------------|--------------------|
| Fixture | picklePATT™ |
| Manufacturer | Robe |
| Type | Creative Light |
| Lamp | 575W |
| Power Consumption | 575W |
| Weight | 5,3kg |
| Special/Zoom | Retro Design |



| | |
|-------------------|-------------------|
| Fixture | PATT 2013™ |
| Manufacturer | Robe |
| Type | Creative Light |
| Lamp | 750W HPL |
| Power Consumption | 670W |
| Weight | 7,2kg |
| Special/Zoom | Retro Design |






| | |
|-------------------|------------------------|
| Fixture | SIXBAR 1000 |
| Manufacturer | Elation |
| Type | Bar |
| Lamp | 12x 12W RGBAW + UV LED |
| Power Consumption | 145W |
| Weight | 7,3kg |
| Special/Zoom | 30° |



| | |
|-------------------|---|
| Fixture | CUEPIX Panel |
| Manufacturer | Elation |
| Type | Matrix |
| Lamp | High Power Long Life 3 in 1 RGB COB Panel |
| Power Consumption | 750W |
| Weight | 16,5kg |
| Special/Zoom | 60° Beam / 80° Field Angles |



| | |
|-------------------|--------------------------|
| Fixture | Creative Light 1+ |
| Manufacturer | GLP |
| Type | Creative Light |
| Lamp | 24x 300mW RGB LED |
| Power Consumption | 15W |
| Weight | 0,6kg |
| Special/Zoom | PixelmapPing |





| | |
|--------------|------------------|
| Fixture | ST5 |
| Manufacturer | Arri |
| Type | Fresnel Tungsten |
| Lamp | 5.000W |
| Weight | 15kg |
| Special/Zoom | 9° - 62° |



| | |
|--------------|------------------|
| Fixture | ST1 |
| Manufacturer | Arri |
| Type | Fresnel Tungsten |
| Lamp | 1.000W |
| Weight | 7kg |
| Special/Zoom | 10° - 58° |



| | |
|--------------|------------------|
| Fixture | ST2 |
| Manufacturer | Arri |
| Type | Fresnel Tungsten |
| Lamp | 2.000W |
| Weight | 12,5kg |
| Special/Zoom | 8° - 56° |



| | |
|--------------|------------------|
| Fixture | 650 Plus |
| Manufacturer | Arri |
| Type | Fresnel Tungsten |
| Lamp | 650W |
| Weight | 2,6kg |
| Special/Zoom | 12° - 52° |





Fixture **710SX2**

| | |
|-------------------|---------------|
| Manufacturer | Robert Juliat |
| Type | Profiler |
| Lamp | 2.000W |
| Power Consumption | 2.000W |
| Weight | 23,5kg |
| Special/Zoom | 10°-25° |



Fixture **714SX2**

| | |
|-------------------|---------------|
| Manufacturer | Robert Juliat |
| Type | Profiler |
| Lamp | 2.000W |
| Power Consumption | 2.000W |
| Weight | 20kg |
| Special/Zoom | 15°-40° |



Fixture **713SX2**

| | |
|-------------------|---------------|
| Manufacturer | Robert Juliat |
| Type | Profiler |
| Lamp | 2.000W |
| Power Consumption | 2.000W |
| Weight | 18,5kg |
| Special/Zoom | 29°-50° |



Fixture **D'Artagnan 930 SNX**

| | |
|-------------------|---------------|
| Manufacturer | Robert Juliat |
| Type | Profiler |
| Lamp | 2.500W |
| Power Consumption | 3.100W |
| Weight | 34kg |
| Special/Zoom | 10°-25° |






D'Artagnan 933 SNX

| | |
|-------------------|---------------|
| Fixture | |
| Manufacturer | Robert Juliat |
| Type | Profiler |
| Lamp | 2.500W |
| Power Consumption | 3.100W |
| Weight | 34kg |
| Special/Zoom | 29°-50° |



LEDko Fullspectrum 6 HD

| | |
|-------------------|------------|
| Fixture | |
| Manufacturer | Coemar |
| Type | Profiler |
| Lamp | RGBWLA LED |
| Power Consumption | 220W |
| Weight | 5,7kg |
| Special/Zoom | 15°-35° |




D'Artagnan 934 SNX

| | |
|-------------------|---------------|
| Fixture | |
| Manufacturer | Robert Juliat |
| Type | Profiler |
| Lamp | 2.500W |
| Power Consumption | 3.100W |
| Weight | 34kg |
| Special/Zoom | 16°-38° |



LEDko Fullspectrum 6 HD

| | |
|-------------------|------------|
| Fixture | |
| Manufacturer | Coemar |
| Type | Profiler |
| Lamp | RGBWLA LED |
| Power Consumption | 220W |
| Weight | 5,7kg |
| Special/Zoom | 25°-50° |



LEDKO™ FullSpectrum 6 HD

- Absolut homogene Licht- und Farbverteilung in der Projektion - keine „Multi-Schatten“
- 6-Farb LED-Engine: Rot, Grün, Blau, Weiß, Lime, Amber
- Weißlichtmodus mit kontinuierlicher variabler Farbtemperatur von 2.700K – 6.500K
- Farbwiedergabeindex >90



 coemar

VISION2

Premium Distribution
www.visiontwo.de



Fixture

S4 Profile Zoom

Manufacturer ETC

Type Profiler

Lamp 750W

Power Consumption 750W

Weight 9,5kg

Special/Zoom 15°-30°



Fixture

S4 Profile Zoom

Manufacturer ETC

Type Profiler

Lamp 750W

Power Consumption 750W

Weight 8,6kg

Special/Zoom 25°-50°





Image Similar



Fixture **ARRI SUN 5 EVENT**

| | |
|------------------|-------------|
| Manufacturer | Arri |
| Type | PAR |
| Lens Diameter | 175mm |
| Socket | G 22 |
| Lamp | 575W |
| Hanging | 28mm Spigot |
| Barndoor | 197mm |
| Filter Frame | 212mm |
| Weight | 6,3kg |
| Protection Class | IP23 |
| Certification | CE |
| Colour | Black |

HMI Arri Cable Systems

- Event Cable 5m
- Event Cable 10m
- Event Cable 20m
- VEAM 5/12 Cable 7m
- VEAM 25/40 Cable 7m
- VEAM 60/120 Cable 15m



Event Splitbox
Set 2 pieces



Event Splitbox
Set 8 pieces



Location Splitbox active



Fixture **ARRI True Blue D5**

| | |
|------------------|-------------|
| Manufacturer | Arri |
| Type | Fresnel |
| Lens Diameter | 150 mm |
| Socket | G22 |
| Lamp | 575W SE |
| Hanging | 28mm Spigot |
| Barndoor | 197mm |
| Filter Frame | 197mm |
| Weight | 7,5kg |
| Protection Class | IP23 |
| Certification | CE |
| Colour | Black |

72

Image Similar



Arri PSU



Arri EB Multifunction
200W/575W/1.200W



Schieder EB
6x 575W



Schieder EB
3x 1.200W




ARRI EB
2,5/4kW




ARRI EB
6/12kW

D5-Stufe



SUN 5 EVENT





Device **Raindome 95**

| | |
|-------------------|-----------------------|
| Manufacturer | Selby |
| Power Connection | CEE 16A Blue > Schuko |
| Power Consumption | 65W |



Device **Raindome 80**

| | |
|-------------------|-----------------------|
| Manufacturer | Selby |
| Power Connection | CEE 16A Blue > Schuko |
| Power Consumption | 65W |



Device **Raindome 60**

| | |
|-------------------|-----------------------|
| Manufacturer | Selby |
| Power Connection | CEE 16A Blue > Schuko |
| Power Consumption | 65W |



| | |
|-------------------|-----------------------|
| Device | RainRoof XL |
| Manufacturer | Selby |
| Power Connection | CEE 16A Blue > Schuko |
| Power Consumption | 65W |



| | |
|-------------------|-----------------------|
| Device | RainRoof L |
| Manufacturer | Selby |
| Power Connection | CEE 16A Blue > Schuko |
| Power Consumption | 65W |



| | |
|-------------------|-----------------------|
| Device | RainRoof M |
| Manufacturer | Selby |
| Power Connection | CEE 16A Blue > Schuko |
| Power Consumption | 65W |



Fixture **Lancelot**

| | |
|-------------------|---------------|
| Manufacturer | Robert Juliat |
| Type | Followspot |
| Lamp | 4.000W HTI |
| Power Consumption | 4.000W |
| Power Connection | CEE 32A Red |
| Weight | 125kg |
| Special/Zoom | 2°-5° |



Fixture **Merlin**

| | |
|-------------------|----------------|
| Manufacturer | Robert Juliat |
| Type | Followspot |
| Lamp | 2.500W HMI |
| Power Consumption | 3.000W |
| Power Connection | powerCON TRUE1 |
| Weight | 76kg |
| Special / Zoom | 3°-12° |



Fixture **Aramis**

| | |
|-------------------|---------------|
| Manufacturer | Robert Juliat |
| Type | Followspot |
| Lamp | 2.500W HMI |
| Power Consumption | 3.000W |
| Power Connection | Schuko |
| Weight | 59kg + PSU |
| Special / Zoom | 4,5°-8° |



Fixture **Cyrano**

| | |
|-------------------|---------------|
| Manufacturer | Robert Juliat |
| Type | Followspot |
| Lamp | 2.500W HMI |
| Power Consumption | 3.000W |
| Power Connection | Schuko |
| Weight | 59kg + PSU |
| Special / Zoom | 3°-8° |



| | |
|-------------------|----------------|
| Fixture | Heloise |
| Manufacturer | Robert Juliat |
| Type | Followspot |
| Lamp | 2.500W HMI |
| Power Consumption | 2.600W |
| Power Connection | CEE 32A Red |
| Weight | 32kg + PSU |
| Special | 15°-29° |



| | |
|-------------------|----------------|
| Fixture | Alex |
| Manufacturer | Robert Juliat |
| Type | Followspot |
| Lamp | 2.500W Halogen |
| Power Consumption | 2.500W |
| Power Connection | Schuko |
| Weight | 30kg |
| Zoom | 7°-14,5° |



| | |
|-------------------|---------------|
| Fixture | Victor |
| Manufacturer | Robert Juliat |
| Type | Followspot |
| Lamp | 1.800W MSR |
| Power Consumption | 1.800W |
| Power Connection | Schuko |
| Weight | 33kg |
| Zoom | 7°-14,5° |



Robo Spot System

- RoboSpot Base Station
- RoboSpot MotionCamera
- Works with a Wide Range of Robe Fixtures



BMFL™ FollowSpot LT

A compact, affordable solution for the large arena. Further adding to the ground breaking RobeSpot system, the FollowSpot LT is designed for the larger venue that requires a longer throw distance, tighter beam and greater output power. The LT is the same size and weight as the standard BMFL™ FollowSpot, which is substantially smaller than other products of similar power. The proprietary optical design provides a 4:1 zoom ratio (2'-8') and an output exceeding 455,000 lux a 5 meters. Like the Standard BMFL™ FollowSpot, the LT can be operated as a manual, stand-alone follow spot using the Robe LightMaster-Side and LightMasterRear control kits. Similarly, the LT can be operated remotely using the Robe RobeSpot MDC remote follow spot system and is pre-wired for the Digital camera. Packed with all the features you would expect from a BMFL™ series product, including, imperceptible colour mixing, fixed colour filters, 6000K native colour temperature, CRI >92, Variable CTO to 2700K & CTB to 9000K, fixed & variable frost filters, focus, zoom and a fast iris.

Main Features:

- 1.700W Osram lock it! HTI 1700 / PS
- 40.510lm 455.000 lux at 5m
- Zoom Range: 2°-8°

Effects:

- CMY
- 2 Colour Wheels
- Frost
- Iris



Fixture

Rearkit

| | |
|--------------|------|
| Manufacturer | Robe |
|--------------|------|

Fixture

iFORTE® LTX FS

| | |
|-------------------|------------|
| Manufacturer | Robe |
| Type | Profile |
| Lamp | 1.000W LED |
| Power Consumption | 1.250W |
| Weight | 49kg |
| Special/Zoom | 0,7° - 52° |

Fixture

FORTE® FS

| | |
|-------------------|--------------------|
| Manufacturer | Robe |
| Type | Profile |
| Lamp | 1.000W LED |
| Power Consumption | 1.250W |
| Weight | 42,2kg |
| Special/Zoom | 5° - 55° / CRI: 96 |



| | |
|-----------------------------|----------------------|
| Device | ATMe Touring |
| Manufacturer | MDG |
| Type | Hazer |
| CO ² Consumption | 0,36kg/h at 2,76 bar |
| Power Consumption | 850W |
| Power Connection | Schuko |
| Weight | 108kg |



| | |
|-----------------------------|---------------------------|
| Device | theONE Rackversion |
| Manufacturer | MDG |
| Type | Hazer / Fogger |
| CO ² Consumption | 0,35kg at 2.07bar |
| Power Consumption | 1.100-1.480W |
| Power Connection | Schuko |
| Weight | 23kg |

★ Also for Sale!



| | |
|-------------------|---|
| Device | Tour Hazer II |
| Manufacturer | Smoke Factory |
| Type | Hazer |
| Fluid Consumption | 8,9 ml/min. (max.output) 1,0 ml/min. (40%) |
| Power Consumption | 1.500W |
| Power Connection | Powercon True1 |
| Weight | 16,5kg |

★ Also for Sale!



| | |
|-------------------|---|
| Device | Fog Blaster |
| Manufacturer | Smoke Factory |
| Type | CO ² shooter effect simulator, without CO ² |
| Fluid Consumption | at maximum pressure approx. 10 ml/s |
| Power Consumption | 3.200W |
| Power Connection | Powercon True1/ |
| Weight | 24,5kg |
| Special | adjustable in 100 ms steps up to 2 s, or individually |

★ Also for Sale!



| | |
|-------------------|--|
| Device | Fan Fogger EC 2.6 |
| Manufacturer | Smoke Factory |
| Type | Fan Fogger |
| Fluid Consumption | 240 ml/min. (max. output), 60 ml/min. (continuous) |
| Power Consumption | Fogger 2.600W, Fan 450W |
| Power Connection | Powercon True1 |
| Weight | 75kg |
| Special | ~ 30 sec. to 100 %, Permanent fog at |

★ Also for Sale!




| | |
|-------------------|---|
| Device | IP Falcon |
| Manufacturer | Smoke Factory |
| Type | Fogger |
| Fluid Consumption | 253 ml/min. (185 ml/min. 110 V) (max. output), 54,5 ml/min. (30 ml/min. 110 V) (Dauernebel) |
| Power Consumption | 3.100W |
| Power Connection | Powercon True1/ Schuko |
| Weight | 27kg |
| Special | approx. 55 sec. on 100 % Extended Mode (50 sec 110 V); approx. 22 sec. on 100 % with Impulse Mode |

★ Also for Sale!



| | |
|-------------------|---|
| Device | Data II |
| Manufacturer | Smoke Factory |
| Type | Fogger |
| Fluid Consumption | 253 ml/min. (185 ml/min. 110 V) (max. output), 54,5 ml/min. (30 ml/min. 110 V) (Continuous fog) |
| Power Consumption | 2.600W |
| Power Connection | Schuko |
| Weight | 12,8kg |
| Special | ~ 30 sec. to 100 %, permanent fog at |

★ Also for Sale!



| | |
|-------------------|-----------------------|
| Device | FAN AX |
| Manufacturer | Smoke Factory |
| Type | Variable Fan |
| Volume Flow | 9000m ³ /h |
| Power Consumption | 850W |
| Weight | 29,5kg |



★ Also for Sale!



| | |
|-------------------|-----------------------|
| Device | FAN AX MINI |
| Manufacturer | Smoke Factory |
| Type | Variable Fan |
| Volume Flow | 1605m ³ /h |
| Power Consumption | 150W |
| Weight | 12,7kg |



| | |
|-------------------|----------------------|
| Fixture | EXCELLENT-D15 |
| Manufacturer | Lightline |
| Type | Laser Projector |
| Lamp | 15W RGB Laser Diode |
| Power Consumption | 600W / 3A |
| Weight | 16kg |
| Special/Zoom | Beam Diameter: 3,5mm |



| | |
|-------------------|----------------------|
| Fixture | EXCELLENT-D40 |
| Manufacturer | Lightline |
| Type | Laser Projector |
| Lamp | 40W RGB Laser Diode |
| Power Consumption | 1300W / 7A |
| Weight | 25kg |
| Special/Zoom | Beam Diameter: 5,9mm |





Device **STADIUMBLOWER**

| | |
|-------------------|-------------------|
| Manufacturer | MAGICFX® |
| Type | Confetti FX |
| Power Consumption | 1400W |
| Weight | 104kg |
| Consumable | MAGICFX® CONFETTI |



Device **POWERSHOT II**

| | |
|-------------------|---------------------------|
| Manufacturer | MAGICFX® |
| Type | Confetti & Streamer FX |
| Power Consumption | 1200W |
| Weight | 1,7kg |
| Consumable | MAGICFX® Electric Cannons |
| Including | MAGICFX® BASEPLATE II |



Corresponding consumables available!



Device **STADIUMSHOT III**

| | |
|-------------------|---|
| Manufacturer | MAGICFX® |
| Type | Confetti & Streamer FX |
| Power Consumption | 350W |
| Weight | 86kg |
| Consumable | MAGICFX® CONFETTI |
| Consumables | MAGICFX® CONFETTI MAGICFX® STREAMERS |



Device **ECO2JET®**

| | |
|-------------------|---|
| Manufacturer | MAGICFX® |
| Type | Smoke FX |
| Power Consumption | 1200W |
| Weight | 30,5kg |
| Consumable | MAGICFX® ECO2JET® Outdoor Fluid 5L MFX3090 MAGICFX® ECO2JET® Indoor Fluid 5L MFX3091 |
| Including | MAGICFX® ECO2JET BRACKET MAGICFX® 2L ATTACHABLE FLUID CAN |



| | |
|-------------------|---------------------|
| Device | FX-COMM4NDER |
| Manufacturer | MAGICFX® |
| Type | Control Gear |
| Power Consumption | 15W |
| Weight | 2,8kg |



| | |
|-------------------|----------------------|
| Device | FX-SWITCHPACK |
| Manufacturer | MAGICFX® |
| Type | Control Gear |
| Power Consumption | 15W |
| Weight | 2,9kg |



| | |
|-------------------|----------------------------|
| Device | FX-BLOWER |
| Manufacturer | MAGICFX® |
| Type | Air FX |
| Power Consumption | 1560W |
| Weight | 17kg |
| Including | MAGICFX® FX-BLOWER BRACKET |



| | |
|--------------|--|
| Device | MAGICFX® SFX Safety Arm Controller Set |
| Manufacturer | MAGICFX® |
| Including | MAGICFX® SFX SAFETY ARM CONTROLLER MAGICFX® SFX SAFETY COMBINER BOX MAGICFX® SFX SAFETY DMX INJECTOR |





| | |
|--------------|---------------------------|
| Device | GrandMA 3 Fullsize |
| Manufacturer | MA Lighting |
| Type | Console |
| DMX Out | 6x DMX 5 Pin |
| Weight | 44kg |



| | |
|--------------|---------------------------|
| Device | GrandMA 2 Fullsize |
| Manufacturer | MA Lighting |
| Type | Console |
| DMX Out | 6x DMX 5 Pin |
| Weight | 54kg |



| | |
|--------------|---------------------------------------|
| Device | Desk Dough® Beam - single unit |
| Manufacturer | Stops & Mops |
| Type | mini-computer |
| DMX Channels | 71 (Beam Layer), 33 (Beam Cam) |
| Video Output | HDMI 3840x2160 @60Hz |
| Weight | 1kg |



| | |
|--------------|-----------------------------|
| Device | Grand MA 2 Faderwing |
| Manufacturer | MA Lighting |
| Type | Console |
| Fader | 15x Motorized Fader |
| Link | via MA-Bus Link |
| Weight | 8kg |





| | |
|--------------|------------------------|
| Device | GrandMA 3 light |
| Manufacturer | MA Lighting |
| Type | Console |
| DMX Out | 6x DMX 5 Pin |
| Weight | 33kg |



| | |
|--------------|------------------------|
| Device | GrandMA 2 light |
| Manufacturer | MA Lighting |
| Type | Console |
| DMX Out | 6x DMX 5 Pin |
| Weight | 44kg |



| | |
|--------------|------------------------------|
| Device | GrandMA 2 ultra-light |
| Manufacturer | MA Lighting |
| Type | Console |
| DMX Out | 6x DMX 5 Pin |
| Weight | 35kg |



| | |
|--------------|-----------------------------|
| Device | GrandMA 3 8Port Node |
| Manufacturer | MA Lighting |
| Type | Signal Processor |
| DMX Out | DMX 5 Pin |
| Weight | 2kg |



★ Also for Sale!



| | |
|--------------|-----------------------|
| Device | MagicQ MQ500M+ |
| Manufacturer | ChamSys |
| Type | Console |
| DMX Out | 4x DMX |
| Weight | 35kg |

★ Also for Sale!



| | |
|--------------|----------------------|
| Device | MagicQ MQ250M |
| Manufacturer | ChamSys |
| Type | Console |
| DMX Out | 4x DMX |
| Weight | 13,14kg |

★ Also for Sale!



| | |
|---------------------|------------------------------------|
| Device | MagicQ MQ500M Playback Wing |
| Manufacturer | ChamSys |
| Type | Interfaces |
| Usable | for Chamsys MagicQ MQ250M |
| Motorised Playbacks | 15 |
| Encoder Playbacks | Type |
| DMX Out | 4x DMX |
| Weight | 19kg |

★ Also for Sale!



| | |
|--------------|--------------------|
| Device | MagicQ MQ70 |
| Manufacturer | ChamSys |
| Type | Console |
| DMX Out | 4x DMX |
| Weight | 7kg |

★ Also for Sale!



| | |
|--------------|--------------------|
| Device | MagicQ MQ50 |
| Manufacturer | ChamSys |
| Type | Console |
| DMX Out | 4x DMX |
| Weight | 7kg |

★ Also for Sale!



| | |
|--------------|------------------|
| Device | QuickQ 20 |
| Manufacturer | ChamSys |
| Type | Console |
| DMX Out | 2x DMX |
| Weight | 4,07kg |

| | |
|--------------|----------------------------|
| Device | Touch Monitor 23,8" |
| Manufacturer | DELL |
| Type | Touch Monitor |
| Inputs | DP, HDMI, VGA |
| Resolution | 1.920x1.080px (Full-HD) |
| Weight | 3,1kg |



| | |
|--------------|-------------------------|
| Device | Monitor 24,5" |
| Manufacturer | BenQ |
| Type | Monitor |
| Inputs | DVI, HDMI, VGA |
| Resolution | 1.920x1.080px (Full-HD) |
| Weight | 4,4kg |



| | |
|--------------|-------------------------|
| Device | GrandMA 3 Unit M |
| Manufacturer | MA Lighting |
| Type | Network Processor |
| DMX Out | DMX 5 Pin |
| Weight | 5kg |



| | |
|--------------|-------------------------|
| Device | GrandMA 3 Unit L |
| Manufacturer | MA Lighting |
| Type | Network Processor |
| DMX Out | DMX 5 Pin |
| Weight | 5kg |



| | |
|--------------|------------------------|
| Device | GrandMA 2 NPU |
| Manufacturer | MA Lighting |
| Type | Network Processor |
| DMX Out | 8x DMX 5 Pin Universes |
| Weight | 9kg |



| | |
|--------------|---|
| Device | GrandMA VPU plus MK2 |
| Manufacturer | MA Lighting |
| Type | Video Processing Unit |
| Input | 2x SDI (BNC) |
| Output | 3x DVI, 2x XLR 3 Pin, 2x Ethercon, 2x USB, 1x eSATA |
| Weight | 15kg |





| | |
|--------------|--------------------|
| Device | CRMX Aurora |
| Manufacturer | LumenRadio |
| Type | WDMX / CRMX |
| Input | DMX5 |
| Output | DMX5 |



| | |
|----------------|-----------------------------------|
| Device | XPD-28-5R RDM-DMX Splitter |
| Manufacturer | Swisson |
| Type | DMX-Splitter/ - Booster |
| Input / Output | 2x DMX Input 8x Output |



| | |
|----------------|-------------------------------|
| Device | LumiNode 12 |
| Manufacturer | Luminex |
| Type | Processing Device |
| Input / Output | 2x 1GB Ethercon / 12x DMX5 |



| | |
|----------------|------------------------------|
| Device | LumiNode 4 |
| Manufacturer | Luminex |
| Type | Processing Device |
| Input / Output | 2x 1GB Ethercon / 4x DMX5 |





Device **GigaCore 30i Rack**

| | |
|----------------|--------------------------------|
| Manufacturer | Luminex |
| Type | GigaCore Switch |
| Input / Output | 2x 24x EtherCON 4x EBC 1504 |



Device **GigaCore 30i**

| | |
|----------------|--------------------------|
| Manufacturer | Luminex |
| Type | GigaCore Switch |
| Input / Output | 24x RJ45 / 6x SFP+ Cages |

Device **GigaCore 18T**

| | |
|----------------|--|
| Manufacturer | Luminex |
| Type | GigaCore Switch |
| Input / Output | 8x RJ45 / 8x EtherCON / 2x SFP+ Cages |





Dimmers

MA 12 CH x 2,3kW 32A (Han16E)

MA 24 CH x 2,3kW 63A (Han16A and Han16E)

MA 24 CH x 3,7kW 125A
(Han16A and Han16E)

MA 48 CH x 2,3kW 125A
(Han16A and Han16E)

Art 2000 Switch 12x 16A

Art 2000 Dimmer 12x 16A

Powerlock Cabel 400V 150q 5m

Powerlock Cabel 400V 150q 15m

Powerlock Adapter 125A CEE 2,5q

Powerlock Adapter 150q Ring Connector



Speaker

E6

| | |
|-------------------------|--|
| Manufacturer | d&b audiotechnik |
| Type | Point Source |
| Description | 2-Way Passive Enclosure |
| Components | 1x 6,5" / 1x 1" |
| Usable Bandwidth | 85Hz-20kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H/V | 100°x55° |
| Included Accessories | Z5377 Swivel Bracket Z5024 Speaker Stand Adapter Z5010 TV Spigot with Fixing Plate |
| Weight | 5kg |



Speaker

E8

| | |
|-------------------------|--|
| Manufacturer | d&b audiotechnik |
| Type | Point Source |
| Description | 2-Way Passive Enclosure |
| Components | 1x 8" / 1x 1" |
| Usable Bandwidth | 62Hz-18kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H/V | 100°x55° |
| Included Accessories | Z5350 Flying Bracket Z5024 Speaker Stand Adapter Z5010 TV Spigot with Fixing Plate |
| Weight | 7,3kg |



Speaker

E12

| | |
|-------------------------|--|
| Manufacturer | d&b audiotechnik |
| Type | Point Source |
| Description | 2-Way Passive Enclosure |
| Components | 1x 12" / 1x 1,5" |
| Usable Bandwidth | 50Hz-18kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H/V | 80°x50° |
| Included Accessories | Z5352 Flying Bracket Z5024 Speaker Stand Adapter Z5010 TV Spigot with Fixing Plate |
| Weight | 16kg |



Speaker

B6 Sub

| | |
|--------------------|-------------------------|
| Manufacturer | d&b audiotechnik |
| Type | Subwoofer |
| Description | 1-Way Passive Enclosure |
| Components | 1x 18" |
| Usable Bandwidth | 37Hz-140Hz |
| Connectors In/Link | Speakon NLT4 F / M |
| Weight | 41kg |




| | |
|-------------------------|--|
| Speaker | Y7P / Y10P |
| Manufacturer | d&b audiotechnik |
| Type | Point Source |
| Description | 2-Way Passive Enclosure |
| Components | 1x 8" / 1x 1,4" |
| Usable Bandwidth | 59Hz-18kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H/V | 75°x40°-(110°x40°-Y10P) |
| Included Accessories | Z5397 Swivel Bracket Z5024 Speaker Stand Adapter Z5010 TV Spigot with Fixing Plate |
| Weight | 18kg |



| | |
|-----------------------|-------------------------|
| Speaker | Y8 / Y12 |
| Manufacturer | d&b audiotechnik |
| Type | Line Source |
| Description | 2-Way Passive Enclosure |
| Components | 2x 8" / 1 x 1,4" |
| Usable Bandwidth | 54Hz-19kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H | 80° (120°-Y12) |
| Weight | 20kg |



| | |
|--------------------|----------------------------|
| Speaker | Y Sub |
| Manufacturer | d&b audiotechnik |
| Type | Flyable Cardioid Subwoofer |
| Description | 2-Way Passive SUB |
| Components | 1x 18" / 1x 12" |
| Usable Bandwidth | 39Hz-140Hz |
| Connectors In/Link | Speakon NLT4 F / M |
| Weight | 52kg |



| | |
|----------------------|--|
| Speaker | Y Flying Frame (Z5390) |
| Manufacturer | d&b audiotechnik |
| Type | Rigging Frame |
| Included Accessories | Y Safety Chain (Z5392) Rota Clamp (Z5147) |
| Weight | 19kg |




| | |
|-------------------------|--|
| Speaker | V7P / V10P |
| Manufacturer | d&b audiotechnik |
| Type | Point Source |
| Description | 3-Way Passive Enclosure |
| Components | 2x 10" / 1x 8" / 1x 1,4" |
| Usable Bandwidth | 59Hz-18kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H/V | 75°x40°-(110°x40°-V10P) |
| Included Accessories | Z5383 Mounting Bracket Z5024 Speaker Stand Adapter Z5010 TV Spigot with Fixing Plate |
| Weight | 33kg |



| | |
|-----------------------|--------------------------|
| Speaker | V8 / V12 |
| Manufacturer | d&b audiotechnik |
| Type | Line Source |
| Description | 3-Way Passive Enclosure |
| Components | 2x 10" / 1x 8" / 2x 1,4" |
| Usable Bandwidth | 67Hz-18kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H | 80° (120°-V12) |
| Weight | 34kg |



| | |
|--------------------|----------------------------|
| Speaker | V SUB |
| Manufacturer | d&b audiotechnik |
| Type | Flyable Cardioid Subwoofer |
| Description | 2-Way Passive SUB |
| Components | 1x 18" / 1x 12" |
| Usable Bandwidth | 37Hz-115Hz |
| Connectors In/Link | Speakon NLT4 F / M |
| Weight | 64kg |



| | |
|----------------------|-------------------------------|
| Speaker | V Flying Frame (Z5380) |
| Manufacturer | d&b audiotechnik |
| Type | Rigging Frame |
| Included Accessories | V Safety Chain (Z5382) |
| Weight | 25,4kg |




| | |
|-----------------------|---------------------------|
| Speaker | J8 / J12 |
| Manufacturer | d&b audiotechnik |
| Type | Line Source |
| Description | 3-Way Active Enclosure |
| Components | 2x 12" / 1x 10" / 2x 1,4" |
| Usable Bandwidth | 48Hz-17kHz |
| Connectors In/Link | Speakon NLT4 F/M |
| Nominal Directivity H | 80° (120°-J12) |
| Weight | 60kg |



| | |
|------------------|----------------------------|
| Speaker | J SUB |
| Manufacturer | d&b audiotechnik |
| Type | Flyable Cardioid Subwoofer |
| Description | 2-Way Active SUB |
| Components | 3x 18" |
| Usable Bandwidth | 32Hz-100Hz |
| Connectors In | Speakon NLT4 F |
| Weight | 106kg |



| | |
|--------------------|--------------------|
| Speaker | J Infra |
| Manufacturer | d&b audiotechnik |
| Type | Cardioid Subwoofer |
| Description | 2-Way Active SUB |
| Components | 3x 21" |
| Usable Bandwidth | 27Hz-60Hz |
| Connectors In/Link | Speakon NLT4 F |
| Weight | 152kg |



| | |
|----------------------|-------------------------------|
| Speaker | J Flying Frame (Z5300) |
| Rigging | J Flying Frame (Z5300) |
| Manufacturer | d&b audiotechnik |
| Type | Rigging Frame |
| Included Accessories | J Safety Chain (Z5303) |
| Weight | 65kg |



| | |
|-----------------------|------------------------------------|
| Speaker | GSL8 / GSL12 |
| Manufacturer | d&b audiotechnik |
| Type | Line Source |
| Description | 3-Way Active Enclosure |
| Components | 2x 14" / 2x 10" / 1x 10" / 3x 1,4" |
| Usable Bandwidth | 45Hz-18kHz |
| Connectors In | Speakon 1x NLT4 F |
| Nominal Directivity V | 80° (GSL12-120°) |
| Weight | 80kg |



| | |
|-----------------------|----------------------------------|
| Speaker | KSL8 / KSL12 |
| Manufacturer | d&b audiotechnik |
| Type | Line Source |
| Description | 2-Way Active Enclosure |
| Components | 2x 10" / 2x 8" / 1x 8" / 2x 1,4" |
| Usable Bandwidth | 54 Hz-18kHz |
| Connectors In/Out | NLT4 F / M |
| Nominal Directivity V | 80° (KSL12-120°) |
| Weight | 58kg |



| | |
|-----------------------|--|
| Speaker | XSL8 / XSL12 |
| Manufacturer | d&b audiotechnik |
| Type | Line Source |
| Description | 3-way line array |
| Components | LF: 2 x 8" + 2 x 6.5"; MF: 1 x 6.5"; HF: 2 x 1" exit compression driver with 2" coil |
| Usable Bandwidth | 60 Hz - 18 kHz |
| Connectors In/Link | 2 x NLT4 F/M |
| Nominal Directivity H | 80° (XSL12- 120°) |
| Weight | 39kg |



| | |
|--------------------|----------------------------|
| Speaker | KSL SUB |
| Manufacturer | d&b audiotechnik |
| Type | Flyable Cardioid Subwoofer |
| Components | 3 x 15" |
| Usable Bandwidth | 36 Hz - 105 Hz |
| Connectors In/Link | 1 x NLT4 F |
| Weight | 82kg |



| | |
|--------------------|--------------------|
| Speaker | KSL-GSUB |
| Manufacturer | d&b audiotechnik |
| Type | Cardioid Subwoofer |
| Components | 3 x 15" |
| Usable Bandwidth | 36 Hz - 105 Hz |
| Connectors In/Link | 1 x NLT4 F |
| Weight | 78kg |




| | |
|------------------|----------------------------|
| Speaker | SL-SUB |
| Manufacturer | d&b audiotechnik |
| Type | Flyable Cardioid Subwoofer |
| Description | 2-Way Active SUB |
| Components | 3x 21" |
| Usable Bandwidth | 33Hz-84Hz |
| Connectors In | NLT4 F |
| Weight | 138kg |



| | |
|------------------|---------------------------|
| Speaker | SL-GSUB |
| Manufacturer | d&b audiotechnik |
| Type | Ground Cardioid Subwoofer |
| Description | 2-Way Active SUB |
| Components | 3x 21" |
| Usable Bandwidth | 33Hz-84Hz |
| Connectors In | NLT4 F |
| Weight | 132kg |



| | |
|----------------------|---|
| Speaker | GSL Flying Frame |
| Rigging | GSL Flying Frame (Z5701) |
| Manufacturer | d&b audiotechnik |
| Type | Rigging Frame |
| Included Accessories | Flying Frame (Z5701); Load Beam (Z5702); Safety Chain (Z5705); SL Aiming Plate (Z5707); Hoist Connector Chain (Z5706); SL Cable Pick (Z5713); Array Sight Sender Unit (Z5711); Array Sight Meter Unit (Z5761) |
| Weight | 80kg (Frame only) |




| | |
|----------------------|--|
| Speaker | GSL Compression Set |
| Rigging | GSL Compression Frame (Z5703) |
| Manufacturer | d&b audiotechnik |
| Type | Compression Set |
| Included Accessories | GSL Compression Frame (Z5703); SL Compression Chain 2,5t (Z5709); Compression Grab Link (B2447.073); Level Hoist (B2447.072); Compression Frame Master Link (B2447.074); Chain Bag (B2447.075) |
| Weight | 18,6kg (Frame only) |



| | |
|----------------------|---|
| Speaker | KSL Flying Frame |
| Rigging | KSL Flying Frame (Z5701) |
| Manufacturer | d&b audiotechnik |
| Type | Rigging Frame |
| Included Accessories | Flying Frame (Z5722); KSL Load Beam (Z5723); Safety Chain (Z5705); SL Aiming Plate (Z5707); Hoist Connector Chain (Z5705); SL Cable Pick (Z5713); Array Sight Sender Unit (Z5711); Array Sight Meter Unit (Z5761) |
| Weight | 30,3kg (Frame only) |



| | |
|----------------------|--|
| Speaker | KSL Compression Set |
| Rigging | KSL Compression Frame (Z5725) |
| Manufacturer | d&b audiotechnik |
| Type | Compression Set |
| Included Accessories | KSL Compression Frame (Z5725); SL Compression Chain 2,5t (Z5709); Compression Grab Link (B2447.073); Level Hoist (B2447.072); Compression Frame Master Link (B2447.074); Chain Bag (B2447.075) |
| Weight | 16kg (Frame only) |



| | |
|----------------------|---|
| Speaker | XSL Flyingframe Set |
| Rigging | XSL Flyingframe (Z5770) |
| Manufacturer | d&b audiotechnik |
| Type | Rigging Frame |
| Included Accessories | Fyling Frame (Z5771); Load Beam (Z5772); Safety Chain (Z5775); Hoist Connector Chain (Z5776); SL Aiming Plate (Z5707); SL Cable Pick (Z5713); Array Sight Sender Unit (Z5711); Array Sight Meter Unit (Z5761) |
| Weight | 21kg (Frame only) |



| | |
|----------------------|---|
| Speaker | XSL Compression Set |
| Rigging | XSL Compression Set (Z5773) |
| Manufacturer | d&b audiotechnik |
| Type | Compression Set |
| Included Accessories | SL Compression Set (Z5774); XSL Compression Chain 1,5t (Z5789); Crank Lever Hoist (B2467.072); Compression Frame Master Link (B2467.074); Chain Bag (B2447.075) |
| Weight | 11kg (Frame only) |





| | |
|-------------------------|---------------------|
| Speaker | M6 |
| Manufacturer | d&b audiotechnik |
| Type | Monitor |
| Description | 2-Way Stage Monitor |
| Components | 1x 12" / 1x 1,3" |
| Usable Bandwidth | 65Hz-17kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H/V | 50°x80° |
| Weight | 16kg |



| | |
|-------------------------|---------------------|
| Speaker | M4 |
| Manufacturer | d&b audiotechnik |
| Type | Monitor |
| Description | 2-Way Stage Monitor |
| Components | 1x 15" / 1x 1,3" |
| Usable Bandwidth | 55Hz-17kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H/V | 50°x70° |
| Weight | 20kg |



| | |
|-------------------------|---------------------|
| Speaker | M2 |
| Manufacturer | d&b audiotechnik |
| Type | Monitor |
| Description | 2-way stage monitor |
| Components | 2 x 12" / 1 x 1,4" |
| Usable Bandwidth | 50 Hz-17 kHz |
| Connectors In/Link | Speakon NLT4 F / M |
| Nominal Directivity H/V | 45° x 60° |
| Weight | 38kg |



| | |
|-------------------|-----------------------|
| Speaker | DS10 |
| Manufacturer | d&b audiotechnik |
| Signal Processor | Interface Dante / AES |
| Inputs (Digital) | 4 channel (2x AES3) |
| Inputs | 4x Ethercon |
| Outputs (Digital) | 16 channel (8x AES 3) |
| Power Connection | Schuko |
| Weight | 3,75kg |



milan®



Dante®

Bereit für morgen?

Wir bei d&b audiotechnik versorgen Sie mit allen notwendigen Tools, damit Sie Ihre Kreativität voll ausleben können. Deshalb haben wir unsere Flaggschiffe auch Milan™-fähig gemacht. Das bedeutet Freiheit, Flexibilität, Zuverlässigkeit und Sicherheit. Und das ganz ohne tiefgreifende IT-Managementfähigkeiten.



Bereit für morgen.

Jetzt können Sie wählen zwischen Milan™ oder Dante. Und beides mit der gleichen marktführenden Technologie von d&b audiotechnik.

Schon heute bereit für morgen.



d&b
audiotechnik

Freedom to create



| | |
|------------------|--------------------------------|
| Amp | D12 |
| Manufacturer | d&b audiotechnik |
| Type | 2 Channel Amplified Controller |
| Inputs (Analog) | 2x XLR3 IN + Link |
| Inputs (Digital) | 1x XLR3 AES 3 |
| Outputs | 2x NL4 M |
| Power Connection | Schuko > PowerCON |
| Weight | 13kg |



| | |
|------------------|--------------------------------|
| Amp | D20 |
| Manufacturer | d&b audiotechnik |
| Type | 4 Channel Amplified Controller |
| Inputs (Analog) | 4x XLR3 IN + Link |
| Inputs (Digital) | 2x XLR3 AES 3 |
| Outputs | 6x NL4 M 1x NL8 M |
| Power Connection | Schuko > PowerCON |
| Weight | 10,8kg |



| | |
|------------------|--------------------------------|
| Amp | D80 |
| Manufacturer | d&b audiotechnik |
| Type | 4 Channel Amplified Controller |
| Inputs (Analog) | 4x XLR3 IN + Link |
| Inputs (Digital) | 2x XLR3 AES 3 |
| Outputs | 4x NL4 M 1x NL8 M |
| Power Connection | Schuko > PowerCON |
| Weight | 19kg |



| | |
|------------------|--------------------------------|
| Speaker | D40 |
| Manufacturer | d&b audiotechnik |
| Type | 4 Channel Amplified Controller |
| Inputs (Analog) | 4x XLR3 IN + Link |
| Inputs (Digital) | 2x XLR3 AES 3 |
| Outputs | 6 x NL4 1 x NL8 |
| Power Connection | powerCON® TRUE1 TOP |
| Weight | 13,8kg |



| | |
|-----------------------|----------------------|
| Amp | D40 3er Rack |
| Manufacturer | d&b audiotechnik |
| Type | Touring Rack 3 x D40 |
| Inputs (Analog) | 4x XLR3 IN + Link |
| Inputs (Digital) | 2x XLR3 AES 3 |
| Outputs | 3x NL4 1x NL8 |
| Power Connection/Link | CEE 32 A Red |
| Weight | 120kg |



| | |
|------------------|---------------------------------------|
| Amp | D80 Rack incl. DS10 |
| Manufacturer | d&b audiotechnik |
| AMP | Touring Rack 3 x D80 incl. 1x DS10 |
| Inputs (Analog) | 4x XLR3 IN + LINK |
| Inputs (Digital) | 2x XLR3 AES3 |
| Outputs | 3x NLT8 + 1x LKA25 |
| Power Connection | CEE32 A Red |
| Weight | 130kg |



| | |
|-----------------------|----------------------|
| Amp | D80 3er Rack |
| Manufacturer | d&b audiotechnik |
| Type | Touring Rack 3 x D80 |
| Inputs (Analog) | 4x XLR3 IN + Link |
| Inputs (Digital) | 2x XLR3 AES 3 |
| Outputs | 3x NL8 2x LKS19 |
| Power Connection/Link | CEE 32 A Red |
| Weight | 130kg |



| | |
|-----------------------|------------------------------------|
| Amp | D80 6er Rack |
| Manufacturer | d&b audiotechnik |
| Type | Touring Rack 6 x D80 incl. DS10 |
| Inputs (Analog) | 4 x XLR3 IN + Link |
| Inputs (Digital) | 2x XLR3 AES 3 |
| Outputs | 6 x NL8 2x LKA25 |
| Power Connection/Link | CEE 32 A Red |
| Weight | 210kg |



| Speaker | X5T |
|----------------------|---------------------------------|
| Manufacturer | L-Acoustics |
| Type | Point Source |
| Description | 2-Way Passive Coaxial Enclosure |
| Components | 1x 5" / 1x 1" |
| Usable Bandwidth | 95Hz-20kHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity | 110° Axisymmetric |
| Included Accessories | ETR5 U-Bracket |
| Weight | 3,5kg |



| Speaker | X8 |
|----------------------|---------------------------------|
| Manufacturer | L-Acoustics |
| Type | Point Source / Monitor |
| Description | 2-Way Passive Coaxial Enclosure |
| Components | 1x 8" / 1x 1,5" |
| Usable Bandwidth | 60Hz-20kHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity | 100° Axisymmetric |
| Monitoring Angle | 35° |
| Included Accessories | X-US8 |
| Weight | 12kg |



| Speaker | X12 |
|-------------------------|---------------------------------|
| Manufacturer | L-Acoustics |
| Type | Point Source / Monitor |
| Description | 2-Way Passive Coaxial Enclosure |
| Components | 1x 12" / 1x 3" |
| Usable Bandwidth | 59Hz-20kHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity V/H | 90°x60° |
| Monitoring Angle | 35° / 55° |
| Weight | 20kg |



| Speaker | X15 HIQ |
|-------------------------|--------------------------------|
| Manufacturer | L-Acoustics |
| Type | Point Source / Monitor |
| Description | 2-Way Active Coaxial Enclosure |
| Components | 1x 15" / 1x 3" |
| Usable Bandwidth | 55Hz-20kHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity V/H | 60°x40° |
| Monitoring Angle | 35° / 55° |
| Weight | 21kg |



| Speaker | ARCS WIDE |
|-------------------------|-------------------------|
| Manufacturer | L-Acoustics |
| Type | WST Line Source |
| Description | 2-Way Passive Enclosure |
| Components | 1x 12" / 1x 3" |
| Usable Bandwidth | 55Hz-20kHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity V/H | 30°x90° |
| Included Accessories | 2x Coupling Bar |
| Weight | 36kg |



| Speaker | ARCS FOCUS |
|-------------------------|-------------------------|
| Manufacturer | L-Acoustics |
| Type | WST Line Source |
| Description | 2-Way Passive Enclosure |
| Components | 1x 12" / 1x 3" |
| Usable Bandwidth | 55Hz-20kHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity V/H | 15°x90° |
| Included Accessories | 2x Coupling Bar |
| Weight | 38kg |



| Speaker | ARCS II |
|-------------------------|------------------------|
| Manufacturer | L-Acoustics |
| Type | WST Line Source |
| Description | 2-way active enclosure |
| Components | 1 x 15" / 1 x 3" |
| Usable Bandwidth | 50 Hz-20 kHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity V/H | 22,5° x 60° |
| Included Accessories | 2 x coupling bar |
| Weight | 50kg |

Accessories ARCS

| |
|-----------------------------------|
| L-Acoustics ARCBUMB |
| L-Acoustics BUMP 3 |
| L-Acoustics LIFTBAR for 2x BUMP 3 |
| L-Acoustics WIFOBUMP |
| L-Acoustics X-US1215 |
| L-Acoustics X-UL12 |
| L-Acoustics X-UL15 |



| | |
|-----------------------|-----------------------------|
| Speaker | KIVA II |
| Manufacturer | L-Acoustics |
| Type | Line Source |
| Description | 2-Way Passive WST Enclosure |
| Components | 2x 6,5" / 1x 1,75" |
| Usable Bandwidth | 70Hz-20kHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity H | 100° |
| Weight | 14kg |



| | |
|-----------------------|--|
| Speaker | KARA II |
| Manufacturer | L-Acoustics |
| Type | Line Source |
| Description | 2-way active, dual 8" |
| Components | LF: 2 x 8" HF: 1 x 3" |
| Usable Bandwidth | 55 Hz- 20 KHz |
| Connectors In/Link | SpeakON NL4 |
| Nominal Directivity H | 70° / 110° symmetric or 90° asymmetric |
| Weight | 26kg |



| | |
|-----------------------|----------------------------|
| Speaker | K2 |
| Manufacturer | L-Acoustics |
| Type | Line Source |
| Description | 3-Way Active WST Enclosure |
| Components | 2x 12" / 4x 6,5" / 2x 3" |
| Usable Bandwidth | 35Hz-20kHz |
| Connectors In/Link | CA-Com 8 Pin |
| Nominal Directivity H | 110° / 70° Symmetric |
| Weight | 56kg |

Accessories X Serie / K Serie

| |
|-----------------------|
| L-Acoustics KIET II |
| L-Acoustics KS28 BUMP |
| L-Acoustics LARAKBUMP |



| | |
|----------------------|-------------------|
| Speaker | SB15m |
| Manufacturer | L-Acoustics |
| Type | Flyable Subwoofer |
| Description | 1-Way SUB |
| Components | 1x 15" |
| Low Frequency Limit | 40Hz |
| Connectors In/Link | SpeakON NL4 |
| Included Accessories | Coupling Bars |
| Weight | 36kg |



| | |
|---------------------|-------------------|
| Speaker | SB18m |
| Manufacturer | L-Acoustics |
| Type | Flyable Subwoofer |
| Description | 1-Way SUB |
| Components | 1x 18" |
| Low frequency Limit | 32Hz |
| Connectors In/Link | SpeakON NL4 |
| Weight | 52kg |



| | |
|---------------------|-------------------|
| Speaker | KS28 |
| Manufacturer | L-Acoustics |
| Type | Flyable Subwoofer |
| Description | 1-Way SUB |
| Components | 2x 18" |
| Low Frequency Limit | 25Hz |
| Connectors In | SpeakON NL4 |
| Weight | 79kg |



| | |
|---------------------|-------------------|
| Speaker | K1-SB |
| Manufacturer | L-Acoustics |
| Type | Flyable Subwoofer |
| Description | 1-Way SUB |
| Components | 2x 15" / 1x 4" |
| Low Frequency Limit | 30Hz |
| Connectors In | SpeakON NL4 |
| Weight | 83kg |



Bump

BUMPFLIGHT - 2 K2

| | |
|---------------|---|
| Manufacturer | L-Acoustics |
| Type | Rigging Frame K2 |
| Case Included | 2x K2-Bump 2x K2-Bar 2x K1-Delta 4x K2-Link 2x K2 Lasermount 2x K1 BPCHAIN |



Bump


MBUMP

| | |
|---------------|--|
| Manufacturer | L-Acoustics |
| Type | Kara / SB18 Rigging Frame |
| Case Included | 1x MBUMP 1x M-BAR 1x KARA Pullback |

Bump

KIBU-SB

| | |
|----------------------|-------------------------------|
| Manufacturer | L-Acoustics |
| Type | KIVAll / SB15 Rigging Frame |
| Case Included | 1x KIBU-SB 2x Coupling Bar |
| Optional Accessories | KIVA Pullback |



Bump

MAUI P900B

| | |
|----------------------|----------------------------|
| Manufacturer | LD Systems |
| Type | Self-Powered Speaker |
| Components | 32x 1" + 16x 2,8" + 2x 10" |
| Usable Bandwidth | 42-20.000Hz |
| Connectors In / Link | XLR |
| Nominal Directivity | 140°x15° |
| Weight | 46kg |
| Special | Bluetooth |



| | |
|------------------|--------------------------------|
| Amp | LA12X |
| Manufacturer | L-Acoustics |
| Type | 4 Channel Amplified Controller |
| Inputs (Analog) | 4x Analog XLR Input + Linkout |
| Inputs (Digital) | 2x AES / EBU (4 Channels) |
| Outputs | 1x CA-COM 2x SpeakON NL4 |
| Power Connection | PowerCON 32A |
| Weight | 14,5kg |



| | |
|------------------|--------------------------------|
| Amp | LA4X |
| Manufacturer | L-Acoustics |
| Type | 4 Channel Amplified Controller |
| Inputs (Analog) | 4x Analog XLR input + Linkout |
| Inputs (Digital) | 2x AES / EBU (4 Channels) |
| Outputs | 4x SpeakON NL4 |
| Power Connection | Schuko > PowerCON |
| Weight | 11,3kg |



| | |
|-----------------------|------------------------------------|
| Amp | LA-RAK II |
| Manufacturer | L-Acoustics |
| Type | Systemamprack, Flyable |
| Inputs Front | 2x CA-COM (19 Pin); 3 AES / EBU |
| Inputs Back | 6x XLR (Analog); 3x AES / EBU |
| Outputs | 3x CA-COM / 6x SpeakON NL4 |
| Power Connection/Link | CEE 32A Red |
| Weight | 111,5kg |

★ Also for Sale!



| | |
|------------------|---------------------|
| Receiver | ULXD4D |
| Manufacturer | Shure |
| Type | Receiver |
| Channel | 2 Channel |
| Frequency Range | H51-537-598MHz |
| Dante | Primary / Secondary |
| Power Connection | Schuko |



★ Also for Sale!



| | |
|------------------|---------------------|
| Receiver | ULXD4Q |
| Manufacturer | Shure |
| Type | Receiver |
| Channel | 4 Channel |
| Frequency Range | H51-537-598MHz |
| Dante | Primary / Secondary |
| Power Connection | Schuko |



★ Also for Sale!



| | |
|------------------|----------------|
| Transmitter | ULXD1 |
| Manufacturer | Shure |
| Type | Transmitter |
| Transmitter Type | Beltpack |
| Frequency Range | H51-537-598MHz |
| MIC Connection | TA4F |



★ Also for Sale!



| | |
|--------------------|------------------------------|
| Transmitter | ULXD2 |
| Manufacturer | Shure |
| Type | Transmitter |
| Transmitter Type | Handheld |
| Frequency Range | H51-537-598MHz |
| Available Capsules | SM58, Beta58, Beta87 A, KSM9 |



☆ Also for Sale!



| | |
|------------------|---------------------|
| Receiver | AD4D |
| Manufacturer | Shure |
| Type | Receiver |
| Channel | 2 Channel |
| Frequency Range | G56 470-636MHz |
| Dante | Primary / Secondary |
| Power Connection | Schuko |



☆ Also for Sale!



| | |
|------------------|---------------------|
| Receiver | AD4Q |
| Manufacturer | Shure |
| Type | Receiver |
| Channel | 4 Channel |
| Frequency Range | G56 470-636MHz |
| Dante | Primary / Secondary |
| Power Connection | Schuko |



☆ Also for Sale!



| | |
|------------------|----------------|
| Transmitter | AD1 |
| Manufacturer | Shure |
| Type | Transmitter |
| Transmitter Type | Beltpack |
| Frequency Range | G56 470-636MHz |
| MIC Connection | TA4F |



☆ Also for Sale!



| | |
|--------------------|---------------------------------------|
| Transmitter | AD2 |
| Manufacturer | Shure |
| Type | Transmitter |
| Transmitter Type | Handheld |
| Frequency Range | G56 470-636MHz |
| Available Capsules | SM58, Beta58, Beta87 A, KSM9, KSM8 |



★ Also for Sale!



| | |
|------------------|----------------|
| Transmitter | ADX1 |
| Manufacturer | Shure |
| Type | Transmitter |
| Transmitter Type | Beltpack |
| Frequency Range | G56 470-636MHz |
| MIC Connection | TA4F |

★ Also for Sale!



| | |
|---------------------------|----------------------------|
| Distribution | UA845UWB-E |
| Manufacturer | Shure |
| Type | Splitter |
| Connection of 4 Receivers | ULXD4D; ULXD4Q; AD4D; AD4Q |
| Power Connection | Schuko |

★ Also for Sale!



| | |
|--------------------|----------------|
| Transmitter | ADX2 |
| Manufacturer | Shure |
| Type | Transmitter |
| Transmitter Type | Handheld |
| Frequency Range | G56 470-636MHz |
| Available Capsules | KSM9 |

★ Also for Sale!



| | |
|----------------------|-----------------------------------|
| Frequency Management | AD610 Showlink |
| Manufacturer | Shure |
| Type | Frequency Management Access Point |
| Usable | Axient Analog / Axient Digital |
| Power Connection | Schuko |

★ Also for Sale!

| | |
|----------------------|----------------------|
| Frequency Management | AD600E |
| Manufacturer | Shure |
| Type | Frequency Management |
| Usable | Axient Digital |
| Power Connection | Schuko |

★ Also for Sale!



| | |
|--------------|---------------------------------|
| Antenna | UA874 Active Antenna Set |
| Manufacturer | Shure |
| Type | Antenna |
| Including | 2x UA874 + 2x 25m BNC |
| Connection | BNC |



★ Also for Sale!



| | |
|----------------------|--------------------------------|
| Frequency Management | AXT600 |
| Manufacturer | Shure |
| Type | Frequency Management |
| Usable | Axient Analog / Axient Digital |
| Power Connection | Schuko |

★ Also for Sale!



| | |
|--------------|-------------------------|
| Antenna | HA8089 Helical |
| Manufacturer | Shure |
| Type | Antenna |
| Including | 1x HA8089 + 1x 25 m BNC |
| Connection | BNC |



★ Also for Sale!



| | |
|------------------|--|
| Receiver | EM6000 / EM6000 Dante |
| Manufacturer | Sennheiser |
| Type | Receiver |
| Channel | 2 Channel |
| Frequency Range | 470MHz-714MHz |
| Dante | Primary / Secondary |
| Power Connection | Schuko |

★ Also for Sale!



| | |
|------------------|-----------------------|
| Transmitter | SK6000 |
| Manufacturer | Sennheiser |
| Type | Transmitter |
| Transmitter Type | Beltpack |
| Frequency Range | 470MHz-558MHz (A1-A4) |
| MIC Connection | LEMO |

★ Also for Sale!



| | |
|--------------------|-----------------------|
| Transmitter | SKM6000 |
| Manufacturer | Sennheiser |
| Type | Transmitter |
| Transmitter Type | Handheld |
| Frequency Range | 470MHz-558MHz (A1-A4) |
| Available Capsules | MMK 965, MD 9235 |

★ Also for Sale!



| | |
|--------------|---------------------------------------|
| Charger | L6000 inkl. 8 x BA60 |
| Manufacturer | Sennheiser |
| Type | Charging Station |
| Usable | for SKM 6000 |

★ Also for Sale!



Microphone **d:fine CORE 6066**

| | |
|----------------|-------------------------------|
| Manufacturer | DPA |
| Type | Headset Dual Ear |
| Colour | Beige |
| Characteristic | Omnidirectional |
| Including | DPA DAD 6003; DPA DAD 6010 |

★ Also for Sale!



Microphone **d:fine 66**

| | |
|----------------|-------------------------------|
| Manufacturer | DPA |
| Type | Headset Dual Ear |
| Colour | Beige, Black |
| Characteristic | Omnidirectional |
| Including | DPA DAD 6003; DPA DAD 6010 |

★ Also for Sale!



Microphone **d:fine 88**

| | |
|----------------|-------------------------------|
| Manufacturer | DPA |
| Type | Headset Dual Ear |
| Colour | Beige, Black |
| Characteristic | Cardioid |
| Including | DPA DAD 6003; DPA DAD 6010 |

★ Also for Sale!



**4488 CORE
Directional Headset
Mic**

| | |
|----------------|-------------|
| Microphone | |
| Manufacturer | DPA |
| Type | Dual Ear |
| Colour | Beige |
| Characteristic | Directional |

★ Also for Sale!

Microphone **d:screet 4080**

| | |
|----------------|-------------------------------|
| Manufacturer | DPA |
| Type | Clip |
| Colour | Black |
| Characteristic | Cardioid |
| Including | DPA DAD 6003; DPA DAD 6010 |

★ Also for Sale!

Microphone **d:screet 4060**

| | |
|----------------|-------------------------------|
| Manufacturer | DPA |
| Type | Clip |
| Colour | Beige |
| Characteristic | Omnidirectional |
| Including | DPA DAD 6003; DPA DAD 6010 |

★ Also for Sale!

Microphone **d:screet 4061**

| | |
|----------------|-------------------------------|
| Manufacturer | DPA |
| Type | Clip |
| Colour | Beige |
| Characteristic | Omnidirectional |
| Including | DPA DAD 6003; DPA DAD 6010 |

★ Also for Sale!

Microphone **Shure WL184**

| | |
|----------------|----------|
| Manufacturer | Shure |
| Type | Clip |
| Colour | Black |
| Characteristic | Cardioid |
| Connector | TA4 |

☆ Also for Sale!



| | |
|----------------|------------------------|
| Transmitter | Sennheiser ME36 |
| Manufacturer | Sennheiser |
| Type | Speaker Microphone |
| Colour | Black |
| Characteristic | Super Cardioid / Lobar |
| Including | MZH 3042; MAT 133 S |

★ Also for Sale!



| | |
|------------------|------------------|
| Transmitter | P10T |
| Manufacturer | Shure |
| Type | Transmitter |
| Channel | 2 Channel |
| Frequency Range | 626-698MHz (L8E) |
| Power Connection | Schuko |



★ Also for Sale!



| | |
|----------------------|-------------------|
| Receiver | P10R/P10R+ |
| Manufacturer | Shure |
| Type | Receiver |
| Transmitter Type | Beltpack |
| Frequency Range | 626-698MHz (L8E) |
| Included Accessories | SE215 Earphone |



★ Also for Sale!



| | |
|--------------------------------------|--------------------------|
| Combiner | PA821 |
| Manufacturer | Shure |
| Type | Combiner |
| Connection of 8 Channel Transmitters | P4T, P6T, P7T, P9T, P10T |
| Power Connection | Schuko |



★ Also for Sale!



| | |
|--------------------------------------|--------------------------|
| Combiner | PA421 |
| Manufacturer | Shure |
| Type | Combiner |
| Connection of 4 Channel Transmitters | P4T, P6T, P7T, P9T, P10T |
| Power Connection | Schuko |



★ Also for Sale!



| | |
|--------------|--------------------------|
| Antenna | PA805 Set |
| Manufacturer | Shure |
| Type | Antenna |
| Including | 1x PA805 + 1x 25m BNC |
| Connection | BNC |

★ Also for Sale!



| | |
|--------------|---------------------------|
| Antenna | HA8089 Helical |
| Manufacturer | Shure |
| Type | Antenna |
| Including | 1x HA8089 + 1x 25m BNC |
| Connection | BNC |

★ Also for Sale!



| | |
|------------------|---|
| Combiner | Shure 4 Channel IEM Rack |
| Manufacturer | Shure |
| Type | Transmitter / Receiver |
| Power connection | Schuko |
| Including | 1x Shure PA421 Combiner 2x Shure P10T 4x Shure P10R+ |

★ Also for Sale!



| | |
|------------------|--------------------------|
| Transmitter | Sennheiser SR2050 |
| Manufacturer | Sennheiser |
| Type | Transmitter |
| Channel | 2 Channel |
| Frequency Range | 470-558MHz |
| Power Connection | Schuko |

★ Also for Sale!



| | |
|----------------------|---------------------------|
| Receiver | Sennheiser EK 2000 |
| Manufacturer | Sennheiser |
| Type | Receiver |
| Transmitter Type | Beltpack |
| Frequency Range | 470-558MHz |
| Included Accessories | IE4 Earphone |

★ Also for Sale!



| | |
|-------------------|-----------------------------|
| Combiner | Sennheiser AC3200-II |
| Manufacturer | Sennheiser |
| Type | Antenna Combiner |
| Connector Channel | 8 |
| Power Connection | Schuko |

★ Also for Sale!



| | |
|-------------------|-------------------------|
| Combiner | Sennheiser AC-41 |
| Manufacturer | Sennheiser |
| Type | Antenna Combiner |
| Connector Channel | 4 |
| Power Connection | Schuko |

☆ Also for Sale!

| | |
|--------------|--|
| Receiver | Spectera Base Station Set |
| Manufacturer | Sennheiser |
| Including | 1x Base Station, 2x Antenna, 2x RJ45 20m |



☆ Also for Sale!

| | |
|--------------|---|
| Receiver | Spectera Beltpack Set |
| Manufacturer | Sennheiser |
| Including | 4x Beltpack, 8x AKKU, 4x IE 100, 1x Charger |



★ Also for Sale!



| | |
|------------------------|-----------------------|
| Console | Yamaha DM7 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 120 Mono |
| Mix Buses | 48 |
| Matrices | 12+2 |
| Analog Inputs | 32 |
| Analog Outputs | 16 |
| Digital In/Out AES/EBU | 2 / 4 |

★ Also for Sale!



| | |
|------------------------|---------------------------|
| Console | Yamaha DM7 Compact |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 72 Mono |
| Mix Buses | 48 |
| Matrices | 12 + 2 |
| Analog Inputs | 16 |
| Analog Outputs | 16 |
| Digital In/Out AES/EBU | 1 x out |

★ Also for Sale!



| | |
|--------------|---------------------------|
| Console | Yamaha DM7 Control |
| Manufacturer | Yamaha |
| Type | Expansion Controller |

★ Also for Sale!



| | |
|-------------------|-----------------------------|
| Studio Monitor | MSP5 Studio |
| Manufacturer | Yamaha |
| Type | Biamp 2-Way Powered Speaker |
| Frquency Response | 50Hz-40kHz |
| Components | 5" Cone / 1" Titanium Dome |
| I/O Connectors | XLR3-31 Type, Phone |

★ Also for Sale!



| | |
|------------------------|--------------------------|
| Console | Yamaha Rivage PM7 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 120 Mono |
| Mix Buses | 60 |
| Matrices | 24 |
| Analog Inputs | 8 |
| Analog Outputs | 8 |
| Digital In/Out AES/EBU | 4 / 4 |
| Expansions Slots HY | 3 |
| Expansions Slots MY | 2 |

★ Also for Sale!



| | |
|----------------|-----------------------|
| Console | Yamaha CL5 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 72 Mono + 8 Stereo |
| Mix Buses | 24 |
| Matrices | 8 |
| Analog Inputs | 8 |
| Analog Outputs | 8 |
| Dante I/O | Primary / Secondary |

★ Also for Sale!



| | |
|----------------|-----------------------|
| Console | Yamaha CL3 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 64 Mono + 8 Stereo |
| Mix Buses | 24 |
| Matrices | 8 |
| Analog Inputs | 8 |
| Analog Outputs | 8 |
| Dante I/O | Primary / Secondary |

★ Also for Sale!



| | |
|----------------|-----------------------|
| Console | Yamaha CL1 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 48 Mono + 8 Stereo |
| Mix Buses | 24 |
| Matrices | 8 |
| Analog Inputs | 8 |
| Analog Outputs | 8 |
| Dante I/O | Primary / Secondary |

★ Also for Sale!



| | |
|----------------|-----------------------|
| Console | Yamaha QL5 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 64 Mono + 8 Stereo |
| Mix Buses | 16 |
| Matrices | 8 |
| Analog Inputs | 32 |
| Analog Outputs | 16 |
| Dante I/O | Primary / Secondary |

★ Also for Sale!



| | |
|----------------|-----------------------|
| Console | Yamaha QL1 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 32 Mono + 8 Stereo |
| Mix Buses | 16 |
| Matrices | 8 |
| Analog Inputs | 16 |
| Analog Outputs | 8 |
| Dante I/O | Primary / Secondary |

★ Also for Sale!



| | |
|----------------|-------------------------------|
| Console | TF1 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 32 Mono + 2 Stereo + 2 Return |
| Aux Buses | 20 (8 Mono + 6 Stereo) |
| Analog Inputs | 16 |
| Analog Outputs | 16 |

★ Also for Sale!



| | |
|--------------|----------------------------------|
| Console | Yamaha DM3 |
| Manufacturer | Yamaha |
| Type | Digital Audio Console |
| Input | 16 Mono + 1 Stereo + 2 FX Return |
| Aux Buses | 1 Stereo, 6 Mix, 2 FX, 2 Matrix |

★ Also for Sale!



| | |
|-----------------|---------------------|
| Interfaces | Rio3224-D |
| Manufacturer | Yamaha |
| Type | Stagebox |
| Analog Inputs | 32 |
| Analog Outputs | 16 |
| AES/EBU Outputs | 8 (4 St) |
| Dante I/O | Primary / Secondary |



★ Also for Sale!



| | |
|-----------------|---------------------|
| Interfaces | Rio1608-D |
| Manufacturer | Yamaha |
| Type | Stagebox |
| Analog Inputs | 16 |
| Analog Outputs | 8 |
| AES/EBU Outputs | 0 |
| Dante I/O | Primary / Secondary |



★ Also for Sale!



| | |
|-----------------|---------------------|
| Interfaces | Rio3224-D2 |
| Manufacturer | Yamaha |
| Type | Stagebox |
| Analog Inputs | 32 |
| Analog Outputs | 16 |
| AES/EBU Outputs | 8 (4 St) |
| Dante I/O | Primary / Secondary |



★ Also for Sale!



| | |
|-----------------|---------------------|
| Interfaces | Rio1608-D2 |
| Manufacturer | Yamaha |
| Type | Stagebox |
| Analog Inputs | 16 |
| Analog Outputs | 8 |
| AES/EBU Outputs | 0 |
| Dante I/O | Primary / Secondary |



★ Also for Sale!



| Interfaces | Ri8-D |
|-----------------|---------------------|
| Manufacturer | Yamaha |
| Type | Stagebox |
| Analog Inputs | 8 |
| Analog Outputs | 0 |
| AES/EBU Outputs | 0 |
| Dante I/O | Primary / Secondary |



★ Also for Sale!



| Interfaces | Ro8-D |
|-----------------|---------------------|
| Manufacturer | Yamaha |
| Type | Stagebox |
| Analog Inputs | 0 |
| Analog Outputs | 8 |
| AES/EBU Outputs | 0 |
| Dante I/O | Primary / Secondary |



★ Also for Sale!



| Interfaces | RMio64-D |
|----------------|------------------------------|
| Manufacturer | Yamaha |
| Type | Converter |
| MADI IN 1-64 | BNC Connector / SC Connector |
| MADI OUT 1-64 | BNC Connector / SC Connector |
| Dante I/O | Primary / Secondary |
| Analog Outputs | 16 |



★ Also for Sale!



| Interfaces | SWP1-16MMF |
|--------------|--------------------|
| Manufacturer | Yamaha |
| Type | Dante Switch |
| Lan Ports | 12 (Ethercon) |
| Lan Ports | 4 RJ45 Connector |
| SFP ports | 2 (OpticalCON Duo) |



★ Also for Sale!



Interfaces **SWP2 - 10MMF**

| | |
|--------------|--------------------|
| Manufacturer | Yamaha |
| Type | Dante Switch |
| Lan Ports | 10 (Ethernet) |
| Lan Ports | 1 RJ45 Connector |
| SFP ports | 2 (OpticalCON Duo) |





Accessories

Klotz Fiber Link 150m PUR OM3 OpticalConDuo

Klotz Fiber Link 250m PUR OM3 OpticalConDuo

Connex Fast Ethernet CAT6 Drum, 75m



Cable

EBC1504 OM3 4CH MultiMode

Manufacturer

FiberFox

Length

150m

VIDEO | AUDIO | LIGHTING | RIGGING

Your Distributor & Reseller for Professional Event Technology

publitec Präsentationssysteme & Eventservice GmbH
Steinbrinkstraße 61
D-44319 Dortmund
Phone: +49 231 9996160
eMail: info@publitec.tv
Web: www.publitec.tv





Image Similar

NicLen Multiset LKA25 Set 1

| | |
|--------------|--|
| Cable | |
| Manufacturer | NicLen |
| Type | Speaker Cable |
| Including | 1x 30m LKA25 1x 27,5m LKA25 2x Splitt 3x NLT8 > LKA25 2x Splitt LKA25 > 6x NLT4 |



Image Similar

NicLen Multiset LKA25 Set 2

| | |
|--------------|--|
| Cable | |
| Manufacturer | NicLen |
| Type | Speaker Cable |
| Including | 2x 25m LKA25 2x Splitt 3x NLT8 > LKA25 2x Splitt LKA25 > 6x NLT4 |



Image Similar

NicLen Multi Set

| | |
|--------------|---|
| Cable | |
| Manufacturer | NicLen |
| Type | Speaker Cable |
| Including | 3x Adapter PA-Com > NLT 8 (Use for L-Acoustic Systems only) 3x NLT8 10m 3x NLT8 25m 3x Splitt NLT8 > 2x NL4 3x Splitt NLT8 > 4x NL4 3x Splitt NLT8 > 3x NL4 6x NLT4 Gender Changer (Use for d&b Sub J/SL Series only) |



Image Similar

NicLen NLT4 Set

| | |
|--------------|---|
| Cable | |
| Manufacturer | NicLen |
| Type | Speaker Cable |
| Including | 20x 1m 10x 2,5m 20x 5m 18x 10m 8x 20m |



Image Similar

K2 PA-Com Cable Set

| | |
|--------------|----------------------------|
| Cable | |
| Manufacturer | NicLen |
| Type | Speaker Cable |
| Including | 6x 25m 3x 10m 12x 1m |



Image Similar

NicLen Multi Set-L- Acoustics

| | |
|--------------|--|
| Cable | |
| Manufacturer | NicLen |
| Type | Speaker Cable |
| Including | 3x DO10 3x DO25 3x DOFILL 3x DOSUB 3x DO 3-Way Fill 3x DO Connector |




Image Similar

NicLen NL4 Set

| | |
|--------------|---|
| Cable | |
| Manufacturer | NicLen |
| Type | Speaker Cable |
| Including | 20x 1m 10x 2,5m 20x 5m 18x 10m 8x 20m 10x Spooky |



| | |
|--------------|-----------------------|
| Case | |
| Manufacturer | Amptown |
| Dimensions | 120 x 60 x 80cm |
| Colour | Black |
| Special | Incl. 2 Case Dividers |



Signal Splitt

passive 48 Channel Stage Splitt

| | |
|--------------|---|
| Manufacturer | Sommer |
| Type | NF Splitt |
| Inputs | 48x XLR (m) |
| Outputs | LKS150 ISO LKS150 DIR LKS150 DIR 48x XLR (f) ISO |
| Accessories | 3x Splitt LKS150 > 48x XLR (m) 7,5m |
| Special | Inputpatch 8x LKS25 In > 64x XLR (M) |

Compatible with NicLen
Subsnake Case



Image Similar

NicLen Subsnake Set

Cable

| | |
|--------------|--|
| Manufacturer | NicLen |
| Type | NF Cable |
| Including | 2x Sommer Cable Floorbox TBWH P08/08 2x Sommer Cable FloorboxTBWM M08/00 4x cable LK25 10m 4x cable LK25 25m 4x LK25 splitt > 8x XLR m |

Compatible with Som-
mer Passive Splitter



Cable

NicLen XLR3 Set small / large

| | | |
|--------------|--------------|--------------|
| Manufacturer | NicLen | |
| Type | NF Cable | |
| Including | Large | Small |
| | 75x 1,5m | 30 x 1,5 m |
| | 75x 2,5m | 30 x 2,5 m |
| | 50x 5m | 25 x 5 m |
| | 30x 10m | 25 x 10 m |
| | 10x 25m | 5 x 25 m |



Cable

opticalCon DUO Multimode

| | |
|--------------|------------------------------------|
| Manufacturer | Klotz |
| Type | Fiber Flex ULTRA Cable 2 Fibres |
| Length | 150m |



NicLen Chainhoist Cable System 16A 4Pin

NicLen Set 1: 8x 5m; 8x 10m; 8x 15m;
2x HAN16 20m;
2x Hoist Break-Out (Rigg)

NicLen Set 2: 25x 10m; 25x 15m

NicLen Set 3: 25x 25m

Image Similar



Powerlock Sets

Powerlock 400A 5m

Powerlock 400A 15m

Powerlock Adapter 2,5m 125A CEE

Powerlock Adapter 2,5m 150mm³ Ring
Eyelet

Image Similar



HMI Arri Cable System Event

5m

10m

20m

Image Similar



Multicore

NicLen Harting 16E 5m / 10 m **Set 6 Pieces x 5m / 6
Pieces x 10m**

NicLen Harting 16E 20m **Set 6 Pieces**

NicLen Harting 16E 30m **Set 4 Pieces**

NicLen Harting 16E 50m **Set 2 Pieces**

NicLen Socapex 5m/10m ** Set 6 Pieces 5m / 6 pieces
10m **

NicLen Socapex 20m ** Set 6 Pieces **

NicLen Socapex 30m ** Set 4 Pieces **

Image Similar



HMI Arri Cable System Veam

VEAM 575 / 1.200W, 7m

VEAM 2500 / 4.000W, 7m

VEAM 6000 / 12.000W, 15m

Image Similar



Break Outs

NicLen Schuko Breakout Harting
16 Female / Male > 6x Schuko Female
Set 8 Pieces

CEE 3 x 32A Blue Female > Plugbox HAN 6E

Socket 32A > 3x 32A Blue **Set 2 Pieces**

Plugbox HAN 16E Male > 6x CEE 16A Blue Female
& 1x HAN 16E Female Link

NicLen Socapex Breakout Socapex f/m > 6X 16A
Single Phase **Set 8 pieces**



Image Similar

CEE Cable Sets

NicLen CEE 16A Blue Set:
20x 2,5m; 20x 5m; 15x 10m; 5x 15m

NicLen CEE 16A Red Set:
15x 2,5m; 15x 5m; 10x 10m; 5x 15m

CEE Set 32A Blue Cable 5x 5m, 5x 10m

CEE Set 32A Cable 10x 10m

CEE Set 32A Cable 6x 20m

CEE Set 63A Cable 3x 10m

CEE Set 63A Cable 2x 20m

CEE Set 125A Cable 2x 10m

CEE Set 125A Cable 1x 20m

Adapter CEE 16A Blue > Schuko **Set 20 Pieces**

Adapter CEE 16A Blue > PowerCON **Set 20 Pieces**

Adapter CEE 16A Blue > PowerCON TRUE1
Set 20 Pieces

Adapter CEE 16A > CEE 32A **Set 5 Pieces**

Adapter CEE 16A Red Male > HAN 16E Female, 1,5m

CEE 63A Adapter Male > CEE 125A Female

CEE 32A black 2,5m/5m **Set 10 Pieces 2,5m / 10
Pieces 5m**

CEE 32A black 50m **Set 3 Pieces 50m**

CEE 63A black 2,5m **Set 10 Pieces 2,5m**

CEE 63A black 5m **Set 6 Pieces 5m**

CEE 63A black 50m **Set 1 Piece**

CEE 125A black 5m **Set 4 Pieces**

DigiCat4DMX Set

1x Patch 5-2 / 2x Box 5P Female



Image Similar

PowerCON & TRUE1 Cable Set

PowerCON Set: 25x 2,5m; 25x 5m; 15x 10m; 10x
Spooky

TRUE1 Set: 25x 2,5m; 25x 5m; 15x 10m

TRUE1 Pugbox Set: NicLen Harting Breakout HAN
16 f / m > 6x TRUE1/PowerCON **Set 4 Pieces** &
8x Adapter TRUE1 > Schuko 3-Way

NicLen Adapter Schuko > Powercon T1 ** Set 12
Pieces**

Hybrid Cable Set

PowerCON / DMX5P Patch Cable 2,5m **Set 40
Pieces**

TRUE1 / DMX5P Patch Cable 2,5m **Set 40 Pieces**

TRUE1 / DMX5P Patch Cable 10m **Set 25 Pieces**



Image Similar

Schuko Cable Sets



Schuko Set 1:
25x 2,5m; 25x 5m;
15x 10m; 5x 15m;
30x Schuko 3-Way Adapter



Schuko Set 2:
15x 10m; 15x 15m; 15x
20m; 20x Schuko 3-Way
Adapter



Schuko Set 3:
50x Schuko 3-Way
Adapter



Image Similar

Cable

CAT6 Cable Set

Including

RJ45
 20x 1m
 10x 5m
 10x 10m
 5x 20m
EtherCON:
 10x 5m
 10x 10m
 5x 20m
 5x 30m
 20x Coupler



BNC/SDI Cable Set I

10x 1,5m, 10x 3m, 10x 5m, 10x 7,5m, 10x 10m,
 5x 20m, 10x Coupler



BNC/SDI Cable Set II

20x 1,5m, 20x 3m, 20x 5m, 20x 7,5m, 20x 10m,
 10x 20m, 20x Coupler



HDMI Cable Set I

10x 1,5m, 10x 3m, 10x 5m, 10x 7,5m, 10x 10m



HDMI Cable Set II

20x 1,5m, 20x 3m, 20x 5m, 20x 7,5m, 20x 10m



DVI Cable Set I

10x 1,5m, 10x 3m, 10x 5m, 10x 7,5m, 10x 10m,
 3x 15m



Niclen Link Cable Set for Absen PL2.9V10

12xEthercon 1m, 12xPowerCON TRUE1 Link 1m



DisplayPort Cable Set I

10x 1,5m, 10x 3m, 10x 5m, 10x 7,5m, 5x 10m



Image Similar

DMX Cable Set

NicLen DMX 5P Set: 75x 1,5m; 75x 2,5m; 50x 5m;
30x 10m; 10x 25m

NicLen DMX 5P Set Small: 35x 1,5m; 35x 2,5m; 25x
5m; 15x 10m; 5x 25m

NicLen XLR 3P Set: 75x 1,5m; 75x 2,5m; 50x 5m;
30x 10m; 10x 25m

NicLen XLR 3P Set Small: 30x 1,5m; 30x 2,5m; 25x
5m; 25x 10m; 5x 25m

NicLen DMX Adapter Ring **Set: 40 Pieces**

NicLen DMX Adapter Ring **Set: 20 Pieces**



| | |
|--------------|-------------------------------------|
| Powerstation | C12B |
| Manufacturer | Stage Smarts |
| Type | 63A > 12CH x 16A RCBO > 2x HAN16 |



| | |
|--------------|-------------------------------------|
| Powerstation | C24B |
| Manufacturer | Stage Smarts |
| Type | 63A > 24CH x 16A RCBO > 4x HAN16 |

Power Distribution

AC400 Powerstation Powerlock 400A > Loop > 48 CH x 16A > 20x HAN16 Hot-patch

AC400-1 Powerstation Powerlock 400A > Loop 4x 125A, 4x 63A, 4x 32A, 9x Schuko

AC400-2 Powerstation Powerlock 400A > 4x 63A, 8x 32A

AC 32 Powerstation 32A > 12x Schuko 2x HAN16

AC 32 Powerstation 32A > 3x 16A

AC 32 Powerstation 32A > 2x HAN16 + 3x Schuko

AC 63 Powerstation 63A > 6x 16A, 1x Schuko

AC 63 Powerstation 63A > 2x 32A

AC 63 Powerstation 32A > 4x HAN16 + 3x Schuko

AC 63 Powerstation 63A > 18 CH 16A > 8x HAN16 Hotpatch

AC 125 Powerstation 125A > 4x 32A

AC 125 Powerstation 125A > 2x 63A

AC 125 Powerstation 125A > 8x HAN16 + 3 x Schuko

Art 2000 Avolite ART2000 Powerrack incl. 4x Art 2000 Dimmer 12x 16A, Hot-Patch / CPU

Art 2000 Switch 12x 16A

Hot Patch Bay 24CH - 4 x HAN16 in > 8 x HAN16 Out



| | |
|--------------|---|
| Powerstation | C72tv |
| Manufacturer | Stage Smarts |
| Type | 400A > Loop > 72CH x 16A RCBO > 12x HAN16 |



Image Similar

Expotruss X4-K30 / FD 34 – silver / black

Expotruss X4-K30 / FD 34-21cm

Expotruss X4-K30 / FD 34-25cm

Expotruss X4-K30 / FD 34-29cm

Expotruss X4-K30 / FD 34-30cm

Expotruss X4-K30 / FD 34-33cm

Expotruss X4-K30 / FD 34-40cm

Expotruss X4-K30 / FD 34-50cm

Expotruss X4-K30 / FD 34-100cm

Expotruss X4-K30 / FD 34-200cm

Expotruss X4-K30 / FD 34-300cm

Expotruss X4-K30 J-190 / 45° Corner

Expotruss X4-K30 J-210 / 90° Corner

Expotruss X4-K30 J-300 / 90° Corner + Down

Expotruss X4-K30 J-350 / T-Joint

Expotruss X4-K30 J-400 / T-Joint + Down

Expotruss X4-K30 J-410 / X-Joint

Expotruss X4-K30 J-550 / X-Joint + Down

Expotruss X4-K30 / 8-Way / X-Joint

Expotruss X4-K30 Book Swivel 0°-180°

Expotruss X4-K30 Baseplate Male 30x30cm

Expotruss X4-K30 Spacer Silver **Set 24 Pieces**

Expotruss X4-K30 Spigot Swivel **set 24 Pieces**

Expotruss X4-K30 Pins / Clips **Set 200 Pieces**

Expotruss X4-K30 Pins / Clips **Set 700 Pieces**




Image Similar

Circles FD 34 / X4-K30 – silver / black

Expotruss X4-K30 Circle 3m $\frac{1}{4}$

Expotruss X4-K30 Circle 4m $\frac{1}{4}$

Expotruss X4-K30 Circle 5m $\frac{1}{4}$

Expotruss X4-K30 Circle 6m $\frac{1}{8}$

Expotruss X4-K30 Circle 7m $\frac{1}{8}$

Expotruss X4-K30 Circle 8m $\frac{1}{8}$

Expotruss X4-K30 Circle 10m $\frac{1}{12}$

Expotruss X4-K30 Circle 12m $\frac{1}{12}$

Expotruss X4-K30 Circle 14m $\frac{1}{16}$

Expotruss X4-K30 Circle 16m $\frac{1}{20}$

Expotruss X4-K30 Circle 24m $\frac{1}{52}$




Image Similar

Circles FD 44 / X4-K40 – silver / black

Expotruss X4-K40 / HD Circle 10m $\frac{1}{12}$ Black

Expotruss X4-K40 / HD Circle 12m $\frac{1}{16}$ Black

Expotruss X4-K40 / HD Circle 16m $\frac{1}{20}$ Black

Prolyte X30D-silver / black



Prolyte X30D-L021

Prolyte X30D-L025

Prolyte X30D-L029

Prolyte X30D-L050

Prolyte X30D-L100

Prolyte X30D-L200

Prolyte X30D-L300

Prolyte X30D-C003 90° Corner

Prolyte X30D-C012 3-Way Corner R.AD

Prolyte X30D-C013 3-Way Corner L.AD

Prolyte X30D-C017 3-Way T-Joint Horizontal



Prolyte X30D-C020 4-Way T-Joint + Down

Prolyte X30D-C021 5-Way Cross Vertical

Prolyte X30D Baseplate

Prolyte Pins / Clips **Set 200 Pieces**

Prolyte Spigot **Set 80 Pieces**



Prolyte H30V-silver / black

Prolyte H30V-L021

Prolyte H30V-L025

Prolyte H30V-L029

Prolyte H30V-L050

Prolyte H30V-L100

Prolyte H30V-L200

Prolyte H30V-L300

Prolyte H30V-C003 90° Corner

Prolyte H30V-C012 90° + Down

Prolyte H30V-C017 3-Way T-Joint

Prolyte H30V-C020 4-Way T-Joint + Down


Prolyte H30V Baseplate

Prolyte Pins / Clips **Set 200 Pieces**

Prolyte Spigot **Set 80 Pieces**



Orange Spigot



Expotruss X4G-35-silver / black

Expotruss SL 1G1 390mm

Expotruss SL 1G1,5 470mm

Expotruss SL 1G2 666mm

Expotruss SL 1G4 1.243mm

Expotruss SL 1G6 1.820mm

Expotruss SL 1G8 2.400mm

Expotruss SL 1G9 2.670mm

Expotruss / Slick GS Type A 1G4W / A / M + F CB
6-Way

Expotruss / Slick GS Type B 1G4W / B / M + F CB
6-Way

Expotruss / Slick GS Type A 1G4W / A / F CB 5-Way

Expotruss / Slick GS Type B 1G4W / B / F CB 5-Way

Expotruss / Slick GS Type A 1G90 / A / F CB 90°+ F

Expotruss / Slick GS Type B 1G90 / B / F CB 90°+ F

Expotruss / Slick GS 1G90 90° Corner

Expotruss / Slick GS Type A 1G3W / A / F CB T-Cor-
ner + F

Expotruss / Slick GS Type B 1G3W / B / F CB T-Cor-
ner + F

Expotruss / Slick GS 1GSSH / V / H Swivel Horizontal

Expotruss / Slick GS 1GBP / M Baseplate Male

Expotruss / Slick GS Baseplate Female 70x70 Steel

Expotruss / Slick GS 1GHL / F / A Headplate Female

Expotruss / Slick Pin / Clips Case **Set 100 Pieces**

Expotruss / Slick Pin / Clips Case **Set 200 Pieces**



Expotruss X4G-62-silver / black

Expotruss SL X4G-62 M12 / BB 1.200mm

Expotruss SL X4G-62 M16 / BB 1.626mm

Expotruss SL X4G-62 M24 / BB 2.400mm

Expotruss / Slick MB M4 CB 4-Way Black

Expotruss / Slick Pin/Clips Case **Set 100 Pieces**

Expotruss / Slick Pin/Clips Case **Set 200 Pieces**

Circles Expotruss X4G-62-silver / black

Expotruss / Slick X4G-62 Spacer, 165mm, $\frac{1}{50}$ Circle 24m Black

Expotruss / Slick X4G-62 Spacer, 139mm, $\frac{1}{41}$ Circle 32m Black

Expotruss / Slick X4G-62 Spacer, 121mm, $\frac{1}{52}$ Circle 40m Black

Expotruss / Slick Tower System

Expotruss / Slick 2GB / Z Basement 2t

Expotruss / Slick 2GB / Z Basement Outrigger

Expotruss / Slick 1GTB / GS / FL Sleeve Block

Expotruss / Slick 2GH Top 2t

Expotruss / Slick 2GH / S Top 2t Short

X4G-35

// UNSERE TRAVERSENSYSTEME

TRUSS THE EXPERTS!

- » IN SCHWARZ & RAL-FARBEN ERHÄLTlich
- » GROSSE VERFÜGBARKEIT
- » SONDERKONSTRUKTIONEN MÖGLICH


**JETZT ERHÄLTlich
BEI FOCON
SHOWTECHNIC!**

WWW.FOCON-SHOWTECHNIC.COM



X4K-30





Expotruss X4-K40H-silver / black

- Expotruss X4-K40H L-250
- Expotruss X4-K40H L-500
- Expotruss X4-K40H L-1000
- Expotruss X4-K40H L-2000
- Expotruss X4-K40H L-3000
- Expotruss X4-K40H Boxcorner
- Expotruss X4-K40 / 30 Pins / Clips ****Set 200 Pieces****
- Expotruss X4-K40H BC m-connector ****Set 56 Pieces****



Expotruss X4-K100-black

- Expotruss X4-K100 L-1000
- Expotruss X4-K100 L-2000
- Expotruss X4-K100 L-3000
- Expotruss X4-K100 4-Way Corner
- Expotruss X4-K100
- **Set 64x Pins / Clips; 4x Spigot****
- Expotruss X4-K100 ****Set 20x Spigot****

Prolyte S52F - black

Prolyte S52F - L240

HOFFORK MLT TWO Pre Rig Truss

HOFFORK MLT TWO Pre Rig Truss, 2.400mm, Black incl. Dolly, 4x TrussPin & R-Clip

★ Also for Sale!



HOFFORK 350-4

- HOF 350-4-black-L390
- HOF 350-4-black-L2400
- HOF 350-4-black-L1243
- HOF 350-4-black-L666
- HOF 350-4-silver-L2400
- HOF 350-4-silver-L1243

★ Also for Sale!



HOFKON - black

HOFKON U-Frame 290 Black Line Hanging Ladder 1100x 1250mm, Tube: 50x2mm, incl. Connector ****Set 8 Pieces**** incl. 4 x TOP, black

★ Also for Sale!



★ Also for Sale!



Image Similar



| | |
|--------------|--------------------------|
| Machine | Chain Hoist D8 2t |
| Manufacturer | Chainmaster |
| Type | Electric Chain Hoist |
| Capacity | 2.000kg |
| Strang/m | 2 / 24m |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 86,8kg |
| Special | 2 Falls |

★ Also for Sale!



Image Similar



| | |
|--------------|-----------------------------------|
| Machine | Chain Hoist D8-Plus 1000kg |
| Manufacturer | Chainmaster |
| Type | Electric Chain Hoist |
| Capacity | 1.000kg |
| Strang/m | 2 / 24m |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 90kg |
| Special | 2 DC Brakes, 2 Falls |

★ Also for Sale!



| | |
|--------------|------------------------------------|
| Machine | Chain Hoist D8 1000kg -50 m |
| Manufacturer | Chainmaster |
| Type | Electric Chain Hoist |
| Capacity | 1.000kg |
| Strang/m | 1 / 50m |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 83kg |
| Special | Extra Long Chain |

★ Also for Sale!



| | |
|--------------|------------------------------|
| Machine | Chain Hoist D8 1000kg |
| Manufacturer | Chainmaster |
| Type | Electric Chain Hoist |
| Capacity | 1.000kg |
| Strang/m | 1 / 24m |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 54kg |
| Special | Patented Friction Clutch |

★ Also for Sale!



Image Similar



Machine

Chain Hoist D8-Plus 750kg

| | |
|--------------|----------------------|
| Manufacturer | Chainmaster |
| Type | Electric Chain Hoist |
| Capacity | 750kg |
| Strang/m | 1 / 24m |
| m/min | 4 |
| Connection | 16A 4 pol |
| Weight | 65kg |

★ Also for Sale!



Image Similar



Machine

Chain Hoist D8-Plus 500kg

| | |
|--------------|----------------------|
| Manufacturer | Chainmaster |
| Type | Electric Chain Hoist |
| Capacity | 500kg |
| Strang/m | 1 / 24m |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 57kg |
| Special | 2 DC Brakes, 2 Falls |

★ Also for Sale!



Image Similar



Machine

Chain Hoist D8-Plus 160kg

| | |
|--------------|----------------------|
| Manufacturer | Chainmaster |
| Type | Electric Chain Hoist |
| Capacity | 160kg |
| Strang/m | 1 / 18m |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 22kg |
| Special | Small and Light |

★ Also for Sale!



Image Similar



Machine

Chain Hoist D8-Plus 250kg / 320kg

| | |
|--------------|----------------------|
| Manufacturer | Chainmaster |
| Type | Electric Chain Hoist |
| Capacity | 250kg / 320kg |
| Strang/m | 1 / 18m |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 32kg / 36kg |
| Special | 2 DC Brakes, 2 Falls |

★ Also for Sale!



| | |
|--------------|---------------------------|
| Machine | D8Plus Ultra 250kg |
| Manufacturer | ChainMaster |
| Type | Electric Chain Hoist |
| Capacity | 250kg |
| Strang/m | 1 / 18 |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 19,2kg |

★ Also for Sale!



| | |
|--------------|---------------------------|
| Machine | D8Plus Ultra 500kg |
| Manufacturer | ChainMaster |
| Type | Electric Chain Hoist |
| Capacity | 500kg |
| Strang/m | 1 / 18 |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 33,2kg |

★ Also for Sale!



| | |
|--------------|-----------------------------|
| Machine | D8Plus Ultra 1.000kg |
| Manufacturer | ChainMaster |
| Type | Electric Chain Hoist |
| Capacity | 1.000kg |
| Strang/m | 1 / 24 |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 75kg |

★ Also for Sale!



| | |
|--------------|-----------------------------|
| Machine | D8Plus Ultra 2.000kg |
| Manufacturer | ChainMaster |
| Type | Electric Chain Hoist |
| Capacity | 2.000kg |
| Strang/m | 1 / 23 |
| m/min | 4 |
| Connection | CEE 16 / 4 |
| Weight | 160,6kg |



| | |
|-------------------|---|
| Distribution | 32-Way Controller |
| Manufacturer | LLT |
| Outlet | 8x HAN |
| Features | Motor-Circuit Switch per Channel, Rotary Field Check, Contactor, Kill Switch, Connectable |
| Power Connection | CEE 125A |
| Power Consumption | 48kW |
| Weight | 198,5kg |

★ Also for Sale!



| | |
|-------------------|--|
| Distribution | SWL DC24 HP 24-way Controller |
| Manufacturer | SWL |
| Outlet | 6x HAN 16 |
| Including | HR24 hand remote |
| Power Connection | CEE125A 3 phase > 2x63 3 phase / RCD |
| Power Consumption | 60kW |
| Weight | 165kg |
| Special | 2x SWL DC12HP |



Your Shop for Used Event Equipment




www.ruideluxe.de



sales@niclen.de



+49 231 99961 750




LIGHTING



AUDIO



VIDEO



RIGGING

★ Also for Sale!



| | |
|-------------------|--------------------------------------|
| Distribution | |
| Manufacturer | SWL |
| Outlet | 3x 16 pol Harting |
| Including | HR 12 |
| Power Connection | CEE 63A + Adapter CEE 32 > CEE 63 |
| Power Consumption | 30kW |
| Weight | 95kg |
| Special | Linkbar |

★ Also for Sale!



| | |
|-------------------|-------------------|
| Distribution | |
| Manufacturer | SWL |
| Outlet | 1x 16 pol Harting |
| Including | HR 4 |
| Power Connection | 16A CEE |
| Power Consumption | 9kW |
| Weight | 52kg |
| Special | Linkbar |

★ Also for Sale!



| | |
|-------------------|-------------------------------------|
| Distribution | |
| Manufacturer | SWL |
| Outlet | 4x 40 pol Harting |
| Including | TR 96 |
| Power Connection | Schuko |
| Power Consumption | 60W |
| Weight | 62kg |
| Special | Able to Handle up to 48 Channels |

★ Also for Sale!



| | |
|-------------------|--------------------|
| Distribution | |
| Manufacturer | SWL |
| Outlet | 2x 16 pol. Harting |
| Including | HR 8 |
| Power Connection | 32A CEE |
| Power Consumption | 18kW |
| Weight | 66kg |

★ Also for Sale!



| | |
|-----------------|-------------------------|
| Distribution | SWL WR12 |
| Manufacturer | SWL |
| Frequency Range | 434 MHz |
| Applicable | DC4HP, DC8HP, DC12HP |
| Special | Wireless remote control |



Chainmaster 1 Channel Control

Chainmaster 32 Way-Remote Control



Image Similar

Chainhoist Cabel Systems CEE 16A 4Pin

Hoistcabel Set 1: 8x 5m; 8x 10m; 8x 15m;
2x HAN16 20m;
2x Hoist Breakout (Rigg)

Hoistcabel Set 2: 25x 10m; 25x 15m

Hoistcabel Set 3: 25x 25m

CEE 4x / f (rigg) > Hoist Breakout HAN16 E / m >
Set 4 Pieces



Manual Hoist

Manual Hoists 1.000kg / 10m Chain



Image Similar

Rigging Accessories

Baseplate with Mini-TV Connection

Steel 12mm 75cm **Set 30 Pieces**

Steel 12mm 75cm **Set 60 Pieces**

Steel 12mm 100cm **Set 30 Pieces**

Steel 12mm 100cm **Set 60 Pieces**

Steel 12mm 150cm **Set 30 Pieces**

Steel 12mm 150cm **Set 60 Pieces**

Steel 12mm 200cm **Set 30 Pieces**

Steel 12mm 200cm **Set 60 Pieces**

Steel 12mm 300cm **Set 30 Pieces**

Steel 12mm 300cm **Set 60 Pieces**

Steel 12mm 450cm **Set 30 Pieces**

Steel 12mm 600cm **Set 30 Pieces**

Steel 12mm 900cm **Set 30 Pieces**

Chainclutch 8mm 300cm **Set 25 Pieces**

Beamclamp 3 T 80-320mm **Set 4 Pieces**

Shackle 3,25t **Set 200 Pieces**

Oring Kit (100x18mm, 135x75mm 3,15t)
Set 100 Pieces

Steelflex/Roundsling AL 1m **Set 30 Pieces**

Steelflex/Roundsling AL 1m **Set 60 Pieces**

Steelflex/Roundsling AL 1,5m **Set 30 Pieces**

Steelflex/Roundsling AL 1,5m **Set 60 Pieces**

Steelflex/Roundsling AL 2m **Set 30 Pieces**

Steelflex/Roundsling AL 2m **Set 60 Pieces**

Round Sling AL 100cm 2t

Round Sling AL 150cm 2t

Round Sling AL 200cm 2t

Round Sling AL 300cm 2t

Swivel Coupler 500kg/50mm 360° silver
set 15 Pieces

★ Also for Sale!



Monobloq

HoF Monobloq 8mm max. Load 7kN Steel 10m

EXPANDING THE EXPERIENCE³



QDX



ENCORE3



I600

At Barco, we help roadies, artists and creatives offer stunning visual experiences in cities, at events, in theme parks or museums.



Meet the QDX, ENCORE3 and I600 at
www.barco.com/entertainment

BARCO

★ Also for Sale!



| | |
|----------------|-----------------------|
| LED Technology | AX1.5 Pro |
| Manufacturer | Absen |
| Pixel Pitch | 1,5mm |
| Brightness | 1000cd/m ² |
| Panel Size | 610x343x80mm |
| Panel Weight | 9,2kg |
| Application | Indoor |

★ Also for Sale!



| | |
|----------------|------------------------|
| LED Technology | PL2.5 Pro V2 |
| Manufacturer | Absen |
| Pixel Pitch | 2,5mm |
| Brightness | 1.200cd/m ² |
| Panel Size | 500x500x78mm |
| Panel Weight | 7,5kg |
| Application | Indoor |

★ Also for Sale!




| | |
|----------------|------------------------|
| LED Technology | PL2.9 V10 |
| Manufacturer | Absen |
| Pixel Pitch | 2,9mm |
| Brightness | 1.000cd/m ² |
| Panel Size | 500x500x88mm |
| Panel Weight | 8kg |
| Application | Indoor |

★ Also for Sale!



| | |
|----------------|--------------------------------|
| LED Technology | PL4.8 Pro (XL) |
| Manufacturer | Absen |
| Pixel Pitch | 4,8mm |
| Brightness | 4.500cd/m ² |
| Panel Size | 500x500x87mm 500x1.000x87mm |
| Panel Weight | 10,4kg 14kg |
| Application | Indoor/Outdoor |

★ Also for Sale!



| | |
|----------------|---|
| LED Technology | Absen PL2.5 Pro V2 Corner Unit |
| Manufacturer | Absen |

★ Also for Sale!



| | |
|----------------|----------------------------------|
| LED Technology | PL4.8W Plus V2 (XL) |
| Manufacturer | Absen |
| Pixel Pitch | 4,8mm |
| Brightness | 4.500cd/m ² |
| Panel Size | 500x500x78 mm 500x1.000x78 mm |
| Panel Weight | 8kg 13kg |
| Application | Indoor/Outdoor |



Matching stands and rigging accessories
available for all LED walls!

☆ Also for Sale!

| | |
|----------------|---|
| LED Technology | MX40 Pro |
| Manufacturer | NovaStar |
| Load capacity | 9.000.000px |
| Inputs | 3x HDMI2.0, 1x DP1.2, 1x 12G-SDI, 1x RJ45 (Ctrl), 1x GenLock |
| Outputs | 3x HDMI2.0 (loop), 1x 12G-SDI (loop), 1x SPDIF, 2x RJ45 (Ctrl), 1x GenLock (loop) 20x RJ45 EtherCon Gigabit Ethernet (650.000px@8bit, 60Hz), 4x SFP 10G optical (in or out) |

☆ Also for Sale!

| | |
|----------------|---|
| LED Technology | MX30 |
| Manufacturer | NovaStar |
| Load capacity | 6.500.000px |
| Inputs | 1x HDMI2.0, 1x HDMI1.4, 1x DP1.1, 2x 3G-SDI, 1x RJ45 (Ctrl), 1x GenLock |
| Outputs | 1x HDMI2.0 (loop), 1x HDMI1.4 (loop), 2x 3G-SDI (loop), 1x SPDIF, 2x RJ45 (Ctrl), 1x GenLock (loop) 10x RJ45 EtherCon Gigabit Ethernet (650.000px@8bit, 60Hz), 2x SFP 10G optical (in or out) |

☆ Also for Sale!

| | |
|----------------|--|
| LED Technology | MCTRL4K |
| Manufacturer | NovaStar |
| Load capacity | 8.850.000px |
| Inputs | 2x DL-DVI, 1x HDMI2.0, 1x DP1.2, 1x USB-B, 1x RJ45 EtherCon (Ctrl), 1x GenLock (loop) |
| Outputs | 1x USB-A, 1x GenLock 16x RJ45 EtherCon Gigabit Ethernet (650.000px@8bit, 60Hz), 4x SFP 10G optical (in or out) |

153

☆ Also for Sale!

| | |
|----------------|---|
| LED Technology | MCTRL660pro |
| Manufacturer | NovaStar |
| Load capacity | 2.600.000px |
| Inputs | 1x SL-DVI, 1x HDMI1.4a, 1x 3G-SDI, 1x USB-B, 1x RJ45 EtherCon (Ctrl), 1x GenLock |
| Outputs | 1x SL-DVI (loop), 1x HDMI1.4a (loop), 3G-SDI (loop), 1x HDMI1.4a (Monitoring), 1x USB-A, 1x GenLock (loop) 6x RJ45 EtherCon Gigabit Ethernet (650.000px@8bit, 60Hz), 2x SFP 10G optical (in or out) |

☆ Also for Sale!

| | |
|----------------|---|
| LED Technology | MCTRL660 |
| Manufacturer | NovaStar |
| Load capacity | 8.850.000px |
| Inputs | 1x SL-DVI, 1x HDMI1.4a, 1x 3G-SDI, 1x USB-B, 1x RJ45 EtherCon (Ctrl), 1x GenLock |
| Outputs | 1x SL-DVI (loop), 1x HDMI1.4a (loop), 3G-SDI (loop), 1x HDMI1.4a (Monitoring), 1x USB-A, 1x GenLock (loop) 6x RJ45 EtherCon Gigabit Ethernet (650.000px@8bit, 60Hz), 2x SFP 10G optical (in or out) |



| | |
|---------------|------------------|
| LCD Projector | EB-PU2220 |
| Manufacturer | Epson |
| Resolution | 1.920x1.200px |
| Brightness | 20.000 Lumens |



★ Also for Sale!



| | |
|---------------|------------------|
| LCD Projector | i600-4K15 |
| Manufacturer | Barco |
| Resolution | 3.840x2.400px |
| Brightness | 14.000 Lumens |



All matching lenses available!

155



| | |
|-----------------|-----------------|
| 3DLP® Projector | PT-DZ13K |
| Manufacturer | Panasonic |
| Resolution | 1.920x1.200px |
| Brightness | 12.000 Lumens |



★ Also for Sale!



| | |
|-----------------|-----------------|
| 1DLP® Projector | PT-RZ120 |
| Manufacturer | Panasonic |
| Resolution | 1.920x1.200px |
| Brightness | 12.500 Lumens |



Accessories for rigging available.



All projectors come in rental frames. Different lenses are available in large quantities.

★ Also for Sale!



1DLP® Projector **PT-RZ990**

| | |
|--------------|---------------|
| Manufacturer | Panasonic |
| Resolution | 1.920x1.200px |
| Brightness | 10.000 Lumens |



Accessories for rigging available.



1DLP® Projector **PT-DZ770**

| | |
|--------------|---------------|
| Manufacturer | Panasonic |
| Resolution | 1.920x1.200px |
| Brightness | 7.000 Lumens |



LCD Projector **PT-VZ580**

| | |
|--------------|---------------|
| Manufacturer | Panasonic |
| Resolution | 1.920x1.200px |
| Brightness | 5.000 Lumens |



Lenses for Panasonic 1DLP® Projectors

★ Also for Sale!



| Lens | Projection Ratio |
|-----------|------------------|
| ET-DLE020 | 0,28-0,299:1 |
| ET-DLE035 | 0,38:1 |
| ET-DLE055 | 0,8:1 |
| ET-DLE060 | 0,6-0,8:1 |
| ET-DLE085 | 0,8-1,0:1 |
| ET-DLE105 | 1,0-1,3:1 |
| ET-DLE150 | 1,3-1,9:1 |
| ET-DLE170 | 1,7-2,4:1 |
| ET-DLE250 | 2,3-3,6:1 |
| ET-DLE350 | 3,6-5,4:1 |
| ET-DLE450 | 5,4-8,6:1 |



Also compatible
with NEC PX1004!

Lenses for CHRISTIE® Boxer, Griffyn 4K32-RGB,
D4K40-RGB and 4K 3DLP® Projectors

★ Also for Sale!



| Lens | Projection Ratio |
|----------------------|------------------|
| UST 4K | 0,38:1 |
| High Brightness Lens | 0,72:1 |
| High Brightness Lens | 0,9:1 |
| High Brightness Lens | 1,13-1,31:1 |
| High Brightness Lens | 1,13-1,66:1 |
| High Brightness Lens | 1,31-1,63:1 |
| High Brightness Lens | 1,63-2,17:1 |
| High Brightness Lens | 1,99-2,71:1 |
| High Brightness Lens | 2,71-3,89:1 |
| High Brightness Lens | 3,89-5,43:1 |
| High Brightness Lens | 4,96-7,69:1 |

157

Lenses for Panasonic 3DLP® Projectors

★ Also for Sale!



| Lens | Projection Ratio |
|------------|-------------------------------|
| ET-D75LE95 | 0,39:1 (4K) 0,36:1 (WUXGA) |
| ET-D75LE50 | 0,7:1 |
| ET-D75LE6 | 0,9-1,1:1 |
| ET-D75LE10 | 1,3-1,7:1 |
| ET-D75LE20 | 1,7-2,4:1 |
| ET-D75LE30 | 2,4-4,7:1 |
| ET-D75LE40 | 4,6-7,4:1 |
| ET-D75LE8 | 7,3-13,8:1 |

Lenses for Epson LCD Projectors



| Lens | Projection Ratio |
|-----------|------------------|
| ELPLX02WS | 0,35:1 |
| ELPLU03S | 0,48-0,57:1 |
| ELPLU04 | 0,64-0,77:1 |
| ELPLW08 | 0,86-1,21:1 |
| ELPLW05 | 1,04-1,46:1 |
| ELPLW06 | 1,19-1,62:1 |
| ELPLM15 | 1,57-2,56:1 |
| ELPLM10 | 2,42-3,71:1 |
| ELPLM11 | 3,54-5,41:1 |
| ELPLL08 | 5,27-7,41:1 |

Lenses for Barco I600

★ Also for Sale!

158



| Lens | Projection Ratio |
|---------------------------|------------------|
| Barco ILD 0.37:1 UST 90° | 0,37:1 |
| Barco ILD 0.5:1 lens | 0,5:1 |
| Barco ILD 0.65-0.8:1 lens | 0,65-0,8:1 |
| Barco ILD 0.8-1.0:1 lens | 0,8-1,0:1 |
| Barco ILD 1.0-1.4:1 lens | 1,0-1,4:1 |
| Barco ILD 1.4-2.1:1 lens | 1,4-2,1:1 |
| Barco ILD 2.1-4.0:1 lens | 2,1-4,0:1 |
| Barco ILD 4.0-7.4:1 lens | 4,0-7,4:1 |

Lenses for Barco QDX 4K45

★ Also for Sale!



| Lens | Projection Ratio |
|-------------------------------|------------------|
| Barco TLD+ LENS 0.37 UST 90° | 0,37:1 |
| Barco TLD+ LENS 0.65-0.85 UST | 0,65-0,85:1 |
| Barco TLD+ LENS 0.73 | 0,73:1 |
| Barco TLD+ LENS 0.85-1.16 | 0,85-1,16:1 |
| Barco TLD+ LENS 1.16-1.49 | 1,16-1,49:1 |
| Barco TLD+ LENS 1.5-2.0 | 1,5-2,0:1 |
| Barco TLD+ LENS 2.0-2.8 | 2,0-2,8:1 |
| Barco TLD+ LENS 2.8-4.5 | 2,8-4,5:1 |
| Barco TLD+ LENS 4.5-7.5 | 4,5-7,5:1 |
| Barco TLD+ LENS 7.5-11.2 | 7,5-11,2:1 |

AV Stumpfl® Monoblox® Front and Rear Projection Screens

★ Also for Sale!



| Projection Screen | Format |
|-------------------|--------|
| 386x294cm | 4:3 |
| 447x340cm | 4:3 |
| 508x386cm | 4:3 |
| 630x477cm | 4:3 |
| 752x569cm | 4:3 |
| 386x226cm | 16:9 |
| 447x260cm | 16:9 |
| 508x294cm | 16:9 |
| 630x363cm | 16:9 |
| 752x431cm | 16:9 |

AV Stumpfl® Fullwhite® Front Projection Screens

★ Also for Sale!



| Projection Screen | Format |
|-------------------|--------|
| 360x203cm | 16:9 |
| 460x259cm | 16:9 |
| 560x315cm | 16:9 |
| 360x225cm | 16:10 |
| 400x250cm | 16:10 |
| 500x313cm | 16:10 |



Suitable screen system legs available.



PREMIUM QUALITY PROJECTION SCREENS

Made in Austria

UNSER POWERHOUSE.
PIXERA four RS



AV Stumpfl® Vario® Front Projection Screens

★ Also for Sale!



| Projection Screen | Format |
|-------------------|----------|
| 210x160cm | 4:3 |
| 240x180cm | 4:3 |
| 280x160cm | 16:9 |
| 280x210cm | 4:3 |
| 300x173cm | 16:9 |
| 320x245cm | 4:3 |
| 400x230cm | 16:9 |
| 400x300cm | 4:3 |
| 500x210cm | 21:9 |
| 500x290cm | 16:9 |
| 600x210cm | Panorama |
| 600x340cm | 16:9 |
| 600x450cm | 4:3 |
| 700x300cm | Panorama |
| 700x395cm | 16:9 |
| 800x340cm | Panorama |
| 800x450cm | 16:9 |
| 800x600cm | 4:3 |
| 900x300cm | Panorama |
| 900x450cm | Panorama |
| 1.000x300cm | Panorama |
| 1.000x571cm | 16:9 |
| 1.200x400cm | Panorama |

AV Stumpfl® Vario® Rear Projection Screens

★ Also for Sale!



| Projection Screen | Format |
|-------------------|--------|
| 240x180cm | 4:3 |
| 280x210cm | 4:3 |
| 300x173cm | 16:9 |
| 400x230cm | 16:9 |
| 400x300cm | 4:3 |
| 500x290cm | 16:9 |
| 600x340cm | 16:9 |
| 600x450cm | 4:3 |
| 700x395cm | 16:9 |
| 800x450cm | 16:9 |


AV Stumpfl® MonoClip® Front and Rear Projection Screens

★ Also for Sale!



| Projection Screen | Format |
|-------------------|--------|
| 238x143cm | 16:9 |
| 286x170cm | 16:9 |
| 345x203cm | 16:9 |
| 392x230cm | 16:9 |
| 447x260cm | 16:9 |
| 508x294cm | 16:9 |
| 569x329cm | 16:9 |
| 691x397cm | 16:9 |
| 752x431cm | 16:9 |

★ Also for Sale!




Large Format Display **MultiSync® M491**

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 49" |
| Resolution | UHD (3.840x2.160px) |



★ Also for Sale!




Large Format Display **MultiSync® M431**

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 43" |
| Resolution | UHD (3.840x2.160px) |



★ Also for Sale!




Large Format Display **MultiSync® M551
MPi4**

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 55" |
| Resolution | UHD (3.840x2.160px) |



★ Also for Sale!




Large Format Display **MultiSync® M551**

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 55" |
| Resolution | UHD (3.840x2.160px) |



★ Also for Sale!



Large Format Display **MultiSync® M651**

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 65" |
| Resolution | UHD (3.840x2.160px) |



★ Also for Sale!



| | |
|----------------------|-------------------------|
| Large Format Display | MultiSync® V754Q |
| Manufacturer | NEC |
| Size | 75" |
| Resolution | UHD (3,840x2,160px) |

★ Also for Sale!



| | |
|----------------------|------------------------|
| Large Format Display | MultiSync® M751 |
| Manufacturer | NEC |
| Size | 75" |
| Resolution | UHD (3,840x2,160px) |

★ Also for Sale!



| | |
|----------------------|-------------------------|
| Large Format Display | MultiSync® V984Q |
| Manufacturer | NEC |
| Size | 98" |
| Resolution | UHD (3,840x2,160px) |



Wall mounts and design stands available.

★ Also for Sale!



| | |
|----------------------|------------------------|
| Large Format Display | MultiSync® M981 |
| Manufacturer | NEC |
| Size | 98" |
| Resolution | UHD (3,840x2,160px) |

★ Also for Sale!



| | |
|----------------------|-------------------------|
| Large Format Display | MultiSync® V864Q |
| Manufacturer | NEC |
| Size | 86" |
| Resolution | UHD (3,840x2,160px) |

★ Also for Sale!



MultiSync® ME501 IR

Touch Display

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 50" |
| Resolution | UHD (3.840x2.160px) |

★ Also for Sale!



MultiSync® ME551 IR

Touch Display

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 55" |
| Resolution | UHD (3.840x2.160px) |

★ Also for Sale!



MultiSync® CB651Q-2

Touch Display

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 65" |
| Resolution | UHD (3.840x2.160px) |

★ Also for Sale!



MultiSync® CB751Q

Touch Display

| | |
|--------------|---------------------|
| Manufacturer | NEC |
| Size | 75" |
| Resolution | UHD (3.840x2.160px) |



U2723QE

Desktop Display

| | |
|--------------|---------------------|
| Manufacturer | DELL |
| Size | 27" |
| Resolution | UHD (3.840x2.160px) |

Audipack Stands

★ Also for Sale!



| Type | Load Capacity | max. Display Size | Height/ Dimensions (WxDxH) | Extras |
|--|---------------|-------------------|----------------------------|--------------------------------|
| Audipack 390902BK - MKII | 85kg | 86" | 2,02m | Available on Wheels |
| Audipack 390921BK Monitoring Floor Stand on Wheels | 60kg | 55" | 0,59m | |
| Audipack 390967 Wallmount | 85kg | 90" | 340x18x198mm | Easy Installation |
| Audipack 391704 Monitoring Floor Stand on Wheels light | 60kg | 55" | 600x68x655mm | |
| Audipack 392560 Trussmount | 80kg | 65" | 530x30x450mm | Suitable for 300mm/400mm Truss |
| Audipack EC-916 Laptop Support | 10kg | | | |



Media Server

vx 2

Manufacturer

disguise

Features

Video Output:
2x HDMI 2.0
(4.096 x 2.160px max),
1 x DisplayPort 1.2 (GUI)
Diverse VFC Output Cards
Available, Video Input:
8x 3G-SDI (HD-BNC)



Media Server

4x4pro

Manufacturer

disguise

Features

Video Output:
4x DisplayPort 1.2
(max. 4.096x2.160px),
1x DisplayPort 1.2 (GUI)
Diverse VFC Output Cards
with up to 16 DVI or
SDI Outputs Available
Video Input: 4x HD-SDI or
2x 3G-SDI

★ Also for Sale!



Media Server

vx 4

Manufacturer

disguise

Features

Video Output:
4x HDMI 2.0
(4.096x2.160px max),
1 x DisplayPort 1.2 (GUI)
Diverse VFC Output Cards
Available, Video Input:
16x 3G-SDI (Mini-SDI)

★ Also for Sale!



Media Server

vx 4+

Manufacturer

disguise

Features

Video Output: 4x HDMI
2.0 (4.096 x 2.160px
max.), 1x DisplayPort 1.4
(GUI) Diverse VFC Output
Cards Available, Video
Input: 4x 12G-SDI or 16x
3G-SDI HD-BNC



Workstation

Workstation X4000

Manufacturer

publitec

Features

Intel Core i9-10900X
1x 500GB System Disk
1x 3,2TB Media Disk
64GB RAM
Nvidia Quadro RTX A4000
Nvidia Quadro Sync II
2x 10Gbps Network
12G SDI Input Card

☆ Also for Sale!



Media Server

Pixera four QUAD RS

Manufacturer

AV Stumpfl®

Features

- Redundant Power supply
- Hot-Plug
- AMD EPYC™ (24/48-Core, 2,85/4,0GHz, 128MB)
- 128GB RAM (ECC, 8 channels)
- 15,36 TB Data Storage U.2 SSD (Data U.2 SSD RAID0 Max. Read Rate: 10 GB/s)
- Physical Outputs:
- 4 x DisplayPort 1.4a
- Framelock and Genlock
- 4x 1Gbps Network
- 2x25Gbps Network
- 2x HDMI2.0 Input
- 4x12G-SDI I/O
- Dante Virtual soundcard
- Pixera SMPTE Interface In/Out

☆ Also for Sale!



Media Server

Pixera two Quad RS Gen. 2

Manufacturer

AV Stumpfl®

Features

- Redundant Power supply
- Hot-Plug
- AMD EPYC™ (24/48-Core, 2,85/4,0GHz, 128MB)
- 128GB RAM (ECC, 8 channels)
- 15,36 TB Data Storage U.2 SSD (Data U.2 SSD RAID0 Max. Read Rate: 10 GB/s)
- Physical Outputs: 4 x DisplayPort 1.4a
- Framelock and Genlock
- 4x 1Gbps Network
- 2x25Gbps Network
- 1x HDMI2.0 Input
- 1x12G-SDI I/O or 4x3G-SDI I/O- Dante Virtual soundcard
- Pixera SMPTE Interface In/Out



Licenses

PIXERA

Resolume



| | |
|----------------|---|
| Signal Sources | HDC-3200 |
| Manufacturer | Sony |
| Features | Premium 4K/Full-HD Studio Camera Kit with High-Quality Accessories and Various Lenses |



| | |
|--------------|---|
| Camera | URSA Broadcast |
| Manufacturer | Blackmagic Design |
| Features | 4K/Full HD Studio Camera Kit / Camcorder with High-Quality Accessories and Various Lenses |



★ Also for Sale!



| | |
|--------------|---|
| Camera | AG-CX350 |
| Manufacturer | Panasonic |
| Features | 4K Handheld Camera with 5-Axes Image Stabilizer |

★ Also for Sale!



| | |
|----------------|---|
| Signal Sources | AW-UE160 |
| Manufacturer | Panasonic |
| Features | 4K 60p/50p PTZ Camera for Highest Demands in the Studio, Production and Event Sector with 12G SDI, HDMI2.0 Fiber Optic Output |

★ Also for Sale!



| | |
|--------------|---|
| PTZ camera | AW-UE150 |
| Manufacturer | Panasonic |
| Features | 4K 60p/50p PTZ Camera for Highest Demands in the Studio, Production and Event Sector with 12G SDI, HDMI2.0 Fiber Optic Output |

★ Also for Sale!



| | |
|--------------|--|
| PTZ camera | AW-HE130 |
| Manufacturer | Panasonic |
| Features | Full HD Camera with Integrated Pan-Tilt Function and Video Output via 3G SDI or Streaming via IP Transmission (Successor of the Proven AW-HE120) |



Suitable controllers Panasonic AW-RP60 and AW-RP150 available.



Wireless Transmitter

Bolt PRO 1000 HD-SDI/HDMI

| | |
|--------------|--|
| Manufacturer | Teradek |
| Features | Wireless Camera Radio Transmission System (Transmitter and Receiver) |



Player/Recording Device

Ki Pro® Ultra plus

| | |
|--------------|---|
| Manufacturer | AJA |
| Features | Multi-Channel HD Recorder 4K / Ultra HD / 2K / HD (Recorder and Player) |



Streaming Solution

Web Presenter HD

| | |
|--------------|---|
| Manufacturer | Blackmagic Design |
| Features | Complete Solution for (Live) Streaming to all Major Platforms |

Preview Displays



Name Size

| | |
|----------------------|-----|
| Panasonic BT-LH910 | 9" |
| Panasonic BT-LH1710 | 17" |
| Panasonic BT-LH1760 | 17" |
| Panasonic BT-LH2550 | 25" |
| MARSHALL QV171-HDSDI | 17" |



Preview Display

Q24

| | |
|--------------|----------|
| Manufacturer | Lilliput |
| Size | 23,6" |



Laptop

Precision 7730

Manufacturer

Dell

Features

17", Full HD,
Intel® Core™ i7-8750
6-Core, 16GB RAM, 512GB
SSD, Windows 10,
Office 2019 Home and
Business



Laptop

Precision 7550

Manufacturer

Dell

Features

15.6", Full HD,
Intel® Core™ i5-10400H,
16GB RAM, 256GB SSD,
Windows 10,
Office 2019 Home and
Business



| | |
|------------------|--|
| Signal Processor | Spyder X80 |
| Manufacturer | CHRISTIE® |
| Type | Multi-Screen Windowing Processor, 24 Inputs and 16 Outputs, 80 Megapixel Processing Power, Content in 4K |



| | |
|------------------|---|
| Signal Processor | Aquilon C-RS1+ |
| Manufacturer | Analog Way® |
| Type | 4K60 Capable Multiscreen Presentation System (1 VPU), In: 8x HDMI, 4x DP, 4x SDI, Out: 12x HDMI, 4x SDI |



| | |
|------------------|---|
| Signal Processor | Aquilon C-RS2+ |
| Manufacturer | Analog Way® |
| Type | 4K60 Capable Multiscreen Presentation System (2 VPU), In: 8x HDMI, 4x DP, 4x SDI, Out: 12x HDMI, 4x SDI |



| | |
|------------------|--|
| Signal Processor | Aquilon RS1 |
| Manufacturer | Analog Way® |
| Type | 4K60 Capable Multiscreen Presentation System (1 VPU), In: 8x HDMI, 4x DP, 4x SDI, Out: 8x HDMI |



| | |
|------------------|--|
| Signal Processor | Aquilon RS4 |
| Manufacturer | Analog Way® |
| Type | 4K60 Capable Multiscreen Presentation System (3 VPU), In: 12x HDMI, 8x DP, 4x SDI, Out: 16x HDMI |



| | |
|------------------|---|
| Signal Processor | Zenith 200 |
| Manufacturer | Analog Way® |
| Type | 4K60 Capable Multiscreen Presentation Switcher 16 Inputs, 6 Outputs |



Signal Processor

Ascender 32-4K-PL

Manufacturer

Analog Way®

Type

Seamless AV Processor
12-Channel, 4+1 Outputs

Signal Processor

Ascender LE32-4K

Manufacturer

Analog Way®

Type

Seamless AV Processor
12-Channel, 4+1 Outputs

Signal Processor

Ascender 48-4K-PL

Manufacturer

Analog Way®

Type

Seamless AV Processor
12-Channel, 4+1 Outputs,
Perspective Layers

Signal Processor

Pulse 4K

Manufacturer

Analog Way®

Type

4K60 Multilayer Video
Mixer and Scan Converter
with Dante™ Audio Net-
working

Signal Processor

Pulse² 3G

Manufacturer

Analog Way®

Type

Multi-Scan Converter &
Seamless Switcher



Signal Processor

VIO 4K

Manufacturer

Analog Way®

Type

Multi-Format Converter
incl. Expansion Board with
HDMI 2.0, 12G SDI and
DisplayPort 1.2 Inputs and
Outputs

★ Also for Sale!



Signal Processor

ImagePRO-4K

Manufacturer

Barco

Type

Universal 4K Up / Downs-
caler, Scan Converter,
Format Converter

★ Also for Sale!



Signal Processor

S3-4K TCIO

Manufacturer

Barco

Type

Master Processor
14-Channel, 14 Outputs
incl. HDMI2.0/DP1.2/12G
SDI

★ Also for Sale!



Signal Processor

Encore 3

Manufacturer

Barco

Type

Image Processor
16 x 4K@60p Inputs
8 x 4K@60p PVW/PGM
12 Outputs 4:4:4
16 4K60 layers per screen



In addition, we offer common signal distributors
and amplifiers from well-known manufacturers.



Video Mixer

Manufacturer

Type

ATEM Mini Extreme ISO

Blackmagic Design

Video Mixer Streaming and Recording 9 Separate Video Streams in Real Time



Video Mixer

Manufacturer

Type

ATEM Television Studio Pro HD

Blackmagic Design

Multi-Scan Converter & Seamless Switcher



Video Mixer

Manufacturer

Type

ATEM Television Studio Pro 4K

Blackmagic Design

Multi-Scan Converter & Seamless Switcher with 8 Standards Converted 12G SDI Inputs



Video Mixer

Manufacturer

Type

ATEM 2 M/E Advanced Panel

Blackmagic Design

Control Panel for ATEM Production and TV Switcher



Video Mixer

Manufacturer

Type

ATEM 4 M/E Broadcast Studio 4K

Blackmagic Design

High-Performance 12G SDI Live Production Mixer with 4 M/E (20x In, 13x Out)



Video Mixer

Manufacturer

Type

ATEM Constellation 8K

Blackmagic Design

High-Performance 12G SDI Live Production Mixer with 4 M/E (40x In, 28x Out)



NICLEN

NICLEN





Matrix

Manufacturer

Matrix Pro HD-/SDI Matrix 8x8

Barco

Type

Matrix with 8 HD-/SDI
Inputs and Outputs

Matrix

Manufacturer

Smart Videohub 40x40

Blackmagic Design

Type

Matrix with 40 6G SDI
Inputs and Outputs as well
as Mixed Format Support

Matrix

Manufacturer

Smart Videohub 12G 40x40

Blackmagic Design

Type

Matrix with 40 12G SDI
Inputs and Outputs as well
as Mixed Format Support

Matrix

Manufacturer

MX2 8x8 HDMI 2.0

Lightware

Type

Matrix with 8 HDMI 2.0
Inputs and Outputs as well
as EDID Management

Matrix

Manufacturer

MX2 16x16 HDMI 2.0

Lightware

Type

Matrix with 16 HDMI 2.0
Inputs and Outputs as well
as EDID Management

Matrix

Manufacturer

MX2 24x24 HDMI 2.0

Lightware

Type

Matrix with 24 HDMI 2.0
Inputs and Outputs as well
as EDID Management



Matrix

MX 8x8 DVI

Manufacturer

Lightware

Type

Matrix with 8 DVI Inputs and Outputs as well as EDID Management



Matrix

MX 16x16 DVI

Manufacturer

Lightware

Type

Matrix with 16 DVI Inputs and Outputs as well as EDID Management

★ Also for Sale!



Cueing System **MasterCue V6-L USB**
 Manufacturer Interspace Industries
 Type Wireless Presentation Devices

★ Also for Sale!



Cueing System **Cue4**
 Manufacturer Interspace Industries
 Type MasterCue Extension for Controlling up to 4 Computers

★ Also for Sale!



Cueing System **MicroCue3-L Dual Kit**
 Manufacturer Interspace Industries
 Type 2 MicroCue3 as a Set with 2 Laser Handsets

★ Also for Sale!



Cueing System **CueEther**
 Manufacturer Interspace Industries
 Type Ethernet Cueing System: Sender and (Wired) Receiver for MasterCue V5 and V6

★ Also for Sale!



Cueing System **MicroCue3**
 Manufacturer Interspace Industries
 Type Wireless Presentation Devices, also Available: MicroCue3-L



Intercom System

MCXD 32-Channel Desk Station

Manufacturer

Green-GO

Info

Desk Station, Direct Access
to up to 32 Channels or
Functions



Intercom System

MCXEXT 24-Channel 19" Ex- tension for MCX

Manufacturer

Green-GO

Info

24-Channel Rack Ex-
tension



Intercom System

MCX 32-Channel 19" Rack Station 1HE

Manufacturer

Green-GO

Info

32-Channel Rack Station



Intercom System


MCXDEXT 24-Channel Exten- sion for MCXD

Manufacturer

Green-GO

Info

24-Channel Desk Ex-
tension



Intercom System

INTERFACEX 19" Audio Interface

Manufacturer

Green-GO

Info

Combination of 2-Wire/4-
Wire Interface to Connect
with an Existing Matrix,
Ring/Partyline Systems or
other Analog Interfacing
Products



Intercom System

BRIDGEX 19" Bridge Interface (4 Connections)

Manufacturer

Green-GO

Info

Combination of 2-Wire/4-
Wire Interface to Connect
with an Existing Matrix,
Ring/Partyline Systems or
other Analog Interfacing
Products



Intercom System

BPX Beltpack

| | |
|--------------|----------|
| Manufacturer | Green-GO |
|--------------|----------|

| | |
|------|--|
| Info | Offers Comfortable and Direct Access to up to 4 Channels |
|------|--|



Intercom System

WBPX Wireless Beltpack

| | |
|--------------|----------|
| Manufacturer | Green-GO |
|--------------|----------|

| | |
|------|---|
| Info | Based on DECT Wireless Technology in order to Communicate with the Green-GO WAA Antenna Spare Batteries Available |
|------|---|



Intercom System

BC6 6-Way Battery Charger 19"

| | |
|--------------|----------|
| Manufacturer | Green-GO |
|--------------|----------|

| | |
|------|---|
| Info | Charges up to 6 Green-GO NRG-P Batteries for Green-GO WBPX Wireless Beltpacks |
|------|---|



Intercom System

WAA Wireless Antenna

| | |
|--------------|----------|
| Manufacturer | Green-GO |
|--------------|----------|

| | |
|------|---|
| Info | Connects a Green-GO WBPX Wireless Beltpack with a Green-GO System |
|------|---|



Intercom System

DNTI Dante 4x4 Interface

| | |
|--------------|----------|
| Manufacturer | Green-GO |
|--------------|----------|

| | |
|------|--|
| Info | 8x Dante™ Audio Stream (4x In, 4x Out) |
|------|--|



Intercom System

BEACON

| | |
|--------------|----------|
| Manufacturer | Green-GO |
|--------------|----------|

| | |
|------|--|
| Info | Call Indicator, Compatible with the Green-GO Network |
|------|--|



Intercom System

SW81 switch8 PoE + 1, 19"

Manufacturer

Green-GO

Info

Ethernet Switch, 9 LEDs
Provide Information about
Link and Data Presence



Intercom System

RDX Walkie-Talkie Interface

Manufacturer

Green-GO

Info

Integrates a Voice Radio
Channel from Commerci-
ally Available Radios into
the Green-GO System with
Push-to-Talk Support



Intercom System

DT 280 MKII Single-Ear Headset

Manufacturer

beyerdynamic

Info

Single-Ear Combined
Listening and Speaking,
200/80Ω



Intercom System

DT 290 MKII Headset

Manufacturer

beyerdynamic

Info

Combined Listening and
Speaking, 200/80Ω



Fiber Optic Cable

EBC1504 OM3 4CH MultiMode

| | |
|--------------|------------------------|
| Manufacturer | CONNEX |
| Lengths | 100m, 150m, 200m, 300m |



Fiber Optic Cable

DVI Fiber Optic Cables

| | |
|--------------|-----------|
| Manufacturer | PureLink® |
| Lengths | 30m, 50m |

Fiber Optic Cable

Iron Fibre HDMI 2.0 4K60

| | |
|--------------|-----------|
| Manufacturer | PureLink® |
| Lengths | 50m, 100m |



CONNEX proFibre Converters

| Name | Version | Resolution |
|---------------------------|--|--|
| proFibre HD/3G SDI | proFibre HD/3G SDI | HDTV 1.080px, |
| proFibre DisplayPort | 1x DisplayPort 1.2 | 4K max. 4.096x2.160px (60Hz) |
| proFibre HDMI 2.0 | 1x HDMI 2.0 + 2x Gigabit | 4K max. 4.096x2.160px (60Hz), 4:4:4, HDR |
| proFibre HDMI 2.0 Dual | 2x HDMI 2.0 + 1x 10/100Mbit Ethernet | 4K max. 4.096x2.160px (60Hz), 4:4:4, HDR |

Video Technicians as Advisors

You need support in selecting and assembling the right video equipment?
It is up to you in which phase of a project you would like to include our team.
We can already support you in the planning and conception phase of your event
or take over the project management for the video segment on site.



Diameter of the Light Cone at the Following Distance

| Scattering Angle of Light Cone | 3m | 6m | 9m | 12m | 15m | 20m | 25m | 30m | 35m | 40m | Distance for 3m Diameter |
|--------------------------------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------------|
| 5° | 0,3m | 0,5m | 0,8m | 1m | 1,3m | 1,7m | 2,2m | 2,6m | 3,1m | 3,5m | 34,4m |
| 6° | 0,3m | 0,6m | 0,9m | 1,3m | 1,6m | 2,1m | 2,6m | 3,1m | 3,7m | 4,2m | 28,6m |
| 8° | 0,4m | 0,8m | 1,3m | 1,7m | 2,1m | 2,8m | 3,5m | 4,2m | 4,9m | 5,6m | 21,5m |
| 9° | 0,5m | 0,9m | 1,4m | 1,9m | 2,4m | 3,1m | 3,9m | 4,7m | 5,5m | 6,3m | 19,1m |
| 10° | 0,5m | 1,1m | 1,6m | 2,1m | 2,6m | 3,5m | 4,4m | 5,2m | 6,1m | 7m | 17,1m |
| 11° | 0,6m | 1,2m | 1,7m | 2,3m | 2,9m | 3,9m | 4,8m | 5,8m | 6,7m | 7,7m | 15,6m |
| 12° | 0,6m | 1,3m | 1,9m | 2,5m | 3,2m | 4,2m | 5,3m | 6,3m | 7,4m | 8,4m | 14,3m |
| 13° | 0,7m | 1,4m | 2,1m | 2,7m | 3,4m | 4,6m | 5,7m | 6,8m | 8m | 9,1m | 13,2m |
| 15° | 0,8m | 1,6m | 2,4m | 3,2m | 3,9m | 5,3m | 6,6m | 7,9m | 9,2m | 10,5m | 11,4m |
| 17° | 0,9m | 1,8m | 2,7m | 3,6m | 4,5m | 6,0m | 7,5m | 9m | 10,5m | 12m | 10m |
| 20° | 1,1m | 2,1m | 3,2m | 4,2m | 5,3m | 7,1m | 8,8m | 10,6m | 12,3m | 13,1m | 8,5m |
| 23° | 1,2m | 2,4m | 3,7m | 4,9m | 6,1m | 8,1m | 10,2m | 12,2m | 14,2m | 16,3m | 7,4m |
| 25° | 1,3m | 2,7m | 4m | 4,9m | 6,7m | 8,9m | 11,1m | 13,3m | 15,5m | 17,7m | 6,8m |
| 26° | 1,4m | 2,8m | 4,2m | 5,5m | 6,9m | 9,2m | 11,5m | 13,9m | 16,2m | 18,5m | 6,5m |
| 30° | 1,6m | 3,2m | 4,8m | 6,4m | 8m | 10,7m | 13,4m | 16,1m | 18,8m | 21,4m | 5,6m |
| 35° | 1,9m | 3,8m | 5,7m | 7,6m | 9,5m | 12,6m | 15,8m | 18,9m | 22,1m | 25,2m | 4,8m |
| 40° | 2,2m | 4,4m | 6,6m | 8,7m | 10,9m | 14,6m | 18,2m | 21,8m | 25,5m | 29,1m | 4,1m |
| 45° | 2,5m | 5,0m | 7,5m | 9,9m | 12,4m | 16,6m | 20,7m | 24,9m | 29,0m | 33,1m | 3,6m |
| 50° | 2,8m | 5,6m | 8,4m | 11,2m | 14,0m | 18,7m | 23,3m | 28,0m | 32,6m | 37,3m | 3,2m |
| 55° | 3,1m | 6,2m | 9,4m | 12,5m | 15,6m | 20,8m | 26,0m | 31,2m | 36,4m | 41,6m | 2,9m |
| 60° | 3,5m | 6,9m | 10,4m | 13,9m | 17,3m | 23,1m | 28,9m | 34,6m | 40,4m | 46,2m | 2,6m |
| 65° | 3,8m | 7,6m | 11,5m | 15,3m | 19,1m | 25,5m | 31,9m | 38,2m | 44,6m | 51m | 2,4m |
| 70° | 4,2m | 8,4m | 12,4m | 16,8m | 21,0m | 28,0m | 35,0m | 42,0m | 49,0m | 56,0m | 2,1m |

| | Span (m) | 3m | 4m | 5m | 6m | 7m | 8m | 9m | 10m | 11m | 12m | 13m | 14m | 15m | 16m | 17m | 18m | 19m | 20m | |
|---|----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| Prolyte X30D Triangular Truss 30cm | UDL* | 443,7 | 248,1 | 157,6 | 108,4 | 78,7 | 59,5 | 46,3 | 36,8 | 29,8 | 24,5 | 20,4 | 17,1 | 14,5 | 12,3 | | | | | |
| | CPL** | 576,3 | 444,8 | 360,8 | 302,2 | 258,9 | 225,4 | 198,6 | 176,6 | 158,1 | 142,3 | 128,6 | 116,5 | 105,8 | 96,2 | | | | | |
| Prolyte H30V Square Truss 30cm | UDL | 649 | 485,3 | 387,1 | 321,6 | 255,6 | 194,4 | 152,4 | 122,3 | 100,1 | 83,2 | 70,1 | 59,6 | 51,2 | 44,3 | 38,6 | 33,8 | 29,8 | 26,3 | |
| | CPL | 1.668 | 1.298 | 1.074 | 914,4 | 794,4 | 700,6 | 625,2 | 563,2 | 511 | 466,5 | 428 | 394,3 | 364,5 | 337,8 | 313,8 | 292 | 272,2 | 253,9 | |
| Expotruss X4-K30 (FD34) Square Truss 30cm | UDL | 743,7 | 497,5 | 330,5 | 233,5 | 172,7 | 132,3 | 104,1 | 83,8 | 68,5 | 56,9 | 47,8 | 40,6 | 34,7 | 29,9 | 25,9 | 22,5 | 19,7 | 17,2 | |
| | CPL | 1.017 | 827,3 | 695,2 | 597,9 | 523 | 463,4 | 414,6 | 374 | 339,4 | 309,5 | 283,4 | 260,4 | 239,8 | 221,2 | 204,4 | 189 | 174,9 | 161,9 | |
| Expotruss X4-K40H Square Truss 40cm | UDL | 1.443 | 933,5 | 640,8 | 462,3 | 347 | 268,8 | 213,5 | 173,2 | 142,9 | 119,5 | 101,2 | 86,6 | 74,7 | 64,9 | 56,8 | 50 | 44,2 | 39,2 | |
| | CPL | 1.875 | 1.557 | 1.330 | 1.158 | 1.024 | 915,9 | 827 | 752,2 | 688,5 | 633,3 | 585 | 542,3 | 504,3 | 470 | 439 | 410,7 | 384,8 | 360,9 | |
| Expotruss X4-G35 Square Truss 35cm | UDL | 1.587 | 1.188 | 827,5 | 571,9 | 417,8 | 317,7 | 249,2 | 200,1 | 163,8 | 136,2 | 114,7 | 97,7 | 83,9 | 82,7 | 63,4 | 55,5 | 48,9 | 43,3 | |
| | CPL | 2.571 | 2.098 | 1.769 | 1.526 | 1.340 | 1.192 | 1.071 | 970,5 | 885,3 | 812 | 745,8 | 683,9 | 629,6 | 581,5 | 538,6 | 499,9 | 464,8 | 432,8 | |
| Expotruss X4-G62 Square Truss 62cm | UDL | 2.565 | 1.819 | 1.322 | 990 | 762,4 | 601,6 | 480,5 | 387,2 | 318,1 | 265,6 | 224,7 | 192,2 | 166,1 | 144,7 | 126,9 | 112 | 99,4 | 88,7 | |
| | CPL | 3.765 | 3.210 | 2.795 | 2.473 | 2.215 | 2.004 | 1.827 | 1.667 | 1.548 | 1.435 | 1.336 | 1.248 | 1.669 | 1.099 | 1.034 | 975,6 | 921,8 | 872,2 | |
| Expotruss X4-K100 Rectangular Truss 58x 100cm | UDL | | | | | | 1.440 | | 1.148 | | 835,7 | | 607,9 | | 460 | | 358,7 | | 286,2 | |
| | CPL | | | | | | 5.880 | | 5.157 | | 4.513 | | 4.000 | | 3.570 | | 3.196 | | 2.862 | |

| | Span (m) | 2,4 | 3,6m | 4,8m | 6m | 7,2m | 8,4m | 9,6m | 10,8m | 12m | 13,2m | 14,4m | 15,6m | 16,8m | 18m | 19,2m | 20,4m | 21,6m | |
|----------------------------|----------|--------|--------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| Prolyte S52F - L240 | UDL* | 1049,2 | 697,5 | 663,9 | 529,6 | 432,7 | 357,9 | 303,8 | 237,9 | 200,8 | 164,1 | 136,1 | 114,4 | 97,2 | 83,2 | 71,9 | 62,4 | 54,5 | |
| | CPL** | 2060,3 | 1895,7 | 1574,1 | 1253,4 | 1038,6 | 884,2 | 767,6 | 743,8 | 722,9 | 703,9 | 686,2 | 624,7 | 571,3 | 561,9 | 551,9 | 509,3 | 471,0 | |

* = Allowable uniformly distributed load (UDL) in kg/m

** = Allowable centre point load in kg (a point load that divides the span in 2 equal sections)

- Loading figures as provided are only meant as an indication. For more information and restrictions, please refer to the respective manufacturers loading tables.
- Loading figures are only valid for static loads.
- Loading figures are only valid for single spans with supports at both ends.
- All static systems, other than single spans, need an individual structural calculation. Please contact a structural engineer for assistance.
- Read the manufacturer's manual before assembling, using and loading the truss.

HOF MLT TWO

Permissible loadings without limit by deflection according DIN 13814 Fairground

| Span | | <i>Distributed Load</i> | | <i>Deflection</i> | | <i>Single load in every single crossing point</i> | | <i>Deflection</i> | |
|------|------|-------------------------|--------|-------------------|------|---|------|-------------------|------|
| m | ft | kg/m | lbs/ft | mm | inch | kg | lbs | mm | inch |
| 4 | 13,1 | 1200 | 8679 | 14 | 0.55 | 420 | 3037 | 14 | 0.55 |
| 5 | 16,4 | 800 | 5786 | 22 | 0.87 | 420 | 3037 | 22 | 0.87 |
| 6 | 19,7 | 612 | 4426 | 31 | 1.22 | 420 | 3037 | 31 | 1.22 |
| 7 | 23,0 | 447 | 3233 | 42 | 1.65 | 391 | 2828 | 42 | 1.65 |
| 8 | 26,2 | 339 | 2451 | 49 | 1.93 | 271 | 1960 | 49 | 1.93 |
| 9 | 29,5 | 265 | 1916 | 58 | 2.28 | 198 | 1432 | 58 | 2.28 |
| 10 | 32,8 | 212 | 1533 | 83 | 3.27 | 176 | 1273 | 83 | 3.27 |
| 11 | 36,1 | 174 | 1258 | 100 | 3.94 | 120 | 867 | 100 | 3.94 |
| 12 | 39,4 | 145 | 1048 | 117 | 4.61 | 108 | 781 | 117 | 4.61 |
| 13 | 42,7 | 121 | 875 | 136 | 5.35 | 98 | 708 | 136 | 5.35 |
| 14 | 45,9 | 103 | 745 | 155 | 6.10 | 90 | 650 | 155 | 6.10 |
| 15 | 49,2 | 88 | 636 | 176 | 6.93 | 82 | 593 | 176 | 6.93 |

Harting, 16 Pin (Electrical Load Multicore)

| Pin | Function 2,5q |
|-----|---------------|
| 1 | L1 |
| 2 | L2 |
| 3 | L3 |
| 4 | L4 |
| 5 | L5 |
| 6 | L6 |
| 7 | - |
| 8 | - |
| 9 | N1 |
| 10 | N2 |
| 11 | N3 |
| 12 | N4 |
| 13 | N5 |
| 14 | N6 |
| 15 | - |
| 16 | - |

Housing: Ground

Harting, 6 Pin (for 5kW Electrical Load Multicore)

| Pin | Function |
|-----|----------|
| 1 | L1 |
| 2 | N1 |
| 3 | L2 |
| 4 | N2 |
| 5 | L3 |
| 6 | N3 |

Harting, 16 Pin (for 2kW Electrical Load Multicore (Motormultis))

| Pin | Function 2,5q |
|-----|---------------|
| 1 | L1 hoist 1 |
| 2 | L2 hoist 1 |
| 3 | L3 hoist 1 |
| 4 | L1 hoist 2 |
| 5 | L2 hoist 2 |
| 6 | L3 hoist 2 |
| 7 | - |
| 8 | - |
| 9 | L1 hoist 3 |
| 10 | L2 hoist 3 |
| 11 | L3 hoist 3 |
| 12 | L1 hoist 4 |
| 13 | L2 hoist 4 |
| 14 | L3 hoist 4 |
| 15 | - |
| 16 | - |

XLR / DMX Configuration

| Pin | XLR-5 | XLR-6 XLR-6 |
|-----|-----------------|-------------|
| 1 | Ground | Ground |
| 2 | Data - | Data - |
| 3 | Data + | Data + |
| 4 | opt. 2 Link D - | - |
| 5 | opt. 2 Link D + | - |

Subject to errors and technical changes.





POWER BEYOND LIMITS

OPUS® X4 PROFILE
1400W LED SPOT PROFILE MOVING HEAD

www.cameolight.com/opusX4

for lumen beings

NicLen GmbH

Steinbrinkstr. 61
44319 Dortmund
Germany
Phone: +49 231 999610
eMail: dispo@niclen.de

NicLen Ltd.

Crest Distribution Park,
Crest Road,
High Wycombe,
Buckinghamshire, HP11 1WT
United Kingdom
Phone: +44 1844 617083
eMail: info@niclen.uk

NicLen S.A.R.L.

50, rue des Chardonnerets
93290 Tremblay-en-France
France
Phone: +33 1 4863 0294
eMail: info@niclen.fr

NicLen B.V.

De Hooistreep 10
3751 LW Bunschoten-Spakenburg
Netherlands
Phone: +31 85 7822 888
eMail: info@niclen.nl

NicLen CH AG

Untere Fischbachstrasse 2
8932 Mettmenstetten
Switzerland
Phone: +41 44 24 2 24 24
eMail: info@niclen.ch