

nicl

**RENTAL
INNOVATIONS
2026**





Fixture	iESPRITE® LTL WB
Manufacturer	ROBE
Type	Wash / Beam
Lamp	750W White LED Engine
Power Consumption	950W
Weight	37kg
Special/Zoom	3° - 57°



Fixture	iFORTE® LTX WB
Manufacturer	ROBE
Type	Wash / Beam
Lamp	1.000W White LED Engine
Power Consumption	1.300W
Weight	49kg
Special/Zoom	3,5° - 52°




Fixture	STRIKE V
Manufacturer	Chauvet
Type	Wash / Strobe
Lamp	24x 6W / 24x 50W LED
Power Consumption	747W
Weight	16,3kg
Special/Zoom	Motorized Tilt (180°) Beam Angle: 9,9° Field Angle: 105,7°



Fixture	ZENIT® W600 G2
Manufacturer	Cameo®
Type	Wash
Lamp	40 x 50 W RGBALC
Power Consumption	700W
Weight	12,9kg
Special/Zoom	Beam: 18° / Field: 34°



Fixture	Kyalami
Manufacturer	Ayrton
Type	Beam
Lamp	100W Laser
Power Consumption	200W
Weight	14,5kg
Special/Zoom	1°



Fixture	MAC Aura Raven XIP
Manufacturer	Martin
Type	Wash
Lamp	37 Main-RGBL, 24.000 lm, Backlight 234 RGB-LEDs
Power Consumption	1.120W
Weight	28,8kg
Special/Zoom	6° – 50°



Fixture	JDC Burst 1
Manufacturer	GLP
Type	Wash / Strobe
Lamp	Beam 700W White LED Plate 700W RGBW LED
Power Consumption	1.400W
Weight	12,9kg
Special/Zoom	Beam: 150° / 90° Plate: 110° Beam Angle, 160° Field Angle



Fixture	NEO fx
Manufacturer	ROXX
Type	Wash / Beam
Lamp	24x40W RGBL-LED
Power Consumption	1234W
Weight	24,8kg
Special/Zoom	4,5° – 70°

Lighting



LED



Fixture	SolaBulb
Manufacturer	Astera
Type	Creative Light
Lamp	50W PAR RGBMA
Power Consumption	16,5W
Weight	0,433kg
Special/Zoom	Beam Angle 15° – 50° Field Angle 23° – 73°



LED







IP65



Fixture	QuikSpot
Manufacturer	Astera
Type	PAR
Lamp	60W LED
Power Consumption	50W
Weight	3,45kg
Special/Zoom	13° – 60°



LED



IP65



Fixture	PixelBrick
Manufacturer	Astera
Type	PAR
Lamp	15W RGBMA
Power Consumption	20W
Weight	1,12kg
Special/Zoom	Beam Angle 13° Field Angle 25°



LED







Fixture	Pulsar 2
Manufacturer	ACME
Type	Beam/Wash
Lamp	4 x 60W RGBW LEDs 9 x 10W CW LEDs 96 x 3W CW LEDs 108 x 0.5W RGB LEDs
Power Consumption	600W
Weight	11kg
Special/Zoom	Beam Angle 2.5° - 28° Field Angle 4.4° - 36° CTO 2500-8.000K



LED







IP65

Fixture	Omniray
Manufacturer	Portman
Type	PAR / Blinder
Lamp	440W RGBWLA
Power Consumption	450W
Weight	14kg
Special/Zoom	Main: 90° Narrow: 3.8°





Fixture	grandMA3 onPC 8Port Node
Manufacturer	MA Lightning
Type	onPC Node



LED







IP65

Fixture	STRIKE Array 4C
Manufacturer	Chauvet
Type	Blinder / Strobe
Lamp	268x 4,32W RGBA-WW LED
Power Consumption	1.180W
Weight	15,4kg
Special/Zoom	Beam Angle: 59,6° Field Angle: 102,2°





Fixture	GrandMA 3 Processor Unit XL
Manufacturer	MA Lightning
Type	Network Processor
Weight	5kg



Fixture	POWER DROP SET
Manufacturer	MAGICFX®
Type	Kabucki Set
Weight	18,5g



Fixture	Captain D.
Manufacturer	Smoke Factory
Type	Fogger
Fluid Consumption	35 ml per minute (continuous output), max. output approx. 120 ml per minute
Power Consumption	1.300W
Weight	9,7kg



Fixture	CellMaster Base Station
Manufacturer	CHAINMASTER



Fixture	CellMaster 3,25t Shackles Set
Manufacturer	CHAINMASTER
Type	Wireless Load Cell



Matrix Switcher	KUMO 1616-12G
Manufacturer	AJA
Type	Compact SDI Router with 16x 12G-SDI Inputs and Output



Control Panel	KUMO CP
Manufacturer	AJA
Type	1RU Control Panel for KUMO SDI Routers



Matrix Switcher	KUMO 3232-12G
Manufacturer	AJA
Type	Compact SDI Router with 32x 12G-SDI Input and Output



Control Panel	KUMO CP2
Manufacturer	AJA
Type	2RU Control Panel for KUMO SDI Routers



Distribution Amplifier	12GDA
Manufacturer	AJA
Type	1x6 12G-SDI reclocking Distribution Amplifier with support for 12G-SDI for 4K / UltraHD single link workflows



Fixture	Mini Converter Sync Generator
Manufacturer	Blackmagic Design
Type	SD-Blackburst & HD-Tri-Level Sync Generator with 6x HD / SD Black Burst and HD Tri-Level Sync Outputs

Video



Video Mixer

Manufacturer	Blackmagic Design
Type	High-Performance 12G SDI Live Production Mixer with a built in Broadcast Control Panel. 8x 12G-SDI Inputs, 10x 12G-SDI Aux Outputs for external Recorders, 4x Port 10G Ethernet Switch




Fixture

Manufacturer	Matrox Video
Type	Compact, standalone ST 2110 and IPMX Transmitter / Receiver featuring 12G-SDI, Genlock, 1x RJ45, 2x SFP28 Ports



Fixture

Manufacturer	Brompton
Load Capacity	4.500.000px
Inputs	1x HDMI 2.0, 1x 12G SDI
Outputs	8x Gigabit Ethernet (525.000px@8bit, 60Hz)



LED Technology

Manufacturer	Absen
Pixel Pitch	8,9mm
Brightness	4000cd/m
Panel Size	1000x1000x100mm
Panel Weight	20kg
Application	Indoor/Outdoor



Fixture

Manufacturer	Matrox Video
Type	Compact, standalone ST 2110 and IPMX Transmitter / Receiver Device with IP Video Gateway Feature



Fixture

Manufacturer	Matrox Video
Type	Compact, standalone ST 2110 and IPMX Transmitter / Receiver featuring 12G-SDI, Genlock, 1x RJ45, 2x SFP28 Ports



Fixture

Manufacturer	Brompton
Load Capacity	2.100.000px
Inputs	1x DVI-D
Outputs	4x Gigabit Ethernet (525.000px@8bit, 60Hz)



LED Technology

Manufacturer	Absen
Pixel Pitch	3,9mm
Brightness	5000cd/m
Panel Size	500x500x88mm 500x1000x88mm
Panel Weight	7kg / 11,5kg
Application	Indoor/Outdoor

NicLen GmbH
Steinbrinkstr. 61
44319 Dortmund
Germany
Phone: +49 231 999610
eMail: dispo@niclen.de

NicLen Ltd.
Crest Distribution Park,
Crest Road,
High Wycombe,
Buckinghamshire, HP11 1WT
United Kingdom
Phone: +44 1844 617083
eMail: info@niclen.uk

NicLen S.A.R.L.
50, rue des Chardonnerets
93290 Tremblay-en-France
France
Phone: +33 1 4863 0294
eMail: info@niclen.fr

NicLen B.V.
De Hooistreep 10
3751 LW Bunschoten-Spakenburg
Netherlands
Phone: +31 85 7822 888
eMail: info@niclen.nl

NicLen CH AG
Untere Fischbachstrasse 2
8932 Mettmenstetten
Switzerland
Phone: +41 44 24 2 24 24
eMail: info@niclen.ch